STATE POLLUTION CONTROL BOARD, ORISSA

Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-VIII Bhubaneswar-751012, Orissa Website: www.ospcboard.org; Email:paribesh@sanchamet.in

NOTICE

Dt. 2/-/0

NOTICE FOR EMPANELMENT OF CONSULTANT

State Pollution Control Board, Orissa invites applications in the prescribed proforma from consultants working in the field of environment for empanelment.

There is no last date for application. Application will be processed twice in a year in May (for application received during the period October to April) and in October (for application received during the period May to September).

However, only for the current year (2005 -06) applications received on or before October 24, 2005 may be considered for empanelment.

- The validity of empanelment period will be 3 years from the date of issue of the letter by the Board.
- The Central Pollution Control Board guidelines (publication vide Series LSTS9/1994-95 January 1996) regarding categorization of laboratory, i.e., A, B & C will be considered as the basis for categorization of consultant.
- The prescribed application format is available in the reception counter of the State Pollution Control Board, Bhubaneswar. The cost of the form is Rs. 250/- by cash and Rs. 300/- by D.D. drawn in favour of Member Secretary, State Pollution Control Board, Orissa for postal delivery
- Firms who do not possess laboratory facilities of their own, shall not be considered for empanelment.
- 6. After examining the facilities available for monitoring, expertise, infrastructure etc., the firms shall be classified into the following 3 categories.

Commensurating Activities Category

Shall be capable of monitoring of stack emission, ambient air quality, water/wastewater analysis for all parameters, noise monitoring as per Annexure 1(A). Preparation of Environmental Audit Report, EIA safety reports, carrying capacity study, Regional studies, Environmental Management Plans, Env. Surveys

Shall be capable of monitoring, stack emission, ambient air quality, B water/wastewater analysis for specific parameters in addition to all conventional parameters, bacteriological analysis and noise monitoring are enclosed as Annexure 1(B). Also the agency shall be capable of conducting rapid EIA and prepare Environmental

Shall be capable of monitoring, stack emission, ambient air quality C and water/wastewater are enclosed as Annexure 1(C).

7. Firms shall be empanelled in one of the above three categories and shall be charged a registration fee as given below, before the certificate of empanelment is issued to the firm.

Category	· Fees (Rs.)
A	Rs. 25,000/- ~
В	Rs. 15,000/-
C	Rs. 10,000/-

8. Expenses for inspection will have to be borne by the applicant, as per the entitlement of the inspecting officer. Approved By

Member Secretar

APPLICATION FORM FOR EMPANELMENT OF CONSULTANTS WITH STATE POLLUTION CONTROL BOARD, ORISSA

Document No. :

Cost of Document: Rs. 250/-



STATE POLLUTION CONTROL BOARD, ORISSA A/118, Nilakantha Nagar, Unit – VIII, Bhubaneswar – 751 012

PROFORMA FOR EMPANELMENT OF CONSULTANTS WITH STATE POLLUTION CONTROL BOARD, ORISSA

) Laboratory	
(b	\ Hood Office	
	Phone	FAX
	E-mail	Website
W	hether applied for Fresh	
	Renewal	(a) Last Valid Period
		(b) Change of Category
a.	Year of Establishment	
b	Registered Under	& Regn. No
	Autonomous Any Other	Public Sector
Н	ead of the organization	
Ν	ame	Designation
La	aboratory In- charge	
١	lame	Designation
N	ame of the organization from	n which the consultancy has already been
re	cognized/ empanelled	

9.			r the Laboratory is recognized a t, 1986? If Yes, give the period	s an Environmental Laboratory under of Validity .
10.			r the Laboratory is accredited by ea of Testing.	NABL? If Yes, give the period of Validity
11. Which of the following type of analytical works are being carried out i			orks are being carried out in the laboratory	
	(A)	Te	sts for Water and Wastewater	
		i.	Physical	
		ii.	Chemical	
		iii.	Radioactive	
		iv.	Bacteriological	
		٧.	Toxicological	
	(B)	Te	sts for Ambient air/ Exhaust gas	ses
		i.	Ambient Air/ Fugitive Emission	ns
		ii.	Micro-Meteorological	
		iii.	Source Emission	
		iv.	Vehicular Emission	
		V.	Toxic and Hazardous gases	
		vi.	Noise	
	(C)	Т	ests for Soil and hazardous wast	е
12.	Mar	k the	parameters given in Annexure "A	A" which can be analysed in the laboratory.
13.			e equipment/ Instrument given ir ratory.	n Annexure "B" which are available in

Please enclose a list of personnel working in the laboratory with their names, designation, qualifications and experience.

14.

	a. W	ater and Waste water analysis		
		i. APHA (ii) iii. ISI (iv)	EPA Any oth	ner
	b. Ai	r pollution Monitoring and analysis	3	
		(i) APHA (ii) (ii) (iv)	EPA Any oth	ner
16.	& D a			ties available with the laboratory, R scope of expansion, other field of
17.		ide a map showing a layout of the s, if any.	existing lab	oratory and future expansion
18.	 Experience in conducting work in the field of environmental management and related areas (separate sheet may be enclosed) 		onmental management and	
	SI. No.	Activities performed during last two years	Total Numbers	Title
	i.	EIA / EMP	Numbers	
	ii.	Environmental Statement		
	iii.	Safety Report		
	iv.	Regional Environmental Management Plan (REMP)		
	V.	Carrying Capacity		
	vi.	Other works related to Environment		

Authorised Signatory With seal and date

Which of the methods given below are being followed for the analytical work (Please specify)

15.

PARAMETERS ANALYSED

WATER ANALYSIS

CI	ANALYSIS
SI. No.	Parameters
Physi	cal Parameters
1.	Colour
2.	Conductivity
3.	pH
4.	Suspended Solids
5.	Suspended Volatile Solids
6.	Settleable Solids
7.	Sludge Volume Index
8.	Salinity
9.	Total Solids
10.	Total Volatile Solids
11.	Temperature
12.	Turbidity
13.	Velocity of flows
Chem	ical Parameters
14.	Acidity
15.	Alkalinity
16.	Ammonical Nitrogen
17.	Ammonia Free
18.	Arsenic
19.	Aluminium
20.	Biochemical Oxygen Demand
21.	Boron
22.	Barium
23.	Bromide
24.	Chloride
25.	Carbon Dioxide
26.	Chlorine Demand
27.	Chlorine Residual
28.	Cyanide
29.	Chemical oxygen Demand
30.	Cadmium
31.	Calcium
32.	Chromium
33.	Copper
34.	Dissolved oxygen
35.	Fluoride
36.	Hardness (Total and Calcium)
37.	Hydrocarbons
38.	Iron
39.	Iodide (Traces
40.	Kjeldahl Nitrogen (Total)
41.	Lignin
42.	Lead
43.	Magnesium
44.	Manganese
45.	Manganese

46.	Mercury
47.	Nickel
48.	Nitrite Nitrogen
49.	Nitrate Nitrogen
50.	Oil and Grease
51.	Potassium
52.	Phenois
53.	Pesticides (Organo Chlorine and Organo Phosphorous)
54.	Phosphate
55.	Selenium
56.	Sulphate
57.	Sulphide
58.	Sulphite
56. 59.	Silica
60.	Silver
	Tin
61. 62.	
	Urea Nitrogen Vanadium
63. 64.	Zinc
64.	ZINC
<u> </u>	Facasi Chran Casai
65.	Faecal Strep Cocci
66.	Faecal Coliform Organism (MPN
67.	Pathogens
68.	Saprophytic Identification
69.	Total Plate Count
70.	Total Coliform Organisms (MPN)
71.	gical Parameters
71.	Benthic Organism Count
1	Chlorophyll Estimation
73.	Estimation of various diversity indices
74.	Microphytic identification
75.	Planktonic Count
76.	Primary Productivity
77	Die gegenneletien
77.	Bio-accumulation
70	Bio-magnification & Bio- transformation studies
78.	Estimation of the effect at tissue level
79.	Estimation of EC 50 on fish or other organisms
90	like Daphina, Algae etc. Estimation of LC 50 on fish
80.	
	nalysis (Ambient Air Quality Monitoring Parameters)
81.	Acid Mist
82.	Ammonia
83.	Chlorine
84.	Fluoride
85.	Hydrocarbons
86.	Lead
87.	Ozone
88.	Oxides of Nitrogen (NO, NO ₂ , NO _x)
89.	Sulphur dioxide
	L Crista and ad Dankier Joha Makkan /CDM/
90. 91.	Suspended Particulate Matter (SPM) Total Particulate Matter

Vehicle	e Emission Monitoring Parameters
92.	Carbon Monoxide
93.	Hydrocarbon
94.	Oxides of Nitrogen
95.	Smoke
96.	Mixing depth/ Inversion Height
97.	Temperature
98.	Wind Direction
99.	Wind Speed
100.	Particulate Matter
101.	Acid Mist
102.	Ammonia
103.	Carbon Disulphide
104.	Chlorine
105.	Fluoride

PARAMETERS ANALYSED

WATER ANALYSIS

SI. No.	Parameters
	ical Parameters
1. IIIy 3	Colour
2.	Conductivity
3.	pH
4.	Suspended Solids
5.	Suspended Volatile Solids
6.	Settleable Solids
7.	Sludge Volume Index
8.	Salinity
9.	Total Solids
10.	Total Volatile Solids
11.	Temperature
	Turbidity
13.	Velocity of flows
	nical Parameters
14.	Acidity
15.	Alkalinity
16.	Ammonical Nitrogen
17.	Ammonia Free
18.	Arsenic
19.	Aluminium
20.	Biochemical Oxygen Demand
21.	Boron
22.	Bromide
23.	Chloride
24.	Carbon Dioxide
25.	Chlorine Demand
26.	Chlorine Residual
27.	Cyanide
28.	Chemical oxygen Demand
29.	Cadmium
30.	Calcium
31.	Chromium
32.	Copper
33.	Dissolved oxygen
34.	Fluoride
35.	Hardness (Total and Calcium)
36.	Iron
37.	Kjeldahl Nitrogen (Total)
38.	Lead
39.	Magnesium
40.	Manganese
41.	Manganese
42.	Mercury
43.	Nickel
44.	Nitrite Nitrogen
45.	Nitrate Nitrogen
46.	Oil and Grease

47.	Potassium
48.	Phenols
49.	Phosphate
50.	Sulphate
51.	Sulphide
52.	Sulphite
53.	Silica
54.	Tin
55.	Urea Nitrogen
56.	Zinc
57.	Faecal Strep Cocci
58.	Faecal Coliform Organism (MPN)
59.	Total Plate Count
60.	Total Coliform Organisms (MPN)
	ogical Parameters
61.	Benthic Organism Count
62.	Chlorophyll Estimation
63.	Microphytic identification
64.	Planktonic Count
65.	Primary Productivity
65.	Bio-accumulation
	Bio-magnification & Bio- transformation studies
66.	Estimation of EC 50 on fish or other organisms like Daphina, Algae etc.
67.	Estimation of LC 50 on fish
Air A	nalysis (Ambient Air Quality Monitoring Parameters)
68.	Acid Mist
69.	Ammonia
70.	Chlorine
71.	Fluoride
72.	Oxides of Nitrogen (NO, NO2, NOx)
74.	Sulphur dioxide
75.	Suspended Particulate Matter (SPM)
76.	Total Particulate Matter
77.	Carbon Monoxide
79.	Hydrocarbon
80.	Oxides of Nitrogen
81.	Smoke
82.	Temperature
83.	Wind Direction
84.	Wind Speed
85.	Acid Mist
86.	Particulate Matter
87.	Ammonia
88.	Carbon Disulphide
89.	Chlorine
90.	Fluoride

PARAMETERS ANALYSED

WATER ANALYSIS

SI.	Parameters
No.	ical Parametera
	ical Parameters
1.	Colour
2.	Conductivity
3.	pH Supported Calida
4.	Suspended Solids
5.	Settleable Solids
6.	Sludge Volume Index
7.	Salinity
8.	Total Solids
9.	Temperature
10.	Turbidity Value it vaf flows
11.	Velocity of flows
12.	nical Parameters
	Acidity
13.	Alkalinity
14.	Ammonical Nitrogen
15.	Ammonia Free
16.	Biochemical Oxygen Demand
17.	Chloride Carbon Diavide
18.	Carbon Dioxide
19. 20.	Chlorine Demand Chlorine Residual
21.	Cyanide
22.	Chemical oxygen Demand
23.	Cadmium
24.	Calcium
25.	Chromium
26.	Copper
27.	Dissolved oxygen
28.	Fluoride
29.	Hardness (Total and Calcium)
30.	Iron
31.	Lead
32.	Magnesium
33.	Manganese
34.	Mercury
35.	Nickel
36.	Nitrite Nitrogen
37.	Nitrate Nitrogen
38.	Oil and Grease
39.	Phenols
40.	Phosphate
41.	Sulphate

Micro	obiological Parameters
42.	Strep Cocci
43.	Faecal Coliform Organism (MPN)
44.	Total Plate Count
45.	Total Coliform Organisms (MPN)
Biolo	gical Parameters
46.	Chlorophyll Estimation
47.	Planktonic Count
48.	Primary Productivity
Bioas	ssay of Toxic Pollutants
49.	Estimation of LC 50 on fish
Air Aı	nalysis (Ambient Air Quality Monitoring Parameters)
50.	Acid Mist
51.	Ammonia
52.	Chlorine
53.	Fluoride
54.	Oxides of Nitrogen (NO, NO2, NOx)
55.	Sulphur dioxide
56.	Suspended Particulate Matter (SPM)
57.	Total Particulate Matter
58.	Temperature
59.	Wind Direction
60.	Wind Speed
61.	Particulate matter
62.	Acid Mist
63.	Ammonia
64.	Chlorine

ANNEXURE B

LIST OF EQUIPMENT		Quantity
1.	Refrigerator	
2.	Deep Freezer	
3.	BOD Incubator	
4.	Bacteriological Incubator	
5.	Oven	
6.	Muffle Furnace	
7.	Autoclave	
8.	Waterbath	
9.	Centrifuge	
10.	Water Distillation Assembly	
	Glass	
	Metal	
11.	Heating mantle	
12.	Hot Plate	
13.	Magnetic stirrer with Hot Plate	
14.	Vacuum Filtration Pump	
15.	Electronic Colony Counter	
16.	Inoculation Hood	
17.	Aquarium for Bioassay and Aerators	
18.	Water Deionizer	
19.	Water Current Meter	
20.	Depth Sampler	
21.	Bottom Sampler	

22.	Filtration Assembly (Millipore)	
23.	Any Other Equipment	
24.	Fluoride distillation assembly	
25.	Cyanide distillation unit	
26.	Ammonia distillation assembly	
27.	Kjeldahl Nitrogen Assembly	
28.	COD digestion assembly	
29.	Soxhelt extraction Unit	
30.	Arsenic Estimation Assembly (Gutzit Generator)	
32.	Any other Assembly	
33.	High Volume sampler	
34.	Respirable Dust Sampler	
35.	Stack Monitoring Kit	
36.	Sound Level Meter	
37.	Anemometer	
38.	Min. max. Thermometer	
LIST	OF INSTRUMENT	
1.	Analytical Balance	
2.	Physical Balance	
3.	pH meter portable/ table model	
4.	Conductivity meter	
5.	Portable Analysis kit (For O2, pH, Temp., Conductivity, Redox Potential etc.)	
6.	Turbidity meter	

7.	Binocular microscope	
8.	Flame photometer	
9.	Dissection microscope	
10.	Inverter Plankton Microscope	
11.	Stereoscopic Microscope	
12.	Colorimeter	
13.	Dissolved Oxygen Meter	
14.	Any other Instrument	
SOPH	IISTICATED INSTRUMENTS	
SOPH 1.	Atomic Absorption Spectrophotometer	
1.	Atomic Absorption Spectrophotometer	
1. 2.	Atomic Absorption Spectrophotometer Gas Liquid Chromatograph	
1. 2. 3.	Atomic Absorption Spectrophotometer Gas Liquid Chromatograph Mercury Analyser	
 1. 2. 3. 4. 	Atomic Absorption Spectrophotometer Gas Liquid Chromatograph Mercury Analyser UV-Visible Spectrophotometer	