

Ambient air quality status with Air quality index value and categorisations of different cities & towns of Odisha during, January, 2019

1. ANGUL(2)

I. RO SPCB, Angul Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	NH ₃	O ₃	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	14.4	29.8	138	34.0	30.0	73	143(PM _{2.5})	Moderate

II. NALCO Nagar, Angul

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	10.6	25.8	120	55	113(PM ₁₀)	Moderate

2. TALCHER (2)

III. TTPS, Talcher

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	11.6	28.4	158	81	170(PM _{2.5})	Moderate

IV. MCL, Talcher

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	10.8	28.6	164	82	173(PM _{2.5})	Moderate

3. BALASORE (3)

V. RO SPCB, Sahadevkhunta

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	11.2	38.7	30.8	91	47	91(PM ₁₀)	Satisfactory

VI. DIC Office, Angargadia

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	11.1	41.2	30.8	89	47	89(PM ₁₀)	Satisfactory

VII. Rasalpur Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	7.5	11.7	45.8	35.8	92	50	92(PM ₁₀)	Satisfactory

4. BERHAMPUR (1)

VIII. RO SPCB, Brahmanagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	17.3	28.5	27.8	126	36	117(PM ₁₀)	Moderate

5. **BHUBANESWAR (6)**

IX. SPCB Office Building, Unit-VIII

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	15.9	39.2	23.5	156	NM	137(PM ₁₀)	Moderate

X. IRC Village, Nayapali

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	27.0	44.0	24.5	158	56	139(PM ₁₀)	Moderate

XI. Capital Police Station, Unit-I

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	28.8	47.4	23.2	154	34	136(PM ₁₀)	Moderate

XII. Patrapada

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	15.2	38.4	23.7	177	NM	151(PM ₁₀)	Moderate

XIII. Chandrasekharpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	16.5	37.4	23.8	155	47	137(PM ₁₀)	Moderate

XIV. Palasuni water works

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	19.7	53.4	28.0	97	29	97(PM ₁₀)	Satisfactory

6. **BONAIGARH (1)**

XV. Bonaigarh Govt. Hospital

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	10.0	13.2	163	74	147(PM _{2.5})	Moderate

7. **CUTTACK (3)**

XVI. Traffic Tower Badambadi

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	Not Monitored					

XVII. RO SPCB, Building, Surya Vihar

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	6.7	23.4	198	92	207(PM _{2.5})	Poor

XVIII. PHD Office, Barabati

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	5.1	20.8	202	93	210(PM _{2.5})	Poor

8. JHARSUGUDA (3)

XIX. RO SPCB, Cox Colony, Babubagicha, Jharsuguda

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	7.0	14.3	117	62	111(PM ₁₀)	Moderate

XX. TRL Colony Premises, Belpahar

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	5.4	12.3	104	42	103(PM ₁₀)	Moderate

XXI. Inside Vedanta Township

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
Not Monitored						

9. KALINGANAGAR (3)

XXII. BRPL Guest House

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	BDL	13.1	144	NM	129(PM ₁₀)	Moderate

XXIII. RO SPCB, Kalinganagar

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	BDL	16.8	153	NM	135(PM ₁₀)	Moderate

XXIV. NINL Guesthouse

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
Not Monitored						

N.B-High PM₁₀ & PM_{2.5} value observed at Cuttack due to Jaica Project work was going on nearby

10. KEONJHAR (1)

XXV. RO SPCB, Baniapat

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	BDL	13.2	164	NM	143(PM ₁₀)	Moderate

11. KONARK(1)

XXVI. Konark Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	14.0	34.9	22.8	93	NM	93	Satisfactory

12. PARADEEP (3)

XXVII. PPL Guest house

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	17.4	9.1	276	NM	226(PM ₁₀)	Poor

XXVIII. IFFCO STP

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	19.0	9.3	252	NM	202(PM ₁₀)	Poor

XXIX. Paradeep Port trust Staff Quarter

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	17.1	10.0	271	145	319(PM _{2.5})	Very-Poor

13.PURI (2)

XXX. Sadar Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	15.4	57.2	20.9	127	NM	118(PM ₁₀)	Moderate

XXXI. Town Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
January	BDL	14.4	50.5	22.4	125	NM	117(PM ₁₀)	Moderate

14. RAYAGADA (2)

XXXII. RO SPCB, Rayagada Indiranagar

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	4.2	19.3	85	42	85(PM ₁₀)	Satisfactory

XXXIII. LPS High School, Jaykaypur

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	4.1	19.5	87	47	87(PM ₁₀)	Satisfactory

15. RAJGANGPUR (1)

XXXIV. DISR, Rajgangpur

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	10.0	13.6	211	77	174(PM ₁₀)	Moderate

16. ROURKELA (4)

XXXV. RO SPCB, Rourkela, Sector-5

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	6.6	13.9	89	36	89(PM ₁₀)	Satisfactory

XXXVI. IDL out Post

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	6.0	11.0	89	46	89(PM ₁₀)	Satisfactory

XXXVII. IDCO Water tank, IDC Kalunga

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	14.4	23.6	206	66	171(PM ₁₀)	Moderate

XXXVIII. Kuanmunda out Post, Kuanmunda)

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	8.1	12.2	133	55	122(PM ₁₀)	Moderate

17. SAMBALPUR (1)

XXXIX. PHD Office, Modipara

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
January	4.4	21.2	88	39	88(PM ₁₀)	Satisfactory

NB:-Three NAMP stations i.e., at Vedanta Township under RO, Jharsuguda, NINL Guest House under RO, Kalinganagar and Traffic Tower Badambadi under RO, Cuttack were not in operation in the month of January 2019. NM-Not Monitored, BDL Value for SO₂ ≤4 µg/m³