

Ambient air quality status with Air quality index value and categorisation of different cities & towns of Odisha during, July- 2020(Lock down period)

1. ANGUL(2)

I. RO SPCB, Angul Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	9.0	22.8	22.4	BDL	81	35	81 (PM ₁₀)	Satisfactory

II.NALCO Nagar, Angul

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	9.4	25.4	20.4	BDL	88	29	88 (PM ₁₀)	Satisfactory

2. TALCHER(2)

III. TPPS, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	10.2	28.0	30.3	BDL	82	36	82(PM ₁₀)	Satisfactory

IV.MCL, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	9.3	28.5	20.2	BDL	91	26	91(PM ₁₀)	Satisfactory

3. BALASORE(3)

V. RO SPCB, Ganeswarpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	10.5	23.8	23.8	79	32	79 (PM ₁₀)	Satisfactory

VI.DIC Office, Angargadia

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	10.3	24.1	23.8	76	32	76 (PM ₁₀)	Satisfactory

VII. Rasalpur Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	7.2	10.8	24.6	24.5	82	35	82(PM ₁₀)	Satisfactory

4. BERHAMPUR(1)

VIII. RO SPCB, Brahmanagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	21.0	35.7	38.1	66	26	66 (PM ₁₀)	Satisfactory

5. BHUBANESWAR(6)

IX. SPCB Office Building, Unit-VIII

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	13.5	34.7	23.2	64	23	64(PM ₁₀)	Satisfactory

X. IRC Village, Nayapali

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	14.8	29.9	22.2	52	NM	52(PM ₁₀)	Satisfactory

XI. Capital Police Station, Unit-I

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization	
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter								
July	Not Monitored								

XII. Patrapada

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	13.0	39.0	22.1	52	NM	52(PM ₁₀)	Satisfactory

XIII. Chandrasekharpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	13.0	29.0	22.5	56	18	56(PM ₁₀)	Satisfactory

XIV. Palasuni waterworks

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	Not Monitored						*	-

6. BONAIGARH(1)

XV. Bonaigarh Govt. Hospital

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}				
	Monthly Average Values express in Microgram per cubic meter							
July	4.8	10.2	65	26			65(PM ₁₀)	Satisfactory

7.CUTTACK(3)

XVI. On the roof of Hotel Bishalin Near Traffic Tower, Badambadi

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	Not Monitored						*	-

*:-For AQI calculation minimum three parameters are required.

XVII. RO SPCB, Building, Surya Vihar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	17.0	28.0	BDL	51	24	51(PM ₁₀)	Satisfactory

XVIII. PHD Office,Barabati

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	17.0	26.0	BDL	82	39	82(PM ₁₀)	Satisfactory

8.JHARSUGUDA(3)

XIX. RO SPCB, Cox Colony, Babubagicha, Jharsuguda

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	6.6	11.4	BDL	BDL	77	37	77(PM ₁₀)	Satisfactory

XX. TRL Colony Premises, Belpahar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	7.5	12.2	20.2	21.4	84	40	84(PM ₁₀)	Satisfactory

XXI. Inside Vedanta Township

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization	
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter						
July	Not Monitored						

9.KALINGANAGAR(3)

XXII. BRPL Guest House

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization	
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter							
July	Not Monitored							

XXIII. RO SPCB, Kalinga nagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	13.1	50.2	21.6	105	NM	103(PM ₁₀)	Moderate

XXIV. DET Hostel,TATA Steel

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
July	BDL	13.5	44.2	112	NM	108(PM ₁₀)	Moderate

10. KEONJHAR(1)**XXV. RO SPCB, Baniapat**

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
July	BDL	12.2	60.0	43	NM	43(PM ₁₀)	Good

11. KONARK(1)**XXVI. Konark Police Station**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	10.9	32.6	22.5	54	NM	54(PM ₁₀)	Satisfactory

12. PARADEEP(3)**XXVII. PPL Guest house**

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
July	20.3	11.3	80	NM	80(PM ₁₀)	Satisfactory

XXVIII. IFFCO STP

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
July	Not Monitored					

XXIX. Paradeep Port trust Staff Quarter

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
July	20.1	11.1	81	NM	81(PM ₁₀)	Satisfactory

13. PURI(2)**XXX. Sadar Police Station**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	Not Monitored							

XXXI. Town Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	13.2	38.6	BDL	40	NM	40(PM ₁₀)	Good

14. RAYAGADA(2)**XXXII. RO SPCB, Rayagada Indiranagar**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
July	BDL	14.7	33.0	21.0	50	22	50(PM ₁₀)	Good

XXXIII. LPS High School, Jaykaypur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter								
July	BDL	14.7	33.0	23.2	52	25	52(PM ₁₀)	Satisfactory

15 RAJGANGPUR(1)

XXXIV. DISR, Rajgangpur

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
July	5.2	9.9	69	27	69(PM ₁₀)	Satisfactory

16. ROURKELA(4)

XXXV. RO SPCB, Rourkela,Sector-5

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
July	4.7	10.7	60	24	60(PM ₁₀)	Satisfactory

XXXVI. IDL out Post

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
July	5.6	10.8	62	30	62(PM ₁₀)	Satisfactory

XXXVII. IDCO Water tank, IDC Kalunga

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
July	4.5	9.5	126	41	117(PM ₁₀)	Moderate

XXXVIII. Govt. Hospital, Kuanrmunda

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
July	5.6	9.9	58	35	58(PM ₁₀ PM _{2.5})	Satisfactory

17.SAMBALPUR (1)

XXXIX. PHD Office, Modipara

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter								
July	4.8	22.3	BDL	BDL	41	21	41(PM ₁₀)	Good

NB:-Five NAMP stations i.e. (1) CPS, Bhubaneswar,(2)Vedanta Township under RO, Jharsuguda, (3) BRPL, Kalinganagar,(4) Sadar police Station, Puri ,& (5) IFFCO STP at Paradeep were not in operation in the month of July, 2020. NM-Not Monitored, BDL Value for SO₂ ≤4 µg/m³, NO₂ ≤ 9 µg/m³, NH₃ ≤20 µg/m³ & O₃ ≤20 µg/m³.