

Ambient air quality status with Air quality index value and categorisation of different cities & towns of Odisha during, May- 2020(Lock down period)

1. ANGUL(2)

I. RO SPCB, Angul Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	9.1	24.0	26.6	24.1	77	31	77(PM ₁₀)	Satisfactory

II.NALCO Nagar, Angul

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	9.0	22.6	23.4	16.8	76	31	76 (PM ₁₀)	Satisfactory

2. TALCHER(2)

III. TPPS, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	9.9	26.1	31.7	BDL	73	30	73 (PM ₁₀)	Satisfactory

IV.MCL, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	8.5	26.7	20.1	BDL	77	26	77 (PM ₁₀)	Satisfactory

3. BALASORE(3)

V. RO SPCB, Ganeswarpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	9.7	24.0	23.3	57	37	62(PM _{2.5})	Satisfactory

VI.DIC Office, Angargadia

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	BDL	23.6	20.7	53	35	58(PM _{2.5})	Satisfactory

VII. Rasalpur Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	6.7	10.2	24.0	24.0	69	42	70(PM _{2.5})	Satisfactory

4. BERHAMPUR(1)

VIII. RO SPCB, Brahmanagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	BDL	NM	NM	31	20	33 (PM _{2.5})	Good

5. BHUBANESWAR(6)

IX. SPCB Office Building, Unit-VIII

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	12.1	27.9	22.5	63	25	63(PM ₁₀)	Satisfactory

X. IRC Village, Nayapali

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	10.9	24.2	20.7	48	NM	48(PM ₁₀)	Good

XI. Capital Police Station, Unit-I

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	17.7	32.0	22.5	58	20	58(PM ₁₀)	Satisfactory

XII. Patrapada

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	12.0	28.0	21.5	45	NM	45(PM ₁₀)	Good

XIII. Chandrasekharpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	12.8	30.1	22.7	51	17	51(PM ₁₀)	Satisfactory

XIV. Palasuni waterworks

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	12.6	39.9	21.9	49	15	49(PM ₁₀)	Good

6. BONAIGARH(1)

XV. Bonaigarh Govt. Hospital

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
May	Not Monitored					

7. CUTTACK(3)

XVI. On the roof of Hotel Bishalin Near Traffic Tower, Badambadi

XVII. RO SPCB, Building, Surya Vihar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	18.0	32.0	BDL	55	30	55(PM ₁₀)	Satisfactory

XVIII. PHD Office,Barabati

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	17.0	30.0	BDL	55	25	55(PM ₁₀)	Satisfactory

8.JHARSUGUDA(3)

XIX. RO SPCB, Cox Colony, Babubagicha, Jharsuguda

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	7.0	12.0	BDL	BDL	81	38	81(PM ₁₀)	Satisfactory

XX. TRL Colony Premises, Belpahar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	6.4	11.1	BDL	BDL	78	49	82(PM _{2.5})	Satisfactory

XXI. Inside Vedanta Township

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}				
	Monthly Average Values express in Microgram per cubic meter							
May	Not Monitored							

9.KALINGANAGAR(3)

XXII. BRPL Guest House

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter							
May	Not Monitored							

XXIII. RO SPCB, Kalinga nagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	11.6	43.2	NM	100	NM	100(PM ₁₀)	satisfactory

XXIV. DET Hostel,TATA Steel

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	11.9	44.3	91	NM	NM	91(PM ₁₀)	satisfactory

10. KEONJHAR(1)**XXV. RO SPCB, Baniapat**

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
May	BDL	12.1	38.0	52	NM	52(PM ₁₀)	Satisfactory

11. KONARK(1)**XXVI. Konark Police Station**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	BDL	22.0	BDL	34	NM	34(PM ₁₀)	Good

12. PARADEEP(3)**XXVII. PPL Guest house**

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
May	15.5	9.6	103	NM	102(PM ₁₀)	Moderate

XXVIII. IFFCO STP

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
May	Not Monitored					

XXIX. Paradeep Port trust Staff Quarter

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
May	16.9	9.9	116	NM	111(PM ₁₀)	Moderate

13. PURI(2)**XXX. Sadar Police Station**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	Not Monitored							

XXXI. Town Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	BDL	44.6	21.0	45	NM	45(PM ₁₀)	Good

14. RAYAGADA(2)**XXXII. RO SPCB, Rayagada Indiranagar**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
May	BDL	15.3	33.0	31.5	59	28	59(PM ₁₀)	Satisfactory

XXXIII. LPS High School, Jaykaypur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter								
May	BDL	15.0	31.0	30.7	61	30	61(PM ₁₀)	Satisfactory

15 RAJGANGPUR(1)

XXXIV. DISR, Rajgangpur

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
May	5.6	10.8	62	26	62(PM ₁₀)	Satisfactory

16. ROURKELA(4)

XXXV. RO SPCB, Rourkela,Sector-5

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
May	BDL	11.1	41	19	41(PM ₁₀)	Good

XXXVI. IDL out Post

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
May	5.0	11.2	60	30	60(PM ₁₀)	Satisfactory

XXXVII. IDCO Water tank, IDC Kalunga

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
May	5.3	11.3	63	24	63(PM ₁₀)	Satisfactory

XXXVIII. Govt. Hospital, Kuanrmunda

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter						
May	5.5	10.2	69	33	69(PM ₁₀)	Satisfactory

17.SAMBALPUR (1)

XXXIX. PHD Office, Modipara

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
Monthly Average Values express in Microgram per cubic meter								
May	4.9	21.0	BDL	BDL	47	29	48(PM _{2.5})	Good

NB:-Six NAMP stations i.e. (1) Bonaigarh, Rourkela,(2) On the roof of Hotel Bishalinn Cuttack, (3) Vedanta Township under RO, Jharsuguda, (4) BRPL, Kalinganagar,(5) Sadar police Station, Puri ,& (6) IFFCO STP at Paradeep were not in operation in the month of May, 2020. NM-Not Monitored, BDL Value for SO₂ ≤4 µg/m³, NO₂ ≤9 µg/m³, NH₃ ≤20 µg/m³ & O₃ ≤20 µg/m³.