

Ambient air quality status with Air quality index value and categorisation of different cities & towns of Odisha during, November, 2019

1. ANGUL(2)

I. RO SPCB, Angul Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	NH ₃	O ₃		
	Monthly Average Values express in Microgram per cubic meter							
November	10.8	26.2	107	57	25.2	25.8	105(PM ₁₀)	Moderate

II. NALCO Nagar, Angul

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	9.5	25.2	105	42	103(PM ₁₀)	Moderate

2. TALCHER (2)

III. TTPS, Talcher

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	11.5	28.4	135	71	137(PM _{2.5})	Moderate

IV. MCL, Talcher

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	9.3	27.9	129	53	119(PM ₁₀)	Moderate

3. BALASORE (3)

V. RO SPCB, Ganeswarpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	12.2	27.4	23.4	88	36	88(PM ₁₀)	Satisfactory

VI. DIC Office, Angargadia

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	12.2	27.1	23.6	86	36	86(PM ₁₀)	Satisfactory

VII. Rasalpur Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	11.9	28.0	24.2	91	45	91(PM ₁₀)	Satisfactory

4. BERHAMPUR (1)

VIII. RO SPCB, Brahmanagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	18.3	41.7	38.2	54	22	54(PM ₁₀)	Satisfactory

5. **BHUBANESWAR** (6)

IX. SPCB Office Building, Unit-VIII

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	16.3	48.2	24.0	145	45	130(PM ₁₀)	Moderate

X. IRC Village, Nayapali

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	16.3	39.9	26.1	125	38	117(PM ₁₀)	Moderate

XI. Capital Police Station, Unit-I

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	19.6	41.7	26.3	103	26	102(PM ₁₀)	Moderate

XII. Patrapada

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	16.0	46.0	23.9	108	43	105(PM ₁₀)	Moderate

XIII. Chandrasekharpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	15.4	42.0	24.5	121	36	114(PM ₁₀)	Moderate

XIV. Palasuni water works

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	15.2	50.5	27.6	88	34	88(PM ₁₀)	Satisfactory

6. **BONAIGARH** (1)

XV. Bonaigarh Govt. Hospital

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	5.9	11.3	82	46	82(PM ₁₀)	Satisfactory

7. **CUTTACK** (3)

XVI. On the roof of Hotel Bishalinn Near Traffic Tower Badambadi

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	4.5	19.8	30.0	25.3	153	50	135(PM ₁₀)	Moderate

XVII. RO SPCB, Building, Surya Vihar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	23.6	34.9	24.8	129	53	119(PM ₁₀)	Moderate

XVIII. PHD Office, Barabati

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	6.0	21.6	27.4	20.8	197	NM	165(PM ₁₀)	Moderate

8. JHARSUGUDA (3)

XIX. RO SPCB, Cox Colony, Babubagicha, Jharsuguda

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	7.9	12.5	102	48	101(PM ₁₀)	Moderate

XX. TRL Colony Premises, Belpahar

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	7.8	17.0	106	45.0	104(PM ₁₀)	Moderate

XXI. Inside Vedanta Township

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	Not Monitored					

9. KALINGANAGAR (3)

XXII. BRPL Guest House

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	BDL	20.6	83	NM	83(PM ₁₀)	Satisfactory

XXIII. RO SPCB, Kalinganagar

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
November	BDL	20.4	45.3	133	NM	122(PM ₁₀)	Moderate

XXIV. NINL Guesthouse

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	BDL	16.6	93	NM	93(PM ₁₀)	Satisfactory

10. KEONJHAR (1)

XXV. RO SPCB, Baniapat

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	NH ₃		
	Monthly Average Values express in Microgram per cubic meter						
November	BDL	12.9	133	NM	74	122(PM ₁₀)	Moderate

11. KONARK(1)

XXVI. Konark Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	13.7	39.5	23.7	79	NM	79(PM ₁₀)	Satisfactory

12. PARADEEP (3)

XXVII. PPL Guest house

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	15.3	14.5	197	NM	165(PM ₁₀)	Moderate

XXVIII. IFFCO STP

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	Not Monitored					

XXIX. Paradeep Port trust Staff Quarter

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	14.0	13.7	171	56	147(PM ₁₀)	Moderate

13. PURI (2)

XXX. Sadar Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	Not Monitored							

XXXI. Town Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	BDL	15.7	63.8	21.8	99	20	99(PM ₁₀)	Satisfactory

14. RAYAGADA (2)

XXXII. RO SPCB, Rayagada Indiranagar

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter						
November	4.4	15.9	91	50		91(PM ₁₀)	Satisfactory

XXXIII. LPS High School, Jaykaypur

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	4.7	15.9	91	52	91(PM ₁₀)	Satisfactory

15. RAJGANGPUR (1)

XXXIV. DISR, Rajgangpur

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	5.9	11.1	81	47	81(PM ₁₀)	Satisfactory

16. ROURKELA (4)

XXXV. RO SPCB, Rourkela, Sector-5

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	8.5	15.4	106	38	104(PM ₁₀)	Moderate

XXXVI. IDL out Post

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	6.3	11.2	99	57	99(PM ₁₀)	Satisfactory

XXXVII. IDCO Water tank, IDC Kalunga

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	12.4	16.0	151	28	134(PM ₁₀)	Moderate

XXXVIII. Govt. Hospital, Kuanrunda

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
November	10.1	13.4	173	60	149(PM ₁₀)	Moderate

17. SAMBALPUR (1)

XXXIX. PHD Office, Modipara

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
November	6.6	23.8	18.3	19.6	137	78	160(PM _{2.5})	Moderate

NB:-Three NAMP stations i.e. (1) at Vedanta Township under RO, Jharsuguda, (2) Sadar police Station, Puri, (3) IFFCO STP at Paradeep were not in operation in the month of November, 2019. NM-Not Monitored, BDL Value for SO₂ ≤ 4 µg/m³, NO₂ ≤ 9 µg/m³, NH₃ ≤ 20 µg/m³ & O₃ ≤ 20 µg/m³.