

Ambient air quality status with Air quality index value and categorisation of different cities & towns of Odisha during, September- 2020

1. ANGUL(2)

I. RO SPCB, Angul Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	9.3	23.5	24.4	22.2	82	36	82(PM ₁₀)	Satisfactory

II.NALCO Nagar, Angul

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	9.2	24.8	BDL	BDL	86	21	86 (PM ₁₀)	Satisfactory

2. TALCHER(2)

III. TPPS, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	10.2	27.8	31.1	BDL	81	34	81(PM ₁₀)	Satisfactory

IV.MCL, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	8.9	26.6	24.3	BDL	80	26	80 (PM ₁₀)	Satisfactory

3. BALASORE(3)

V. RO SPCB, Ganeswarpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	10.4	23.6	23.9	71	32	71(PM ₁₀)	Satisfactory

VI.DIC Office, Angargadia

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	10.6	23.4	23.7	71	32	71(PM ₁₀)	Satisfactory

VII. Rasalpur Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	7.2	11.1	23.5	24.2	77	33	77(PM ₁₀)	Satisfactory

4. BERHAMPUR(1)

VIII. RO SPCB, Brahmanagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	4.8	20.0	34.2	34.8	56	22	56 (PM ₁₀)	Satisfactory

5. BHUBANESWAR(6)**IX. SPCB Office Building, Unit-VIII**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	Not Monitored				24	*	-	

X. IRC Village, Nayapali

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	17.6	29.1	22.5	63	NM	63 (PM ₁₀)	Satisfactory

XI. Capital Police Station, Unit-I

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization	
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter								
September	Not Monitored								

XII. Patrapada

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	13.0	27.0	22.1	66	22	66(PM ₁₀)	Satisfactory

XIII. Chandrasekhpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	16.9	25.8	22.2	67	21	67(PM ₁₀)	Satisfactory

XIV. Palasuni waterworks

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	16.9	25.8	22.2	67	21	67(PM ₁₀)	Satisfactory

6. BONAIGARH(1)**XV. Bonaigarh Govt. Hospital**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	7.2	13.1	23.6	28.4	73	39	73(PM ₁₀)	Satisfactory

7.CUTTACK(3)**XVI. On the roof of Hotel Bishalin Near Traffic Tower, Badambadi**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization	
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter								
September	Not Monitored								

*:-For AQI calculation minimum three parameters are required.

XVII. RO SPCB, Building, Surya Vihar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	20.0	36.0	26.0	62	30	62(PM ₁₀)	Satisfactory

XVIII. PHD Office, Barabati

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	18.0	30.0	23.0	65	27	65(PM ₁₀)	Satisfactory

8.JHARSUGUDA(3)

XIX. RO SPCB, Cox Colony, Babubagicha, Jharsuguda

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	7.1	12.4	23.6	16.9	78	33	78(PM ₁₀)	Satisfactory

XX. TRL Colony Premises, Belpahar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	7.4	15.9	20.9	20.9	86	37	86(PM ₁₀)	Satisfactory

XXI. Inside Vedanta Township

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}				
	Monthly Average Values express in Microgram per cubic meter							
September	Not Monitored							

9.KALINGANAGAR(3)

XXII. BRPL Guest House

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter							
September	Not Monitored							

XXIII. RO SPCB, Kalinga nagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	15.7	44.4	NM	118	46	112(PM ₁₀)	Moderate

XXIV. DET Hostel,TATA Steel

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	19.3	45.4	108	NM		105(PM ₁₀)	Moderate

10. KEONJHAR(1)**XXV. RO SPCB, Baniapat**

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
September	BDL	11.4	55.0	49	NM	49(PM ₁₀)	Good

11. KONARK(1)**XXVI. Konark Police Station**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	11.9	27.9	20.0	58	NM	58(PM ₁₀)	Satisfactory

12. PARADEEP(3)**XXVII. PPL Guest house**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	20.9	10.2	179.7	79.0	132	NM	121(PM ₁₀)	Moderate

XXVIII. IFFCO STP

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	20.1	12.5	185.0	82.8	122	NM	115(PM ₁₀)	Moderate

XXIX. Paradeep Port trust Staff Quarter

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	20.8	11.8	164.6	70.6	122	NM	115(PM ₁₀)	Moderate

13. PURI(2)**XXX. Sadar Police Station**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization	
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter								
September	Not Monitored								

XXXI. Town Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	16.0	43.3	BDL	48	NM	48(PM ₁₀)	Good

14. RAYAGADA(2)**XXXII. RO SPCB, Rayagada Indiranagar**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	15.5	31.0	21.0	50	23	50(PM ₁₀)	Good

XXXIII. LPS High School, Jaykaypur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	BDL	15.7	33.0	22.7	53	26	53(PM ₁₀)	Satisfactory

15 RAJGANGPUR(1)

XXXIV. DISR, Rajgangpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	6.8	10.9	26.2	23.1	65	40	67(PM _{2.5})	Satisfactory

16. ROURKELA(4)

XXXV. RO SPCB, Rourkela,Sector-5

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	5.8	10.7	24.7	22.9	63	31	63(PM ₁₀)	Satisfactory

XXXVI. IDL out Post

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	5.3	10.4	31.2	25.6	78	49	82(PM _{2.5})	Satisfactory

XXXVII. IDCO Water tank, IDC Kalunga

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	6.9	12.3	23.9	26.7	118	35	112(PM ₁₀)	Moderate

XXXVIII. Govt. Hospital, Kuanrmunda

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	5.4	11.5	22.9	25.9	75	35	75(PM ₁₀)	Satisfactory

17. SAMBALPUR (1)

XXXIX. PHD Office, Modipara

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
September	5.4	22.3	BDL	BDL	57	31	57(PM ₁₀)	Satisfactory

NB:- Five NAMP stations i.e.,(1) Capital Police Station, (2)On the roof of Hotel Bishalinn Cuttack, (3) Vedanta Township under RO, Jharsuguda, (4) BRPL, Kalinganagar (5) Sadar police Station, Puri were not in operation in the month of September, 2020. NM-Not Monitored, BDL Value for SO₂ ≤ 4 µg/m³, NO₂ ≤ 9 µg/m³, NH₃ ≤ 20 µg/m³ & O₃ ≤ 20 µg/m³.