

AAQ Data of different districts for the year 2020 under 5T governance

1.RO, SPCB Board Angul

(i)Angul

Sl. No	Cities	Feb				March				April				May				June			
		(values expressed in Microgram per cubic meter)																			
	location	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Angul	Not Submitted				10.5	23.6	86	43	7.5	19.9	58	28	9.4	23.6	77	33	9.6	26.7	85	32
AQI(Prominent Pollutant)with category		86(PM₁₀) Satisfactory				58(PM₁₀) Satisfactory				77(PM₁₀) Satisfactory				85(PM₁₀) Satisfactory							

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
8.0	21.7	71	28	8.3	23.1	76	31	9.8	25.4	95	34	10.4	25.9	89	33	10.2	25.2	99	31	10.4	26.9	112	37
71(pm₁₀) Satisfactory				76(PM₁₀) Satisfactory				95(PM₁₀) Satisfactory				89(PM₁₀) Satisfactory				99(PM₁₀) Satisfactory				108(PM₁₀) Moderate			

(ii)Dhenkanal

S l. No	Cities/ Town	Feb				March				April				May				June			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Dhenkanal	5.6	18.8	92	36	10.2	24.4	76	42	6.2	16.4	40	22	7.4	20.8	67	28	8.6	23.2	68	27
AQI(Prominent Pollutant)w with category		92(PM₁₀) Satisfactory				76(PM₁₀) Satisfactory				40(PM₁₀) Good				67(PM₁₀) Satisfactory				68(PM₁₀) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
8.6	23.2	68	27	7.2	19.4	66	26	9.2	24.1	62	24	9.4	24.2	68	27	9.6	23.7	72	28	9.8	24.6	84	32
68(PM₁₀) Satisfactory				66(PM₁₀) Satisfactory				62(PM₁₀) Satisfactory				68(PM₁₀) Satisfactory				72(PM₁₀) Satisfactory				84(PM₁₀) Satisfactory			

2. RO, SPCB Board Balasore

(iii).Balasore

Sl. No	Cities	Feb				March				April-Dec
		(values expressed in Microgram per cubic meter)								
	location	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted
1.	Ganeswarpur	BDL	11.4	87	48	BDL	10.5	83	46	
AQI(Prominent Pollutant)with category		87(PM₁₀) Satisfactory				83(PM₁₀) Satisfactory				

(iv) Bhadrak

Sl. No	Cities	Feb				March				April-Dec
		(values expressed in Microgram per cubic meter)								
	location	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted
1.	Mathasahi	BDL	13.2	82	41	BDL	13.8	85	42	
AQI(Prominent Pollutant)with category		82(PM₁₀) Satisfactory				85(PM₁₀) Satisfactory				

(V).Mayurbhanj

Sl. No	Cities	Feb				March				April-Dec
		(values expressed in Microgram per cubic meter)								
	location	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted
1.	Municipality office	BDL	14.4	86	40	BDL	13.3	81	44	
AQI(Prominent Pollutant)with category		86(PM₁₀) Satisfactory				81(PM₁₀) Satisfactory				

3.RO, SPCB Board Berhampur

(vi)Berhampur

Sl. No	Cities	Feb				March				April-Dec
		(values expressed in Microgram per cubic meter)								
	location	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted (Due to lock down effect)
1.	Chatrapur	22.1	40.2	87	42	14.1	34.2	80	36	
AQI(Prominent Pollutant)with category		87(PM₁₀) Satisfactory				80(PM₁₀) Satisfactory				

(vii)Gajapati

Sl. No	Cities	Feb				March				April-Dec
		(values expressed in Microgram per cubic meter)								
	location	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Monitored(Due to lock down effect)
1.	Gajapati	BDL	28.6	76	36	BDL	22.6	64	26	
AQI(Prominent Pollutant)with category		76(PM₁₀) Satisfactory				64(PM₁₀) Satisfactory				

(viii)Kandhamal

Sl. No	Cities	Feb				March				April-Dec
		(values expressed in Microgram per cubic meter)								
	location	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Monitored(Due to lock down effect)
1.	Phulbani	BDL	14.6	67	27	BDL	12.6	54	23	
AQI(Prominent Pollutant)with category		67(PM₁₀) Satisfactory				54(PM₁₀) Satisfactory				

4.Central Laboratory,SPCB Board, Bhubaneswar**(ix)Khurda**

Sl. No	Cities/ Town	Feb				March				April-November				December			
		(values expressed in Microgram per cubic meter)															
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Monitored(Due to lock down effect)				SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	RPF office	4.4	16.0	137	49	BDL	11.2	108	36					BDL	9.4	110	NM
AQI(Prominent Pollutant)with category		125(PM₁₀) Moderate				105(PM₁₀) Moderate								107(PM₁₀) Moderate			

(x)Nayagarh

Sl. No	Cities/ Town	Feb				March				April-November				December			
		(values expressed in Microgram per cubic meter)															
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Monitored(Due to lock down effect)				SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Town police station	BDL	12.9	91	NM	BDL	10.6	59	20					BDL	9.2	103	NM
AQI(Prominent Pollutant)with category		91(PM₁₀) Satisfactory				59(PM₁₀) Satisfactory								102(PM₁₀) Moderate			

(xi)Puri

Sl. No	Cities/ Town	Feb				March				April				May				June			
		(values expressed in Microgram per cubic meter)																			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Puri town	BDL	15.6	114	NM	BDL	15.4	109	NM	BDL	BDL	41	NM	BDL	BDL	36	NM	BDL	13.6	39	NM
AQI(Prominent Pollutant)with category		109(PM₁₀) Moderate				106(PM₁₀) Moderate				41(PM₁₀) Good				36(PM₁₀) Good				39(PM₁₀) Good			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
BDL	14.2	44	NM	BDL	15.4	54	NM	BDL	18.2	48	NM	BDL	15.9	96	NM	BDL	16.4	94	NM	BDL	14.9	102	NM
44(PM₁₀) Good				54(PM₁₀) Satisfactory				48(PM₁₀) Good				96(PM₁₀) Satisfactory				94(PM₁₀) Satisfactory				101(PM₁₀) Moderate			

5.RO, SPCB BoardCuttack

(xii) Cuttack

Sl. No	Cities/ Town	Feb				March				April				May				June			
		(values expressed in Microgram per cubic meter)																			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	RO,Surya nagar	4.8	21.0	165	32	4.7	24.6	105	54	BDL	14.1	54	25	BDL	16.7	52	27	BDL	19.1	58	38
AQI(Prominent Pollutant)with category		143(PM₁₀) Moderate				103(PM₁₀) Moderate				54(PM₁₀) Satisfactory				52(PM₁₀) Satisfactory				63(PM_{2.5}) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
BDL	20.7	59	30	BDL	20.7	70	22	BDL	16.5	61	31	4.2	24.1	67	27	BDL	19.7	129	42	BDL	21.7	123	63
59(PM₁₀) Satisfactory				70(PM₁₀) Satisfactory				61(PM₁₀) Satisfactory				67(PM₁₀) Satisfactory				119(PM₁₀) Moderate				115(PM₁₀) Moderate			

**6.RO, SPCB Board KalingaNagar
(xiii)Jajpur**

Sl. No	Cities/ Town	Feb				March				April				May		June			
		(values expressed in Microgram per cubic meter)																	
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	
1.	Sanskrutivawan	5.3	21.9	94	58	BDL	12.4	80	51	BDL	10.5	63	36		BDL	14.8	134	63	
AQI(Prominent Pollutant)with category		97(PM_{2.5}) Satisfactory				85(PM_{2.5}) Satisfactory				63(PM₁₀) Satisfactory					123(PM₁₀) Moderate				

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
BDL	13.0	96	46	BDL	14.1	94	46	BDL	14.9	95	46	BDL	15.3	97	51	BDL	14.5	105	50	BDL	15.1	114	53
96(PM₁₀) Satisfactory				94(PM₁₀) Satisfactory				95(PM₁₀) Satisfactory				97(PM₁₀) Satisfactory				103(PM₁₀) Moderate				109(PM₁₀) Moderate			

7.RO, SPCB BoardJharsuguda

(xiv)Jharsuguda

Sl. No	Cities/ Town	Feb				March				April- May				June			
		(values expressed in Microgram per cubic meter)															
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted				SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	RO,Office	BDL	14.0	115	53	8.9	12.6	118	64	Not Submitted				6.9	12.7	74	38
AQI(Prominent Pollutant)with category		110(PM₁₀) Moderate				113(PM_{2.5}) Moderate				Not Submitted				74(PM₁₀) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
8.1	12.2	79	39	7.6	12.0	84	43	7.5	12.1	87	42	7.2	12.2	84	46	8.2	12.0	92	51	8.6	12.6	102	55
79(PM₁₀) Satisfactory				84(PM₁₀) Satisfactory				87(PM₁₀) Satisfactory				84(PM₁₀) Satisfactory				92(PM₁₀) Satisfactory				101(PM₁₀) Moderate			

**8.RO, SPCB Board Keonjhar
(xv)Keonjhar**

Sl. No	Cities/ Town	Feb				March				April				May				June			
		(values expressed in Microgram per cubic meter)																			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	RO.,Office	BDL	14.3	106	NM	BDL	15.4	104	NM	BDL	9.7	44	NM	BDL	11.2	36	NM	BDL	17.0	64	NM
AQI(Prominent Pollutant)with category		104(PM₁₀) Moderate				103(PM₁₀) Moderate				44(PM₁₀) Good				36(PM₁₀) Good				64(PM₁₀) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
BDL	13.6	69	NM	BDL	11.5	35	NM	BDL	11.5	47	NM	BDL	11.9	43	NM	BDL	14.7	87	NM	BDL	13.6	108	NM
69(PM₁₀) Satisfactory				35(PM₁₀) Good				47(PM₁₀) Good				43(PM₁₀) Good				87(PM₁₀) Satisfactory				105(PM₁₀) Moderate			

9. RO, SPCB Board Paradeep

(xvi)Jagatsingpur

Sl. No	Cities/ Town	Feb				March				April				May				June				July			
		(values expressed in Microgram per cubic meter)																							
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Hatabazar	11.2	14.5	74	28	10.8	13.7	84	36	10.2	12.6	72	20	10.8	11.7	68	23	11.2	12.9	74	32	4.5	17.4	107	34
AQI(Prominent Pollutant)with category		74(PM₁₀) Satisfactory				84(PM₁₀) Satisfactory				72(PM₁₀) Satisfactory				68(PM₁₀) Satisfactory				74(PM₁₀) Satisfactory				105(PM₁₀) Moderate			

August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
8.7	14.8	72	30	8.4	13.9	68	28	9.6	13.2	62	24	8.8	13.4	74	30	7.2	15.6	76	32
72(PM₁₀) Satisfactory				68(PM₁₀) Satisfactory				62(PM₁₀) Satisfactory				74(PM₁₀) Satisfactory				76(PM₁₀) Satisfactory			

(xvii) Kendrapada

Sl. No	Cities/Town	Feb				March				April				May				June				July							
		(values expressed in Microgram per cubic meter)																											
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Thakurpatna	10.4	15.1	86	34	11.6	14.2	112	46	12	13.9	82	24	13.4	14.2	78	26	12.8	13.6	82	36	10.8	18.1	15.4	65				
AQI(Prominent Pollutant)with category		86(PM₁₀) Satisfactory				108(PM₁₀) Moderate				82(PM₁₀) Satisfactory				78(PM₁₀) Satisfactory				82(PM₁₀) Satisfactory				143(PM₁₀) Moderate							

August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
9.0	14.6	85	34	9.2	14.2	76	32	8.4	15.4	74	32	10.6	16.3	86	34	8.6	17.3	90	38
85(PM₁₀) Satisfactory				76(PM₁₀) Satisfactory				74(PM₁₀) Satisfactory				86(PM₁₀) Satisfactory				90(PM₁₀) Satisfactory			

10.RO, SPCB Board,Rayagada

(xviii)Rayagada

Sl. No	Cities/Town	Feb				March				April				May				June				July							
		(values expressed in Microgram per cubic meter)																											
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	RO, Office	4.4	15.9	69	31	4.6	15.9	82	44	BDL	12.9	47	22	BDL	14.7	60	29	BDL	13.8	45	21	4.4	15.7	61	29				
AQI(Prominent Pollutant)with category		69(PM₁₀) Satisfactory				82(PM₁₀) Satisfactory				47(PM₁₀) Good				60(PM₁₀) Satisfactory				45(PM₁₀) Good				61(PM₁₀) Satisfactory							

August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
4.3	15.4	51	26	4.2	16.3	59	29	4.7	16.3	51	27	BDL	14.2	40	22	5.0	16.2	76	41
51(PM₁₀) Satisfactory				59(PM₁₀) Satisfactory				51(PM₁₀) Satisfactory				40(PM₁₀) Good				76(PM₁₀) Satisfactory			

(xix)Bhawanipatna

Sl. No	Cities/ Town	Feb				March-December
		(values expressed in Microgram per cubic meter)				
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	
1.	Bhawanipatna	5.9	17.7	61	35	Not Submitted
AQI(Prominent Pollutant)with category		61(PM₁₀) Satisfactory				

(xx)Koraput

Sl. No	Cities/ Town	January-December
1.	Koraput	Not Submitted
AQI(Prominent Pollutant)with category		

(xxi)Malkangiri

Sl. No	Cities/ Town	Feb				March-December
		(values expressed in Microgram per cubic meter)				
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	
1.	Malkangiri	BDL	14.4	49	26	Not Submitted
AQI(Prominent Pollutant)with category		49(PM₁₀) Good				

(xxii)Nawarangapur

Sl. No	Cities/ Town	Feb				March-December
		(values expressed in Microgram per cubic meter)				
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	
1.	Nawarangapur	5.3	15.9	106	41	Not Submitted
AQI(Prominent Pollutant)with category		104(PM₁₀) Moderate				

11. RO, SPCB Board, Rourkela

(xxiii) Sundargarh

Sl. No	Cities/Town	Feb				March				April				May				June			
		(values expressed in Microgram per cubic meter)																			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Bikaswawan	5.7	6.8	76	41	4.9	BDL	77	34	BDL	BDL	29	12	6.3	8.0	48	23	6.6	8.5	56	33
AQI(Prominent Pollutant)with category		76(PM₁₀) Satisfactory				77(PM₁₀) Satisfactory				29(PM₁₀) Good				48(PM₁₀) Good				56(PM₁₀) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
6.3	8.3	53	21	7.1	9.7	65	31	6.3	9.8	55	34	8.4	10.7	78	31	7.6	10.4	65	31	6.3	9.7	76	35
53(PM₁₀) Satisfactory				65(PM₁₀) Satisfactory				57(PM_{2.5}) Satisfactory				78(PM₁₀) Satisfactory				65(PM₁₀) Satisfactory				76(PM₁₀) Satisfactory			

(xxiv) Deogarh

Sl. No	Cities/Town	Feb				March				April				May				June			
		(values expressed in Microgram per cubic meter)																			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Collector office	5.6	7.7	76	32	5.5	BDL	73	30	BDL	BDL	26	14	5.4	7.4	53	25	6.1	8.1	54	32
AQI(Prominent Pollutant)with category		76(PM₁₀) Satisfactory				73(PM₁₀) Satisfactory				26(PM₁₀) Good				53(PM₁₀) Satisfactory				54(PM₁₀) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted				SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted							
5.1	9.2	46	26	6.6	9.1	57	32	Not Submitted				9.6	11.8	68	39	8.1	11.0	57	26	Not Submitted			
46(PM₁₀) Good				57(PM₁₀) Satisfactory				Not Submitted				68(PM₁₀) Satisfactory				57(PM₁₀) Satisfactory				Not Submitted			

12.RO, SPCB Board,Sambalpur

(xxv)Sambalpur

Sl. No	Cities/ Town	Feb	March				April				May				June						
		(values expressed in Microgram per cubic meter)																			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}					SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}				
1.	Town Police station	Not Submitted				8.4	28.4	93	45	Not Submitted				5.3	22.1	52	30	5.7	19.7	54	33
AQI(Prominent Pollutant)with category						93(PM₁₀) Satisfactory								52(PM₁₀) Satisfactory				55(PM_{2.5}) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
5.3	23.6	43	21	4.4	21.2	54	26	5.8	23.2	52	31	6.2	23.7	104	51	7.0	25.8	102	47	8.7	29.2	136	63
43(PM₁₀) Good				54(PM₁₀) Satisfactory				52(PM₁₀) Satisfactory				103(PM₁₀) Moderate				101(PM₁₀) Moderate				124(PM₁₀) Moderate			

(xxvi) Baragarh

Sl. No	Cities/ Town	Feb	March				April				May				June						
		(values expressed in Microgram per cubic meter)																			
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}					SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}				
1.	Collector office	Not Submitted				7.2	24.6	74	29	Not Submitted				7.8	25.6	47	22	8.2	24.2	52	24
AQI(Prominent Pollutant)with category						74(PM₁₀) Satisfactory								47(PM₁₀) Good				52(PM₁₀) Satisfactory			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
6.4	22.4	41	18	5.8	24.6	51	24	5.2	22.4	49	21	5.8	20.8	76	32	6.2	23.2	86	38	7.6	26.8	125	54
41(PM₁₀) Good				51(PM₁₀) Satisfactory				49(PM₁₀) Good				76(PM₁₀) Satisfactory				86(PM₁₀) Satisfactory				117(PM₁₀) Moderate			

(xxvii). Bolangir

Sl. No	Cities/ Town	Feb				March				April				May				June							
		(values expressed in Microgram per cubic meter)																							
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted				SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Collector office	6.8	21.8	62	39	7.8	28.4	88	54					6.4	24.8	43	17	5.8	22.4	40	19				
AQI(Prominent Pollutant)with category		65(PM_{2.5}) Satisfactory				90(PM_{2.5}) Satisfactory				43(PM₁₀) Good				40(PM₁₀) Good											

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
6.6	20.6	46	22	5.4	23.2	46	22	5.6	24.6	56	23	5.4	22.4	84	45	6.4	24.6	94	42	6.8	24.6	116	58
46(PM₁₀) Good				46(PM₁₀) Good				56(PM₁₀) Satisfactory				84(PM₁₀) Satisfactory				94(PM₁₀) Satisfactory				111(PM₁₀) Moderate			

(xxviii) Boudh

Sl. No	Cities/ Town	Feb				March				April				May				June							
		(values expressed in Microgram per cubic meter)																							
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted				SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Police station	5.5	20.1	86	52	5.8	18.6	74	46					5.0	18.4	40	18	6.8	24.8	45	26				
AQI(Prominent Pollutant)with category		87(PM_{2.5}) Satisfactory				77(PM_{2.5}) Satisfactory				40(PM₁₀) Good				45(PM₁₀) Good											

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
6.4	22.6	38	20	4.6	19.4	48	23	4.8	24.2	50	26	5.4	21.6	72	28	6.2	24.8	84	32	7.8	26.4	121	52
38(PM₁₀) Good				48(PM₁₀) Good				50(PM₁₀) Good				72(PM₁₀) Satisfactory				84(PM₁₀) Satisfactory				114(PM₁₀) Moderate			

(xxix) Nuapada

Sl. No	Cities/ Town	Feb				March				April				May				June							
		(values expressed in Microgram per cubic meter)																							
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	Not Submitted				SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	Collector office	6.3	22.4	65	43	5.8	25.2	60	36					5.4	16.4	38	16	5.4	20.5	28	14				
AQI(Prominent Pollutant)with category		72(PM_{2.5}) Satisfactory				60(PM₁₀ & PM_{2.5}) Satisfactory				38(PM₁₀) Good				28(PM₁₀) Good											

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
5.8	18.4	32	16	4.2	18.4	41	16	4.4	20.2	44	15	5.2	18.6	68	30	5.2	18.8	70	31	6.2	20.8	94	45
32(PM₁₀) Good				41(PM₁₀) Good				44(PM₁₀) Good				68(PM₁₀) Satisfactory				70(PM₁₀) Satisfactory				94(PM₁₀) Satisfactory			

(xxx) Subarnapur

Sl. No	Cities/Town	Feb				March				April				May				June							
		SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	(values expressed in Microgram per cubic meter)								SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
1.	DFO, Office	5.0	18.8	78	53	6.2	24.2	83	42	Not Submitted								5.2	20.6	45	19	5.6	18.4	36	15
AQI(Prominent Pollutant)with category		88(PM_{2.5}) Satisfactory				83(PM₁₀) Satisfactory												45(PM₁₀) Good				36(PM₁₀) Good			

July				August				September				October				November				December			
SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
7.4	20.8	35	17	4.6	20.6	42	18	5.0	22.6	47	20	4.8	16.4	56	22	5.6	20.6	75	29	7.4	25.8	118	50
35(PM₁₀) Good				42(PM₁₀) Good				47(PM₁₀) Good				56(PM₁₀) Satisfactory				75(PM₁₀) Satisfactory				112(PM₁₀) Moderate			

NB:- BDL Value for SO₂ ≤ 4 µg/m³, NO₂ ≤ 9 µg/m³

Prescribed NAAQS 2009 Standard (24 hrlyAvg in Microgram per cubic meter)	PM ₁₀ -100	PM _{2.5} -60	SO ₂ - 80	NO ₂ -80		
AQI Standard, range with category	0-50 (Good)	51-100 (Satisfactory)	101-200 (Moderate)	201-300 (Poor)	301-400 (Very Poor)	(>401) Severe