

Ambient air quality status with Air quality index value and categorisation of different cities & towns of Odisha during, February- 2021

1. ANGUL(2)

I. RO SPCB, Angul Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	11.7	27.2	38.8	20.9	105	46	103(PM ₁₀)	Moderate

II.NALCO Nagar, Angul

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	9.5	26.6	24.1	BDL	103	31	102(PM ₁₀)	Moderate

2. TALCHER(2)

III. TTPS, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	11.6	28.0	39.6	BDL	144	52	129(PM ₁₀)	Moderate

IV.MCL, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	10.0	28.8	BDL	BDL	136	47	124(PM ₁₀)	Moderate

3. BALASORE(3)

V. RO SPCB, Ganeswarpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	10.8	24.7	23.7	86	50	86(PM ₁₀)	Satisfactory

VI. Oriplast, Balasore

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	10.7	24.7	23.8	84	50	84(PM ₁₀)	Satisfactory

VII. Rasalpur Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	7.6	11.5	25.2	25.0	90	54	90(PM ₁₀ & PM _{2.5})	Satisfactory

4. BERHAMPUR(1)

VIII. RO SPCB, Brahmanagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	5.0	20.0	33.9	34.3	59	27	59(PM ₁₀)	Satisfactory

5. BHUBANESWAR(6)

IX. SPCB Office Building, Unit-VIII

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	17.5	44.3	25.7	148	59	132(PM ₁₀)	Moderate

X. IRC Village, Nayapali

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	17.5	39.8	30.1	126	NM	117(PM ₁₀)	Moderate

XI. Capital Police Station, Unit-I

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	18.5	61.1	30.1	142	NM	128(PM ₁₀)	Moderate

XII. Patrapada

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	13.9	47.1	23.2	123	50	115(PM ₁₀)	Moderate

XIII. Chandrasekharpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	15.0	36.4	25.0	141	43	127(PM ₁₀)	Moderate

XIV. Palasuni waterworks

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	16.4	53.8	27.0	161	67	141(PM ₁₀)	Moderate

6. BONAIGARH(1)

XV. Bonaigarh Govt. Hospital

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	9.9	12.5	23.8	22.5	93	37	93(PM ₁₀)	Satisfactory

7. CUTTACK(3)

XVI. On the roof of Hotel Bishalin Near Traffic Tower, Badambadi

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	Not Monitored					55	*	-

*:-For AQI calculation minimum three parameters are required.

XVII. RO SPCB, Building, Surya Vihar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	4.6	21.1	37.2	26.2	125	55	117(PM ₁₀)	Moderate

XVIII. PHD Office,Barabati

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	4.1	19.7	32.2	24.1	120	54	113(PM ₁₀)	Moderate

8.JHARSUGUDA(3)

XIX. RO SPCB, Cox Colony, Babubagicha, Jharsuguda

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	9.4	13.0	23.5	21.4	108	63	110(PM _{2.5})	Satisfactory

XX. TRL Colony Premises, Belpahar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	9.4	16.2	26.6	28.1	110	66	120(PM _{2.5})	Moderate

XXI. Inside Vedanta Township

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter					
February	Not Monitored					

9.KALINGANAGAR(3)

XXII. BRPL Guest House

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
February	Not Monitored						

XXIII. RO SPCB, Kalinganagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	Not Monitored							

XXIV. DET Hostel,TATA Steel

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	16.5	50.5	21.9	119	NM	113(PM ₁₀)	Moderate

10. KEONJHAR (1)

XXV. RO SPCB, Baniapat

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
February	BDL	14.8	34.3	106	NM	104(PM ₁₀)	Moderate

11. KONARK(1)

XXVI. Konark Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	12.5	38.5	21.5	72	NM	72(PM ₁₀)	Satisfactory

12. PARADEEP(3)

XXVII. PPL Guest house

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	18.1	12.0	158.6	69.5	221	NM	181(PM ₁₀)	Moderate

XXVIII. IFFCO STP

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	18.4	12.1	152.2	65.9	224	NM	183(PM ₁₀)	Moderate

XXIX. Paradeep Port trust Staff Quarter

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	17.1	11.7	144.7	61.7	216	NM	177(PM ₁₀)	Moderate

13. PURI(2)

XXX. Sadar Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	14.8	43.9	BDL	106	NM	104(PM ₁₀)	Moderate

XXXI. Town Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	BDL	15.4	49.7	BDL	109	NM	106(PM ₁₀)	Moderate

14. RAYAGADA(2)

XXXII. RO SPCB, Rayagada Indiranagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	4.7	16.2	30.0	23.4	79	38	79(PM ₁₀)	Satisfactory

XXXIII. LPS High School, Jaykaypur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	5.1	16.7	32.0	22.8	84	42	84(PM ₁₀)	Satisfactory

15. RAJGANGPUR(1)

XXXIV. DISR,Rajgangpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	9.2	12.4	24.9	22.8	145	32	130(PM ₁₀)	Moderate

16. ROURKELA(4)

XXXV. RO SPCB, Rourkela,Sector-5

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	8.5	12.4	24.0	23.8	147	46	131(PM ₁₀)	Moderate

XXXVI. IDL out Post

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	8.2	11.9	24.0	23.2	83	54	90(PM _{2.5})	Satisfactory

XXXVII. IDCO Water tank, IDC Kalunga

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	8.3	12.5	24.4	23.8	139	42	126(PM ₁₀)	Moderate

XXXVIII. Govt. Hospital, Kuanmunda

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	8.3	12.1	24.2	24.0	162	48	141(PM ₁₀)	Moderate

17.SAMBALPUR (1)

XXXIX. PHD Office, Modipara

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
February	8.3	28.0	27.6	25.4	150	62	133(PM ₁₀)	Moderate

NB:-Three NAMP stations (1)Vedanta Township under RO, Jharsuguda, (2)BRPL,Kalinganagar,(3)RO Kalinganagar were not in operation in the month of February, 2021. NM-Not Monitored, BDL Value for SO₂ ≤ 4 µg/m³, NO₂ ≤ 9 µg/m³, NH₃ ≤ 20 µg/m³ & O₃ ≤ 20 µg/m³.