

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WQI

DO >4.0 mg/L
BOD < 3 mg/L
TC < 5000 MPN/100 mL
FC < 2500 MPN/ 100 mL

River system : Mahanadi

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	04.5.2021	03:15 PM	26	8.1	6.4	1.4	7.4	1700	220	NA	Satisfactory	
2	Jharsuguda	1268	24.5.2021	12:05 PM	31	8.0	7.8	< 1.0	7.1	2800	790	NA	Satisfactory	
3	Brajrajnagar-U/S	1300	24.5.2021	11:35 AM	31	8.0	7.6	< 1.0	7.1	2200	1100	NA	Satisfactory	
4	Brajrajnagar-D/S	1269	24.5.2021	11:10 AM	30	7.7	8.0	1.2	14.3	2800	1300	NA	Satisfactory	
5	Bheden	2403	24.5.2021	12:40 PM	32	7.7	8.2	< 1.0	10.7	270	78	NA	Satisfactory	
6	Hirakud	1281	19.5.2021	10:45 AM	27	8.4	8.6	< 1.0	7.2	1300	220	NA	Satisfactory	
7	Sambalpur U/S	1270	19.5.2021	01:15 PM	28	8.2	8.2	< 1.0	10.8	940	220	<1.8	Satisfactory	
8	Sambalpur D/S	1271	19.5.2021	02:45 PM	29	8.1	7.8	< 1.0	14.4	4900	1700	14	Satisfactory	
9	Sambalpur FD/S at Shankarmath	3887	18.5.2021	08:15 AM	26	7.9	7.8	< 1.0	7.2	3400	1400	8	Satisfactory	
10	Sambalpur FD/S at Huma	2405	18.5.2021	09:35 AM	27	7.9	8.0	< 1.0	10.8	2700	1100	5	Satisfactory	
11	Power Channel U/S	3888	19.5.2021	11:40 AM	27	8.1	8.2	< 1.0	7.2	790	78	NA	Satisfactory	
12	Power Channel D/S	2404	19.5.2021	12:30 PM	28	8.3	7.8	< 1.0	7.2	1700	790	NA	Satisfactory	
13	Sonepur U/S	1272	18.5.2021	10:20 AM	28	8.0	8.0	< 1.0	7.2	<1.8	<1.8	NA	Satisfactory	
14	Sonepur D/S	1274	18.5.2021	11:15 AM	28	8.2	7.8	< 1.0	10.8	20	<1.8	NA	Satisfactory	
15	Tikarpada	1275	07.5.2021	10:30 AM	26	7.6	8.2	< 1.0	7.3	1100	490	4	Satisfactory	
16	Narasinghpur	1276	17.5.2021	02:20 PM	32	7.7	9.0	< 1.0	7.3	790	170	<1.8	Satisfactory	
17	Munduli	2406	17.5.2021	11:20 PM	30	6.7	8.8	1.1	10.9	1300	490	<1.8	Satisfactory	
18	Cuttack U/s	1277	17.5.2021	10:40 AM	30	6.6	8.8	1.1	10.9	1300	490	<1.8	Satisfactory	
19	Cuttack D/s	1278	17.5.2021	10:10 AM	30	6.7	7.8	1.8	14.5	3500	2200	5	Satisfactory	
20	Cuttack FD/s	3890	17.5.2021	09:45 AM	30	6.9	8.0	1.3	14.5	2200	1300	<1.8	Satisfactory	
21	Paradeep U/S	2407	05.05.2021	02:00 PM	32.8	8.1	7.6	1.1	11.1	<1.8	<1.8	<1.8	Satisfactory	
22	Paradeep D/S	1639	05.05.2021	09:00 AM	31.2	8.0	7.2	1.3	14.8	20	<1.8	<1.8	Satisfactory	
23	Ong river, Dharuakhaman	3889	18.5.2021	03:30 PM	29	8.2	7.4	< 1.0	10.8	45	<1.8	NA	Satisfactory	
24	Tel	2408	18.5.2021	12:50 PM	28	8.0	7.6	< 1.0	10.8	130	<1.8	NA	Satisfactory	
25	Kathajodi U/s	3891	18.5.2021	12:15 PM	31	7.0	8.4	1.1	7.3	1700	790	<1.8	Satisfactory	
26	Kathajodi D/s	1301	18.5.2021	04:35 PM	30	8.2	5.1	3.6	14.5	54000	22000	54	Unsatisfactory	BOD, TC, FC
27	Kathajodi FD/s (Mattagajpur)	3892	18.5.2021	02:07 PM	32	8.5	6.4	2.1	10.9	22000	13000	24	Unsatisfactory	TC, FC
28	Kathajodi FFD/s at Kamasasan	3893	18.5.2021	03:30 PM	32	7.3	8.2	1.5	7.3	3500	1700	NA	Satisfactory	
29	Sankhatrasa	2409	18.5.2021	04:10 PM	34	7.2	8.0	3.4	14.5	35000	17000	35	Unsatisfactory	BOD, TC, FC
30	Kuakhai FU/s	2410	Not Monitored											
31	Kuakhai U/s	1279	Not Monitored											
32	Daya at Gelapur	3894	Not Monitored											
33	Kuakhai D/s	1280	Not Monitored											
34	Kuakhai FD/s	2411	Not Monitored											
35	Daya at Kanas	3895	10.5.2021	04:15 PM	28	7.1	6.2	2.6	14.7	7900	2200	24	Unsatisfactory	TC
36	Birupa	1640	18.5.2021	01:07 PM	29	8.0	8.2	1.1	7.3	2200	1300	NA	Satisfactory	
37	Gangua at Rajdhani College	3996	Not Monitored											
38	Gangua at Palasuni	3897	Not Monitored											
39	Gangua at Samantarapur	3898	Not Monitored											
40	Gangua at vadimula	3899	Not Monitored											
41	Kushabhadra at Bhangarpur	3903	10.5.2021	11:00 AM	27	7.4	6.1	1.5	14.7	9400	2100	NA	Unsatisfactory	TC
42	Kushabhadra at Nimapara	3904	10.5.2021	12:10 PM	28	7.4	6.5	1.7	11.0	28000	14000	NA	Unsatisfactory	TC, FC
43	Kushabhadra at Gop	3905	10.5.2021	01:00 PM	28	7.3	6.6	1.9	11.0	35000	17000	NA	Unsatisfactory	TC, FC
44	Kendrapada U/s	3900	04.5.2021	01:00 PM	32.4	8.1	7.4	1.4	11.1	2400	790	NA	Satisfactory	
45	Kendrapada D/s	3901	04.5.2021	12:45 PM	34.1	7.8	7.0	1.6	14.8	4000	1700	NA	Satisfactory	
46	Mangala at Malatipatpur	3906	10.5.2021	11:25 AM	33	7.8	6.1	1.2	11.0	2200	790	5	Satisfactory	
47	Mangala D/s	3907	10.5.2021	02:55 PM	34	8.4	8.9	2.6	25.7	3500	1300	8	Satisfactory	
48	Bhargavi at Chandanpur	3908	10.5.2021	10:50 AM	32	8.5	6.4	< 1.0	11.0	2400	1300	NA	Satisfactory	
49	Devi at Machhagaon	3902	05.05.2021	10:30 AM	30.4	8.2	7.6	1.7	22.2	790	220	NA	Satisfactory	
50	Luna at Bijipur	3912	10.5.2021	03:00 PM	29	7.2	6.5	1.5	11.0	4900	1700	14	Satisfactory	
51	River Sabulia	3914	07.5.2021	01:50 PM	34	7.9	1.1	1.3	11.0	4000	2100	NA	Satisfactory	
52	Kusumi	3913	07.5.2021	11:00 AM	31	7.0	6.4	1.2	11.0	2800	1700	NA	Satisfactory	
53	River Kansari	3909	07.5.2021	12:10 PM	33	6.9	5.3	1.4	14.7	3500	2200	NA	Satisfactory	
54	River Badasankha	3910												
55	Ratnachira	3911	11.5.2021	12:15 PM	29	7.7	7.6	1.1	18.3	1700	790	<1.8	Satisfactory	

NA : Not analysed

River system : Rushikulya

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Russolkunda Reservoir	3944	04.5.2021	12:30 PM	31	8.5	9.0	1.3	7.4	3500	1400	NA	Satisfactory	
2	Badanadi, Aska	3946	04.5.2021	04:00 PM	31	8.5	6.5	1.9	7.4	4700	1400	NA	Satisfactory	
3	Rushikulya, Aska	3945	04.5.2021	04:30 PM	30	8.4	7.8	2.0	14.8	2800	1100	NA	Satisfactory	
4	Rushikulya at Nalabanta	3947	04.5.2021	10:15 AM	32	8.3	7.5	1.8	7.4	3500	1300	NA	Satisfactory	
5	Madhopur	1455	05.5.2021	10:10 AM	32	7.7	8.0	1.2	14.8	2200	940	11	Satisfactory	
6	Potagarh	1456	05.5.2021	03:00 PM	31	8.1	6.0	< 1.0	29.6	790	220	17	Satisfactory	

NA : Not analysed

River system : Baitarani

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	10.5.2021	03:35 PM	29	7.1	6.8	< 1.0	7.3	2200	1300	NA	Satisfactory	
2	Kusel at Deogaon	2421	12.5.2021	08:45 AM	22	7.9	7.8	1.3	11.0	3500	400	NA	Satisfactory	
3	Baitarani at Naigarh	3935	10.5.2021	08:55 AM	22	7.3	6.4	1.3	11.0	1300	330	NA	Satisfactory	
4	Baitarani at Unchabali	3936	10.5.2021	09:35 AM	23	7.2	6.1	< 1.0	7.3	3500	1300	NA	Satisfactory	
5	Baitarani at Chamaug	3937	11.5.2021	10:15 AM	22	7.2	6.8	1.1	11.0	2200	490	NA	Satisfactory	
6	Baitarani at Trihindba	3938	11.5.2021	08:30 AM	21	7.2	6.7	1.5	11.0	2400	790	NA	Satisfactory	
7	Baitarani at Joda	1081	10.5.2021	04:45 PM	28	7.3	6.6	1.3	14.7	1300	330	NA	Satisfactory	
8	Anandpur	1082	12.5.2021	08:10 AM	22	7.4	7.6	1.5	11.0	940	220	NA	Satisfactory	
9	Jajpur	1083	06.5.2021	10:46 AM	25	8.1	7.6	1.2	11.1	3500	700	NA	Satisfactory	
10	Chandbali U/s	1084	19.5.2021	01:15 PM	32	7.1	6.4	< 1.0	7.2	1300	330	NA	Satisfactory	
11	Chandbali D/s	10018	19.5.2021	01:50 PM	31	7.4	6.0	< 1.0	10.8	2200	490	NA	Satisfactory	
12	Dhamra	1085	19.5.2021	10:13 AM	29	8.1	7.2	< 1.0	10.8	1300	490	NA	Satisfactory	
13	Bhadrak U/s	3940	19.5.2021	10:45 AM	29	8.0	6.8	< 1.0	14.4	1700	790	NA	Satisfactory	
14	Bhadrak D/s	3941	19.5.2021	05:30 PM	30	7.2	6.0	1.0	18.0	2400	490	NA	Satisfactory	

NA : Not analysed

River system : Brahmani

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Panposh U/S	1037	04.5.2021	12:30 PM	25	7.5	7.4	1.0	7.4	3500	2200	14	Satisfactory	
2	Panposh D/S	1038	04.5.2021	12:10 PM	22	7.6	4.2	4.8	22.2	35000	14000	49	Unsatisfactory	BOD, TC, FC
3	Jalda (Rourkela D/S)	1302	04.5.2021	11:45 AM	21	7.4	5.5	3.8	11.1	22000	7900	24	Unsatisfactory	BOD, TC, FC
4	Alttaghat	3916	04.5.2021	11:15 AM	26	7.4	6.0	3.4	14.8	790	130	<1.8	Unsatisfactory	BOD
5	Birtola	2414	04.5.2021	10:05 AM	25	7.5	6.4	2.4	11.1	330	78	<1.8	Satisfactory	
6	Bonaigarh	1039	04.5.2021	09:15 AM	23	7.5	8.4	< 1.0	7.4	490	45	NA	Satisfactory	
7	Rengali	1040	06.5.2021	04:50 PM	25	7.4	7.4	< 1.0	11.0	490	130	NA	Satisfactory	
8	Samal	1041	06.5.2021	11:30 AM	25	7.3	7.0	1.3	14.7	2200	1300	NA	Satisfactory	
9	Talcher FU/S	2415	06.5.2021	10:30 AM	26	7.5	7.2	1.2	14.7	1100	490	<1.8	Satisfactory	
10	Talcher U/s	1303	06.5.2021	09:20 AM	25	7.0	7.4	1.3	14.7	2200	940	<1.8	Satisfactory	
11	Mandapal	3917	06.5.2021	09:40 AM	26	7.1	6.8	1.2	7.3	4700	2200	11	Satisfactory	
12	Talcher D/S	1042	06.5.2021	08:10 AM	26	7.1	6.4	1.6	18.3	3500	1300	<1.8	Satisfactory	
13	Talcher FD/S	2416	06.5.2021	11:00 AM	26	7.1	7.0	1.1	11.0	1300	490	<1.8	Satisfactory	
14	Nandira U/s	3919	06.5.2021	08:00 AM	25	8.1	6.4	1.2	14.7	790	170	NA	Satisfactory	
15	Nandira D/s	3920	06.5.2021	08:50 AM	25	7.5	5.6	1.8	18.3	2200	700	<1.8	Satisfactory	
16	Kisindajhor	3921	06.5.2021	09:25 AM	26	7.4	5.6	1.5	11.0	1300	330	NA	Satisfactory	
17	Dhenkanal U/s	3918	06.5.2021	12:10 PM	26	7.2	7.6	< 1.0	7.3	1100	220	NA	Satisfactory	
18	Dhenkanal D/s	2417	06.5.2021	03:50 PM	27	7.2	6.8	1.2	11.0	1300	330	NA	Satisfactory	
19	Bhuban	1043	06.5.2021	02:45 PM	27	7.7	7.4	1.1	11.0	3500	1700	NA	Satisfactory	
20	Kabatabandha	2418	05.5.2021	02:45 PM	24	8.4	8.0	< 1.0	7.4	790	170	NA	Satisfactory	
21	Dharmasala U/s	1044	06.5.2021	08:30 AM	24	7.7	7.5	< 1.0	11.1	2400	790	NA	Satisfactory	
22	Dharmasala D/s	10019	06.5.2021	08:50 AM	25	8.2	7.4	< 1.0	14.8	3500	1700	NA	Satisfactory	
23	Pottamundai	1045	04.5.2021	10:00 AM	33.8	8.1	8.0	< 1.0	7.4	2200	790	NA	Satisfactory	
24	Khanditara	2419	06.5.2021	11:30 AM	25	7.8	7.8	< 1.0	14.8	1300	220	NA	Satisfactory	
25	Binjharpur	3922	06.5.2021	09:44 AM	25	8.1	7.4	1.6	14.8	2400	790	NA	Satisfactory	
26	Ali	2420	04.5.2021	10:30 AM	33.1	8.1	7.8	< 1.0	7.4	3500	1300	NA	Satisfactory	
27	Sankh U/s	2412	04.5.2021	05:10 PM	23	7.5	6.4	< 1.0	7.4	3500	790	NA	Satisfactory	
28	Koel U/s	2413	04.5.2021	01:05 PM	31	7.5	7.2	< 1.0	7.4	2200	490	NA	Satisfactory	
29	Guradi nallah	3923	04.5.2021	12:20 PM	27	7.6	4.3	5.6	29.6	35000	11000	94	Unsatisfactory	BOD, TC, FC
30	Badajhor	3924	06.5.2021	04:10 PM	26	7.9	11.0	< 1.0	11.0	2400	1300	NA	Satisfactory	

31	Damsala at Dayanabil	3933	05.5.2021	03:30 PM	23	7.8	7.2	< 1.0	7.4	1100	270	NA	Satisfactory	
32	Gondanallah at marthapur	3934	05.5.2021	11:30 AM	24	7.8	7.1	1.2	11.1	1300	330	NA	Satisfactory	
33	Karo at Barbil	3915	10.5.2021	02:45 PM	30	7.4	6.9	< 1.0	7.3	490	130	NA	Satisfactory	
34	Lingira U/s	3925	06.5.2021	11:30 AM	25	7.9	7.2	< 1.0	7.3	2800	1300	NA	Satisfactory	
35	Lingira D/s	3926	07.5.2021	01:05 PM	26	7.9	6.4	1.6	14.7	3500	1700	NA	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	06.5.2021	12:40 PM	27	7.2	8.8	< 1.0	7.3	2800	1300	NA	Satisfactory	
37	Bangurunallah	3930	06.5.2021	11:00 AM	25	6.9	6.0	1.6	11.0	1700	330	13	Satisfactory	
38	Singadajhor	3931	06.5.2021	12:00 Noon	26	7.1	6.4	1.3	7.3	1700	490	NA	Satisfactory	
39	Tikira U/s	3927	06.5.2021	04:00 PM	26	7.0	8.0	< 1.0	7.3	3500	1300	NA	Satisfactory	
40	Tikira D/s	3928	06.5.2021	12:30 PM	26	7.1	6.0	1.4	11.0	4700	2200	NA	Satisfactory	
41	Bangurusingada Jhor	3931	06.5.2021	11:25 AM	25	7.3	8.4	< 1.0	7.3	2200	490	NA	Satisfactory	

NA : Not analysed

River system : Budhabalanga

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	18.5.2021	09:10 AM	28	8.2	7.6	< 1.0	7.2	3500	1100	<1.8	Satisfactory	
2	Balasore U/s	3943	18.5.2021	04:30 AM	30	8.1	6.4	< 1.0	7.2	1700	490	NA	Satisfactory	
3	Balasore D/s	2424	18.5.2021	12:10 PM	31	8.3	7.6	< 1.0	10.8	1300	330	NA	Satisfactory	
4	Hatiagond (Sona)	3942	18.5.2021	07:45 AM	26	8.3	6.8	< 1.0	7.2	490	130	NA	Satisfactory	

NA : Not analysed

River system : Vansadhara

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Muniquda	2427	25.5.2021	11:50 AM	27	7.9	7.3	< 1.0	7.1	1100	140	NA	Satisfactory	
2	Gunupur	2426	25.5.2021	10:05 AM	26	8.0	7.4	< 1.0	7.1	1700	700	NA	Satisfactory	

NA : Not analysed

River system : Subarnarekha

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Rajghat	1641	18.5.2021	02:45 PM	31	8.4	7.2	< 1.0	7.2	1300	220	NA	Satisfactory	

NA : Not analysed

River system : Nagavali

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	25.5.2021	05:30 PM	25	7.4	7.2	< 1.0	10.7	1300	330	NA	Satisfactory	
2	Jaykaypur D/s	1642	25.5.2021	08:10 AM	24	8.1	6.2	< 1.0	10.7	1700	790	4	Satisfactory	
3	Rayaqada D/s	1643	25.5.2021	06:15 PM	23	7.9	7.1	1.1	14.3	2200	390	<1.8	Satisfactory	

NA : Not analysed

River system : Kolab

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	River Korandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	25.5.2021	09:15 AM	24	8.3	6.9	< 1.0	7.1	1300	490	NA	Satisfactory	

NA : Not analysed

River system : Indravati

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	25.5.2021	05:10 PM	25	8.2	7.3	< 1.0	7.1	2400	1100	NA	Satisfactory	

NA : Not analysed

River system : Bahuda

May, 2021

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarpally	3949	04.5.2021	06:00 PM	30	8.5	7.5	1.3	7.4	1700	790	NA	Satisfactory	

NA : Not analysed

May, 2021

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL
SEA										
Gopalpur sea	2441	05.5.2021	09:30 AM	30	8.2	8.8	1.6	37.0	<1.8	<1.8
Swargadwara (Puri)	2439	10.5.2021	05:05 PM	31	8.1	6.3	<1.0	36.7	45	20
Pardeep sea	2440	05.5.2021	08:00 AM	29.3	8.0	7.0	1.2	29.6	1700	790

May, 2021

LAKES											
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL
Anshupa	Kadalibari	2438	17.5.2021	01:30 PM	32	7.4	7.6	1.6	10.9	3200	1700
	Bishnupur	3956	17.5.2021	12:30 PM	31	7.7	7.4	1.4	10.9	4000	2200
	Subarnapur	3955	17.5.2021	01:05 PM	32	8.5	7.8	1.5	10.9	3900	2200
	Sarandagarh	3957	17.5.2021	01:15 PM	33	7.4	7.2	1.4	10.9	3400	1700
Chilka	Rambha	3953	06.5.2021	11:00 AM	30	8.5	7.0	1.3	29.6	490	45
	Satapada	2437	10.5.2021	12:55 PM	32	8.0	6.2	1.9	29.3	1300	220
Tampara	Tampara lake	3954	05.5.2021	11:30 AM	30	8.5	4.5	4.7	59.3	3500	1700

May, 2021

CREEK											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Atharabanki creek	Atharabanki creek	3961	02.3.2021	05:00 PM	28	6.9	3.2	3.9	54.6	790	170

May, 2021

CANALS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Taladanda canal	Jobra	2438	Not monitored								
	Ranihat	3950									
	Chhatrabazar	3951									
	Nuabazar	2429									
	Biribati	3952									
	Atharabanki	2430	05.5.2021	02:20 PM	32	7.9	6.8	<1.0	11.1	2200	790
Puri canal	Hansapal	3958	10.5.2021	10:00 AM	26	8.0	7.2	1.2	7.3	7900	2300
	Jagannathpur	3959	10.5.2021	02:05 PM	29	7.3	5.9	1.9	14.7	4700	1700
	Chandanpur	3960	Not Monitored								

May, 2021

PONDS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Binduasagar pond (Bhubaneswar)											
Lingaraj temple side	2431	Not Monitored									
Ananta Vasudeva temple side											
Gyananagar side											
Kedarnath Research Centre side											

Ponds in Puri											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Narendra	2432	11.5.2021	10:15 AM	34	8.3	11.9	3.6	18.3	490	130	
Markanda	2433	11.5.2021	10:55 AM	34	8.5	10.0	4.8	25.7	210	68	
Indradyumna	2434	11.5.2021	11:25 AM	34	8.3	8.9	4.2	18.3	330	110	
Swetaganga	2435	11.5.2021	09:35 AM	35	8.5	11.4	4.8	25.7	170	78	

Parbathisagar	2436	10.5.2021	03:20 PM	35	8.4	9.0	8.4	47.7	220	78
Pond in Angul										
Raniguda pond	3963	07.5.2021	12:10 PM	26	7.6	8.8	4.6	31.2	2400	790
Pond in Jeypore										
Jagannathsagar Pond	3962	25.5.2021	11:00 AM	22	7.6	6.1	2.6	21.4	2200	790

--

Sampling Station name	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD mg/L	NO3-N, mg/L	TC, MPN/ 100 ml	FC, MPN/ 100 ml
<p>Kalahandi Goshalpada Colony, Ward No. 7, Bhawanipatna</p> <hr/> <p>Sitabudipara Irrigation Colony Ward No. 17, Bhawanipatna</p> <hr/> <p>Rayagada</p> <p>Kasturinagar, Rayagada</p> <hr/> <p>Within the premises of Badelapulama Temple, Rayagada</p> <hr/> <p>Koraput</p> <hr/> <p>Jagannath Temple, Koraput</p> <hr/> <p>Bada Chindri, Koraput</p> <hr/> <p>Nawarangpur</p> <hr/> <p>Tota guda, Nawarangpur</p> <hr/> <p>Gabraliguda, Nawarangpur</p> <hr/> <p>Malkanigiri</p> <hr/> <p>MV 43, Malkanigiri</p> <hr/> <p>Tekbadi of Netaji nagar, Malkanigiri</p>											
		25.5.2021	01:55 PM	24	7.1		< 1.0	10.7		<1.8	<1.8
		25.5.2021	02:15 PM	24	6.9		< 1.0	10.7		<1.8	<1.8
		25.5.2021	07:20 AM	23	7.1		< 1.0	7.1		<1.8	<1.8
		25.5.2021	06:50 PM	23	6.8		< 1.0	10.7		<1.8	<1.8
		25.5.2021	09:50 AM	19	7.4		< 1.0	7.1		<1.8	<1.8
		25.5.2021	10:20 AM	19	6.5		< 1.0	10.7		<1.8	<1.8
		25.5.2021	05:30 PM	18	6.6		< 1.0	10.7		<1.8	<1.8
		25.5.2021	05:50 PM	18	6.5		< 1.0	7.1		<1.8	<1.8
		25.5.2021	01:15 PM	20	6.8		< 1.0	7.1		<1.8	<1.8
	25.5.2021	02:10 PM	20	6.7		< 1.0	7.1		<1.8	<1.8	