

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WQI

DO >4.0 mg/L
BOD < 3 mg/L
TC < 5000 MPN/100 mL
FC < 2500 MPN/ 100 mL

River system : Mahanadi

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	09.3.2022	03:15 PM	22	7.7	8.9	1.1	7.9	3500	2400	NA	Satisfactory	
2	Jharsuguda	1268	15.3.2022	01:30 PM	28	6.7	8.0	1.2	7.8	230	78	NA	Satisfactory	
3	Brajrajnagar-U/S	1300	15.3.2022	12:50 PM	28	7.0	8.4	1.1	7.8	790	130	NA	Satisfactory	
4	Brajrajnagar-D/S	1269	15.3.2022	12:30 PM	27	7.3	8.2	1.6	11.8	1100	230	NA	Satisfactory	
5	Bheden	2403	15.3.2022	2:10 PM	29	7.7	7.8	1.2	7.8	1300	170	<1.8	Satisfactory	
6	Hirakud	1281	08.3.2022	03:10 PM	24	8.5	7.6	1.1	12	2400	330	NA	Satisfactory	
7	Sambalpur U/S	1270	08.3.2022	04:25 PM	25	8.3	7.0	1.1	8	2400	1300	NA	Satisfactory	
8	Sambalpur D/S	1271	08.3.2022	05:10 PM	25	8.5	6.8	1.5	12	3500	1400	<1.8	Satisfactory	
9	Sambalpur FD/S at Shankarmath	3887	07.3.2022	08:30 AM	24	8.2	6.6	1.2	8	1700	220	<1.8	Satisfactory	
10	Sambalpur FD/S at Huma	2405	07.3.2022	09:40 PM	25	8.2	7.2	1.2	8	1400	700	<1.8	Satisfactory	
11	Power Channel U/S	3888	08.3.2022	02:00 PM	24	8.4	6.8	1.1	8	20	20	NA	Satisfactory	
12	Power Channel D/S	2404	08.3.2022	03:40 PM	24	8.4	7.2	1.4	12	1300	330	NA	Satisfactory	
13	Sonepur U/S	1272	07.3.2022	12:45 PM	25	8.3	7.2	1.1	8	170	78	<1.8	Satisfactory	
14	Sonepur D/S	1274	07.3.2022	02:30 PM	25	8.4	6.6	1.4	8	220	45	<1.8	Satisfactory	
15	Tikarpada	1275	08.3.2022	11:10 AM	26	7.1	7.2	1.1	7.9	460	130	<1.8	Satisfactory	
16	Narasinghpur	1276	02.3.2022	03:34 PM	26	7.4	8.6	1.1	8	3500	490	17	Satisfactory	
17	Munduli	2406	02.3.2022	12:25 PM	26	7.7	8.2	1.1	8	4900	2200	49	Satisfactory	
18	Cuttack U/S	1277	02.3.2022	12:00 Noon	25	8.2	8.0	1.1	8	1700	700	<1.8	Satisfactory	
19	Cuttack D/S	1278	02.3.2022	11:21 PM	24	7.9	7.8	1.4	12	4900	1700	5	Satisfactory	
20	Cuttack FD/s	3890	02.3.2022	10:55 AM	26	7.7	7.4	1.2	8	4000	2200	<1.8	Satisfactory	
21	Paradeep U/S	2407	03.3.2022	03:30 PM	29.3	7.1	7.2	1.1	12	330	78	<1.8	Satisfactory	
22	Paradeep D/S	1639	03.3.2022	04:30 PM	27.7	7.5	7.0	1.7	28	<1.8	<1.8	<1.8	Satisfactory	
23	Ong river, Dharuakhaman	3889	07.3.2022	10:50 AM	26	8.2	6.8	1.1	8	68	20	NA	Satisfactory	
24	Tel	2408	07.3.2022	03:20 PM	25	8.5	6.8	1.1	8	78	20	NA	Satisfactory	
25	Kathajodi U/s	3891	03.3.2022	11:35 AM	25	7.8	8.0	1.6	8	490	170	NA	Satisfactory	
26	Kathajodi D/s	1301	03.3.2022	04:15 PM	23	7.5	7.0	4.4	24	92000	54000	22	Unsatisfactory	BOD, TC, FC
27	Kathajodi FD/s (Mattagajpur)	3892	03.3.2022	01:32 PM	23	8.4	6.4	1.6	8	790	330	49	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	03.3.2022	02:35 PM	24	8.0	7.2	1.9	8	1100	220	NA	Satisfactory	
29	Sankhatrasa	2409	03.3.2022	03:55 PM	24	7.0	8.0	3.4	20	54000	11000	17	Unsatisfactory	BOD, TC, FC
30	Kuakhai FU/s	2410	09.3.2022	11:30 AM	24	7.1	8.4	1.1	7.9	1100	490	<1.8	Satisfactory	
31	Kuakhai U/s	1279	09.3.2022	12:10 PM	25	7.0	7.7	1.1	7.9	1400	700	11	Satisfactory	
32	Daya at Gelapur	3894	09.3.2022	01:20 PM	24	8.4	2.4	1.3	7.9	1300	170	<1.8	Satisfactory	
33	Kuakhai D/s	1280	09.3.2022	05:05 PM	24	7.1	3.4	4.4	19.8	24000	7900	49	Unsatisfactory	DO, BOD, TC, FC
34	Kuakhai FD/s	2411	09.3.2022	04:35 PM	25	7.1	6.2	4.2	15.8	17000	4900	22	Unsatisfactory	BOD, TC, FC
35	Daya at Kanas	3895	03.3.2022	10:10 AM	25	7.1	6.6	2.4	12	4900	1700	8	Satisfactory	
36	Birupa	1640	03.3.2022	12:45 PM	26	7.2	8.2	1.3	12	4000	2200	NA	Satisfactory	
37	Gangua at Rajdhani College	3996	09.3.2022	10:40 AM	25	6.9	0.7	7.7	29.7	>160000	>160000	220	Unsatisfactory	DO, BOD, TC, FC
38	Gangua at Palasuni	3897	09.3.2022	12:50 PM	26	2.1	0.4	9.7	79.2	3300	3300	49	Unsatisfactory	pH, DO, BOD, TC, FC
39	Gangua at Samantarapur	3898	09.3.2022	01:50 PM	27	6.5	0.8	8.3	69.3	>160000	>160000	170	Unsatisfactory	DO, BOD, TC, FC
40	Gangua at vadimula	3899	09.3.2022	04:15 PM	27	6.9	2.1	5.7	47.5	>160000	>160000	130	Unsatisfactory	DO, BOD, TC, FC
41	Kushabhadra at Bhangarpur	3903	03.3.2022	04:05 PM	27	7.3	10.6	1.8	12	54000	17000	NA	Unsatisfactory	TC, FC
42	Kushabhadra at Nimapara	3904	03.3.2022	01:45 PM	27	7.2	8.9	1.5	8	54000	13000	NA	Unsatisfactory	TC, FC
43	Kushabhadra at Gop	3905	03.3.2022	02:35 PM	28	7.3	6.7	1.8	20	4900	2300	NA	Satisfactory	
44	Kendrapada U/s	3900	03.3.2022	02:00 PM	30.3	7.8	5.4	1.1	8	490	230	NA	Satisfactory	
45	Kendrapada D/s	3901	03.3.2022	01:40 PM	29.5	7.8	4.8	1.4	12	700	230	NA	Satisfactory	
46	Mangala at Malatipatpur	3906	08.3.2022	12:50 PM	29	6.7	9.4	1.2	8	490	45	NA	Satisfactory	
47	Mangala D/s	3907	08.3.2022	04:10 PM	30	8.4	7.9	2.6	20	220	78	<1.8	Satisfactory	
48	Bhargavi at Chandanpur	3908	08.3.2022	12:20 PM	29	8.5	8.6	1.1	8	490	330	NA	Satisfactory	
49	Devi at Machhagaon	3902	04.3.2022	11:00 AM	26	7.7	7.4	2.1	24	230	45	NA	Satisfactory	
50	Luna at Bijipur	3912	03.3.2022	11:30 AM	26	7.5	7.5	1.1	8	4700	2100	22	Satisfactory	
51	River Sabulia	3914	03.3.2022	12:30 PM	27	7.3	6.4	1.6	8	4900	2300	79	Satisfactory	
52	Kusumi	3913	03.3.2022	11:05 AM	25	6.5	8.3	1.1	8	4000	2100	22	Satisfactory	
53	River Kansari	3909	03.3.2022	01:50 PM	25	7.5	8.1	1.2	8	4600	2300	NA	Satisfactory	
54	River Badasankha	3910	03.3.2022	01:10 PM	25	7.3	9.4	2.1	16	4700	2400	NA	Satisfactory	
55	Ratnachira	3911	09.3.2022	11:20 AM	28	7.8	6.9	1.2	11.9	330	110	NA	Satisfactory	

NA : Not analysed

River system : Rushikulya

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Russolkunda Reservoir	3944	15.3.2022	08:10 AM	30	8.0	7.5	1.9	7.8	1700	790	NA	Satisfactory	
2	Badanadi, Aska	3946	15.3.2022	08:40 AM	30	8.5	7.6	1.2	7.8	460	110	NA	Satisfactory	
3	Rushikulya, Aska	3945	15.3.2022	11:05 AM	30	7.8	6.9	1.3	7.8	3500	220	NA	Satisfactory	
4	Rushikulya at Nalabanta	3947	15.3.2022	12:45 PM	30	8.5	7.8	1.3	7.8	2400	1300	NA	Satisfactory	
5	Madhopur	1455	16.3.2022	09:00 AM	29	8.4	7.8	2.0	11.8	230	45	<1.8	Satisfactory	
6	Potagarh	1456	16.3.2022	10:05 AM	30	8.1	6.5	1.6	11.8	3500	1100	33	Satisfactory	

NA : Not analysed

River system : Baitarani

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	09.3.2022	04:20 PM	25	7.4	7.2	1.1	7.9	230	45	NA	Satisfactory	
2	Kusel at Deogaon	2421	10.3.2022	10:50 AM	20	8.3	9.2	1.3	7.9	1300	220	NA	Satisfactory	
3	Baitarani at Naigarh	3935	08.3.2022	10:20 AM	19	7.5	6.6	1.1	7.9	78	20	NA	Satisfactory	
4	Baitarani at Unchabali	3936	08.3.2022	11:15 AM	20	7.5	6.8	1.1	7.9	130	20	NA	Satisfactory	
5	Baitarani at Chamaug	3937	09.3.2022	11:20 AM	22	7.5	7.8	1.2	7.9	170	45	NA	Satisfactory	
6	Baitarani at Trihindha	3938	09.3.2022	12:15 PM	22	7.6	7.6	1.2	7.9	230	45	NA	Satisfactory	
7	Baitarani at Joda	1081	08.3.2022	05:30 PM	24	8.0	6.3	1.1	7.9	270	68	NA	Satisfactory	
8	Anandpur	1082	10.3.2022	10:20 AM	21	8.0	9.9	1.3	7.9	330	78	NA	Satisfactory	
9	Jajpur	1083	07.3.2022	11:20 AM	22	8.0	7.2	1.2	8	3500	700	NA	Satisfactory	
10	Chandbali U/s	1084	08.3.2022	02:30 PM	26	7.7	6.4	1.1	7.9	1700	700	NA	Satisfactory	
11	Chandbali D/s	10018	08.3.2022	03:10 PM	26	7.8	6.0	1.5	11.8	3500	1300	NA	Satisfactory	
12	Dhamra	1085	08.3.2022	05:15 PM	25	8.0	6.4	1.6	29.4	790	130	NA	Satisfactory	
13	Bhadrak U/s	3940	08.3.2022	10:30 AM	23	8.3	6.4	1.1	7.8	1300	110	NA	Satisfactory	
14	Bhadrak D/s	3941	08.3.2022	11:10 AM	23	8.2	6	1.4	11.8	2200	460	NA	Satisfactory	

NA : Not analysed

River system : Brahmani

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Panposh U/S	1037	09.3.2022	08:30 AM	26	7.7	8.3	1.2	7.9	3500	1700	NA	Satisfactory	
2	Panposh D/S	1038	09.3.2022	09:23 AM	24	7.7	9.6	3.8	19.8	22000	4900	22	Unsatisfactory	BOD, TC, FC
3	Jalda (Rourkela D/S)	1302	09.3.2022	10:55 AM	25	7.6	6.3	3.6	15.8	17000	3300	17	Unsatisfactory	BOD, TC, FC
4	Alttaghat	3916	09.3.2022	11:15 AM	26	7.0	10.9	2.2	11.9	490	78	<1.8	Satisfactory	
5	Birtola	2414	09.3.2022	12:16 PM	25	7.3	8.9	2.1	11.9	790	78	<1.8	Satisfactory	
6	Bonaigarh	1039	09.3.2022	12:50 PM	26	7.5	7.3	1.1	7.9	330	45	NA	Satisfactory	
7	Rengali	1040	08.3.2022	05:00 PM	25	7.4	7.8	1.1	11.9	<1.8	<1.8	8	Satisfactory	
8	Samal	1041	08.3.2022	11:40 AM	26	7.5	9.2	1.1	7.9	270	45	NA	Satisfactory	
9	Talcher FU/S	2415	08.3.2022	10:30 AM	26	7.6	10.6	1.1	7.9	170	20	NA	Satisfactory	
10	Talcher U/s	1303	08.3.2022	09:30 AM	25	7.6	7.4	1.1	7.9	230	45	NA	Satisfactory	
11	Mandapal	3917	08.3.2022	10:00 AM	26	7.8	8.2	1.1	7.9	4700	2200	NA	Satisfactory	
12	Talcher D/S	1042	09.3.2022	08:30 AM	24	7.7	8.0	1.6	11.9	1300	230	NA	Satisfactory	
13	Talcher FD/S	2416	09.3.2022	10:30 AM	24	7.8	10.6	1.4	7.9	490	130	NA	Satisfactory	
14	Nandira U/s	3919	08.3.2022	08:20 AM	24	8.3	10.6	1.1	7.9	130	20	NA	Satisfactory	
15	Nandira D/s	3920	08.3.2022	09:00 AM	25	8.5	5.0	1.4	7.9	230	45	NA	Satisfactory	
16	Kisindajhor	3921	09.3.2022	09:15 AM	24	8.5	9.0	1.1	7.9	110	20	NA	Satisfactory	
17	Dhenkanal U/s	3918	09.3.2022	11:50 AM	26	7.9	7.6	1.2	7.9	78	<1.8	NA	Satisfactory	
18	Dhenkanal D/s	2417	09.3.2022	03:30 PM	26	7.9	8.4	1.6	11.9	130	20	NA	Satisfactory	
19	Bhuban	1043	09.3.2022	02:30 PM	26	7.9	8.0	1.5	7.9	1300	220	NA	Satisfactory	
20	Kabatabandha	2418	08.3.2022	12:55 PM	23	8.3	7.8	1.2	8	3500	2400	NA	Satisfactory	
21	Dharmasala U/s	1044	07.3.2022	02:50 PM	21	8.4	7.2	1.3	8	940	3330	NA	Satisfactory	
22	Dharmasala D/s	10019	07.3.2022	02:20 PM	22	8.4	7.0	1.6	12	1300	490	NA	Satisfactory	
23	Pottamundai	1045	03.3.2022	11:50 PM	28.9	8.3	7.2	1.1	8	2200	490	NA	Satisfactory	
24	Khanditara	2419	07.3.2022	01:40 PM	21	8.4	7.6	1.1	8	790	220	NA	Satisfactory	
25	Binjharpur	3922	07.3.2022	12:35 PM	22	8.2	7.6	1.1	8	1700	230	NA	Satisfactory	
26	Ali	2420	03.3.2022	12:15 PM	28.7	8.3	7.6	1.6	8	3500	1100	NA	Satisfactory	
27	Sankh U/s	2412	09.3.2022	08:45 AM	23	7.6	7.5	1.1	7.9	1300	170	NA	Satisfactory	
28	Koel U/s	2413	09.3.2022	07:45 AM	24	7.6	8.7	1.1	7.9	330	78	NA	Satisfactory	
29	Guradi nallah	3923	09.3.2022	09:10 PM	23	7.4	4.4	4.7	29.7	>160000	92000	110	Unsatisfactory	BOD, TC, FC
30	Badajhor	3924	09.3.2022	04:30 PM	24	8.5	9.2	1.2	7.9	490	130	NA	Satisfactory	

31	Damsala at Dayanabil	3933	08.3.2022	11:45 AM	23	8.1	7.4	1.1	8	1300	170	NA	Satisfactory	
32	Gondanallah at Marthapur	3934	07.3.2022	03:25 PM	21	7.8	7.2	1.1	8	1400	220	NA	Satisfactory	
33	Karo at Barbil	3915	08.3.2022	04:10 PM	25	7.5	6.9	1.3	11.9	3500	1300	NA	Satisfactory	
34	Lingira U/s	3925	08.3.2022	04:30 PM	25	8.5	6.4	1.2	7.9	230	45	NA	Satisfactory	
35	Lingira D/s	3926	08.3.2022	03:00 PM	26	8.5	7.2	1.6	7.9	270	45	NA	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	09.3.2022	12:30 PM	26	7.6	7.4	1.2	7.9	130	78	NA	Satisfactory	
37	Bangurunallah	3930	08.3.2022	11:10 AM	25	7.4	7.8	1.2	7.9	1400	330	<1.8	Satisfactory	
38	Singadajhor	3931	08.3.2022	12:10 PM	26	8.3	8.6	1.1	7.9	330	130	NA	Satisfactory	
39	Tikira U/s	3927	08.3.2022	04:20 PM	25	8.5	6.6	1.1	7.9	1700	340	NA	Satisfactory	
40	Tikira D/s	3928	08.3.2022	12:40 PM	26	8.3	9.4	1.7	7.9	3500	2400	NA	Satisfactory	
41	Bangurusingada Jhor	3931	09.3.2022	11:20 AM	26	7.5	5.0	1.6	7.9	330	78	NA	Satisfactory	

NA : Not analysed

River system : Budhabalanga

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	09.3.2022	01:45 PM	28	8.4	8.4	1.8	11.8	4900	1300	17	Satisfactory	
2	Balasure U/s	3943	09.3.2022	05:15 PM	27	8.5	7.6	1.1	7.8	2200	270	NA	Satisfactory	
3	Balasure D/s	2424	09.3.2022	10:10 PM	22	8.3	7.6	1.8	11.8	3500	340	NA	Satisfactory	
4	Hatiagond (Sona)	3942	09.3.2022	11:30 PM	24	8.1	6.8	2.1	11.8	220	78	NA	Satisfactory	

NA : Not analysed

River system : Vansadhara

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Muniquda	2427	22.3.2022	10:50 AM	28	7.6	7.2	1.3	7.8	3500	2400	NA	Satisfactory	
2	Gunupur	2426	22.3.2022	12:20 PM	30	8.1	7.4	1.3	7.8	940	330	NA	Satisfactory	

NA : Not analysed

River system : Subarnarekha

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Rajghat	1641	09.3.2022	03:45 PM	28	8.5	8.0	1.1	7.8	1100	220	NA	Satisfactory	

NA : Not analysed

River system : Nagavali

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	22.3.2022	09:40 AM	26	7.1	7.6	1.1	7.8	3500	2400	NA	Satisfactory	
2	Jaykaypur D/s	1642	22.3.2022	08:40 AM	26	7.2	6.7	1.6	11.6	2800	1300	23	Satisfactory	
3	Ravagada D/s	1643	22.3.2022	07:30 AM	23	7.4	7.1	1.1	7.8	2400	490	33	Satisfactory	

NA : Not analysed

River system : Kolab

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	River Korandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	21.3.2022	01:40 PM	28	7.7	7.3	1.2	7.8	230	78	NA	Satisfactory	

NA : Not analysed

River system : Indravati

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	21.3.2022	09:00 AM	29	7.9	7.4	1.1	7.8	1100	330	NA	Satisfactory	

NA : Not analysed

River system : Bahuda

March, 2022

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarapally	3949	16.3.2022	01:30 PM	31	8.1	7.3	1.2	7.8	130	20	NA	Satisfactory	

NA : Not analysed

March, 2022

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL
SEA										
Gopalpur sea	2441	16.3.2022	03:00 PM	29	8.1	6.8	1.8	29.4	2400	790
Swargadwara (Puri)	2439	08.3.2022	05:30 PM	29	8	7.3	2.1	29.7	<1.8	<1.8
Pardeep sea	2440	03.3.2022	05:00 PM	27.5	8.2	6.2	1.1	32	<1.8	<1.8

March, 2022

LAKES											
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL
Anshupa	Kadalibari	2438	02.3.2022	02:33 PM	25	7.2	6.4	2.6	16	3500	2400
	Bishnupur	3956	02.3.2022	01:50 PM	24	7.1	7.6	1.4	8	5400	2400
	Subarnapur	3955	02.3.2022	02:04 PM	23	7.2	6.6	1.1	12	1700	790
	Sarandagarh	3957	02.3.2022	02:22 PM	24	7.2	5.8	1.8	16	1100	490

Chilka	Rambha	3953	16.3.2022	05:00 PM	30	8.5	6.6	2.2	19.6	230	20
	Satapada	2437	08.3.2022	02:10 PM	31	7.5	9	2	39.6	130	45

Tampara	Tampara lake	3954	16.3.2022	04:00 PM	30	8.4	5.5	3.4	19.6	110	20
---------	--------------	------	-----------	----------	----	-----	-----	-----	------	-----	----

March, 2022

CREEK											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Atharabanki creek	Atharabanki creek	3961	03.3.2022	10:00 AM	28	6.6	5.4	4.1	40	2400	270

March, 2022

CANALS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Taladanda canal	Jobra	2438	Not monitored								
	Ranihat	3950									
	Chhatrabazar	3951									
	Nuabazar	2429									
	Biribati	3952									
	Atharabanki	2430	03.3.2022	04:00 PM	28.8	8.0	6.4	2.3	16	35000	17000

Puri canal	Hansapal	3958	03.3.2022	04:55 PM	27	7.3	7	1.6	12	3500	1700
	Jagannathpur	3959	03.3.2022	12:40 PM	25	7.4	7.3	1.1	8	3400	2200
	Chandanpur	3960	08.3.2022	11:15 PM	28	7.6	6.6	2.3	19.8	2200	490

March, 2022

PONDS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Binduasagar pond (Bhubaneswar)											
Lingaraj temple side	2431	09.3.2022	02:25 PM	26	7.4	8.3	1.6	7.9	4600	1700	
Ananta Vasudeva temple side		09.3.2022	02:45 PM	26	7.6	6.8	2.1	11.9	92000	28000	
Gyananagar side		09.3.2022	03:30 PM	26	7.5	7.6	2.1	11.9	92000	28000	
Kedarnath Research Centre side		09.3.2022	03:10 PM	25	7.4	6.8	2.1	11.9	54000	24000	

Ponds in Puri

Narendra	2432	09.3.2022	09:35 AM	27	8.8	10.7	6	31.7	4300	1300
Markanda	2433	09.3.2022	10:50 AM	27	8.3	7.8	4.7	23.8	45	20
Indradyumna	2434	09.3.2022	08:50 AM	25	8.6	10.4	3.7	19.8	5400	1100
Swetaganga	2435	09.3.2022	10:20 AM	26.5	8.8	7.3	5.8	31.7	2200	790

Parbatisagar	2436	08.3.2022	04:35 PM	32	8.7	8.6	12	55.4	5400	700
Pond in Angul										
Raniguda pond	3963	08.3.2022	03:30 PM	25	7.4	11.4	5.7	31.7	490	170
Pond in Jeypore										
Jagannathsagar Pond	3962	21.3.2022	11:50 PM	29	7.3	6.5	2.4	15.5	230	45