

# Ambient air quality status with Air quality index value and categorization of different cities & towns of Odisha during, April- 2022

## 1. ANGUL(2)

### I. RO SPCB, Angul Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	10.2	26.5	50.0	27.9	93	42	93(PM <sub>10</sub> )	Satisfactory

### II.NALCO Nagar, Angul

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	10.4	28.2	32.6	BDL	114	40	109(PM <sub>10</sub> )	Moderate

## 2. TALCHER(2)

### III. TTPS, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	10.8	28.8	38.4	22.8	89	33	89(PM <sub>10</sub> )	Satisfactory

### IV.MCL, Talcher

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	11.6	29.9	29.8	24.5	127	36	118(PM <sub>10</sub> )	Moderate

## 3. BALASORE(3)

### V. RO SPCB, Ganeswarpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	BDL	10.6	23.2	23.3	80	52	87(PM <sub>2.5</sub> )	Satisfactory

### VI.Oriplast, Balasore

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	BDL	10.8	23.4	23.8	81	52	87(PM <sub>2.5</sub> )	Satisfactory

### VII. Rasalpur Industrial Estate

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	7.7	11.5	24.5	25.0	85	55	92(PM <sub>2.5</sub> )	Satisfactory

## 4. BERHAMPUR(1)

### VIII. RO SPCB, Brahmanagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	5.2	20.6	42.2	42.9	59	22	59(PM <sub>10</sub> )	Satisfactory

5. BHUBANESWAR(6)

## IX. SPCB Office Building, Unit-VIII

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	BDL	14.9	37.7	28.3	83	26	83(PM <sub>10</sub> )	Satisfactory

## X. IRC Village, Nayapali

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	Not monitored				77	26	*	-

## XI. Capital Police Station, Unit-I

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	BDL	14.9	37.1	30.7	73	25	73(PM <sub>10</sub> )	Satisfactory

## XII.Khandagiri

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	BDL	15.6	45.4	28.8	100	33	100(PM <sub>10</sub> )	Satisfactory

## XIV.Chandresekherpur

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	BDL	13.7	33.1	24.9	90	24	90(PM <sub>10</sub> )	Satisfactory

## XIV. Palasuni waterworks

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	Not Monitored					25	*	-

6. BONAIGARH(1)

## XV. Bonaigarh Govt. Hospital

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	11.0	13.3	24.8	23.4	145	59	130(PM <sub>10</sub> )	Moderate

7.CUTTACK(3)

## XVI. On the roof of Hotel Bishalin Near Traffic Tower, Badambadi

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
April	BDL	17.2	38.8	34.2	90	36	90(PM <sub>10</sub> )	Satisfactory

\*:-For AQI calculation minimum three parameters are required.

**XVII. RO SPCB, Building, Surya Vihar**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	BDL	21.5	45.4	32.1	105	37	103(PM <sub>10</sub> )	Moderate

**XVIII. PHD Office ,Barabati**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	BDL	20.8	36.4	31.4	92	32	92(PM <sub>10</sub> )	Satisfactory

**8.JHARSUGUDA(3)**

**XIX. RO SPCB, Cox Colony, Babubagicha, Jharsuguda**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	8.4	12.9	23.0	22.0	124	66	120(PM <sub>2.5</sub> )	Moderate

**XX. TRL Colony Premises, Belpahar**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	8.8	15.2	26.4	26.2	120	64	113 Both(PM <sub>10</sub> & PM <sub>2.5</sub> )	Moderate

**XXI. Inside Vedanta Township**

Month	Parameters				AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter					
<b>April</b>	<b>Not Monitored</b>					

**9.KALINGANAGAR(3)**

**XXII. BRPL Guest House**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	6.8	12.8	35.2	21.7	115	NM	110(PM <sub>10</sub> )	Moderate

**XXIII. RO SPCB, Kalinganagar**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	7.0	13.3	34.9	21.6	130	67	123(PM <sub>2.5</sub> )	Moderate

**XXIV. DET Hostel, TATA Steel**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	7.0	13.3	34.7	21.5	123	NM	115(PM <sub>10</sub> )	Moderate

10. KEONJHAR(1)

## XXV. RO SPCB, Baniapat

Month	Parameters					AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter						
<b>April</b>	BDL	13.6	30.6	109	47	106(PM <sub>10</sub> )	Moderate

11. KONARK(1)

## XXVI .Konark Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	BDL	14.4	32.1	28.3	76	NM	76(PM <sub>10</sub> )	Satisfactory

12. PARADEEP(3)

## XXVII. PPL Guest house

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	13.9	9.4	132	36.6	75	NM	75(PM <sub>10</sub> )	Satisfactory

## XXVIII. IFFCO STP

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	14.4	9.1	131	37.4	83	NM	83(PM <sub>10</sub> )	Satisfactory

## XXIX. Paradeep Port trust Staff Quarter

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	13.4	10.6	129	37.6	69	33	69(PM <sub>10</sub> )	Satisfactory

13. PURI(2)

## XXX. Sadar Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	BDL	14.4	45.7	20.5	93	NM	93 ( PM <sub>10</sub> )	Satisfactory

## XXXI. Town Police Station

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	Not Monitored							

14. RAYAGADA(2)

## XXXII. RO SPCB, Rayagada ,Indiranagar

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	4.8	16.3	28.0	26.8	76	NM	76( PM <sub>10</sub> )	Satisfactory

**XXXIII. LPS High School, Jaykaypur**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	5.2	16.5	30.0	27.9	79	NM	79(PM <sub>10</sub> )	Satisfactory

**15 RAJGANGPUR(1)**

**XXXIV. DISR ,Rajgangpur**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	10.3	13.0	24.2	23.3	147	32	131( PM <sub>10</sub> )	Moderate

**16. ROURKELA(4)**

**XXXV. Town Engineering Office Premises, RSP, Sector-5**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	9.3	11.5	23.0	23.1	143	45	129( PM <sub>10</sub> )	Moderate

**XXXVI. IDL out Post**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	10.1	13.0	23.7	23.1	94	52	94(PM <sub>10</sub> )	Satisfactory

**XXXVII. IDCO Water tank, IDC Kalunga**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	10.4	12.3	23.4	22.8	135	50	123( PM <sub>10</sub> )	Moderate

**XXXVIII. Govt. Hospital, Kuanrunda**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	11.0	13.4	24.4	25.3	98	44	98(PM <sub>10</sub> )	Satisfactory

**17.SAMBALPUR (1)**

**XXXIX. PHD Office, Modipara**

Month	Parameters						AQI w. r. t Prominent Pollutant	Categorization
	SO <sub>2</sub>	NO <sub>2</sub>	NH <sub>3</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
	Monthly Average Values express in Microgram per cubic meter							
<b>April</b>	6.4	29.5	22.9	22.0	101	33	101(PM <sub>10</sub> )	Moderate

**NB:-\*** -Minimum three parameter are required for AQI calculation.

**NB:-** Two NAMP stations (1)Vedanta Township under RO, Jharsuguda (2) Town Police station, Puri were not in operation in the month of **April** 2022. NM-Not Monitored BDL Value for SO<sub>2</sub> ≤4 µg/m<sup>3</sup>, & O<sub>3</sub> ≤20 µg/m<sup>3</sup>.