

# AAQ Data of different districts of Odisha for the month of March-2023 Under 5T governance

## 1. RO, SPCB Board, Angul

### (i) Angul

Sl. No	Cities	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, Building	9.8	25.4	88	39	88(PM <sub>10</sub> )	Satisfactory

### (ii) Dhenkanal

Sl. No	Cities	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Sub-Collector office	13.2	28.2	121	50	114(PM <sub>10</sub> )	Moderate

## 2. RO, SPCB Board, Balasore

### (iii) Balasore

Sl. No	Cities	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Ori-plast OT Road, Balasore	BDL	10.4	72	52	87(PM <sub>2.5</sub> )	Satisfactory

### (iv) Bhadrak

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DIC Office	BDL	10.4	71	47	78 (PM <sub>2.5</sub> )	Satisfactory

### (V) Mayurbhanj

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DIC Office, Baripada	BDL	10.2	76	50	83(PM <sub>2.5</sub> )	Satisfactory

## 3. RO, SPCB Board, Berhampur

### (vi) Berhampur

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	NAC Office, Chatrapur	6.2	14.2	74	32	74(PM <sub>10</sub> )	Satisfactory

**(vii)Kandhamal**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Near Municipal ity office, phulbani	5.5	10.5	54	22	54(PM <sub>10</sub> )	Satisfactory

**4. Central Laboratory, SPCB Board, Bhubaneswar****(viii)Khurda**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RPF office	BDL	19.4	71	27	71(PM <sub>10</sub> )	Satisfactory

**(ix)Nayagarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Town police station	BDL	22.8	106	35	104(PM <sub>10</sub> )	Moderate

**(x)Puri**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Kumutisahi ,Puri	BDL	13.7	115	34	110(PM <sub>10</sub> )	Moderate

**5.RO, SPCB Board, Bolangir****(xi). Bolangir**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Office Building	6.4	22.6	82	38	82(PM <sub>10</sub> )	Satisfactory

**(xii)Boudh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	District Headquarter Hospital	5.6	21.2	78	43	78(PM <sub>10</sub> )	Satisfactory

**(xiii)Nuapada**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	NAC Office	5.8	18.4	69	32	<b>69(PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**(xiv)Subarnapur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DFO, Office	6.2	23.8	89	47	<b>89 (PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**6.RO, SPCB Board,Cuttack****(xv) Cuttack**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,Surya nagar	5.1	20.1	134	40	<b>123(PM<sub>10</sub>)</b>	<b>Moderate</b>

**7.RO, SPCB Board,Kalinganagar****(xvi)Jajpur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	<b>Sanskru ti vawan</b>	<b>4.8</b>	<b>13.4</b>	<b>91</b>	<b>47</b>	<b>91 (PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**8.RO, SPCB Board,Jharsuguda****(xvii)Jharsuguda**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,Office	9.3	13.9	113	60	<b>109(PM<sub>10</sub>)</b>	<b>Moderate</b>

**9.RO,Keonjhar****(xviii)Keonjhar**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,Office	BDL	17.2	144	67	<b>129(PM<sub>10</sub>)</b>	<b>Moderate</b>

## 10. RO, SPCB Board,Paradeeep

### (xix)Jagatsingpur

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Hatabazar	5.4	13.6	61	32	61(PM <sub>10</sub> )	Satisfactory

### (xx)Kendrapada

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Thakurpatna	6.2	14.5	78	39	78(PM <sub>10</sub> )	Satisfactory

## 11.RO, SPCB Board,Rayagada

### (xxi)Rayagada

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, Office	5.1	14.5	85	40	85(PM <sub>10</sub> )	Satisfactory

### (xxii)Kalahandi

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Bhawanipatna	5.9	16.0	83	39	83(PM <sub>10</sub> )	Satisfactory

### (xxiii)Gajapati

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Parelakhemundi	6.4	14.4	83	41	83(PM <sub>10</sub> )	Satisfactory

## 12.RO, SPCB Board,Koraput

### (xxiv)Koraput

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Koraput	BDL	11.5	64	30	64(PM <sub>10</sub> )	Satisfactory

**(xxv)Malkangiri**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Malkangiri	Data not submitted				-	-

**(xxvi)Nawarangapur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Nawarangapur	BDL	12.9	69	35	69(PM <sub>10</sub> )	Satisfactory

**13. RO, SPCB Board,Rourkela****(xxvii)Sundargarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Bikasvawan	12.2	12.0	72	39	72(PM <sub>10</sub> )	Satisfactory

**(xxviii)Deogarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Collector office	11.6	13.6	83	36	83(PM <sub>10</sub> )	Satisfactory

**14.RO, SPCB Board,Sambalpur****(xxix)Sambalpur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	PHD Office, Modipada	9.0	24.8	114	45	109(PM <sub>10</sub> )	Moderate

**(xxx)Baragarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Treasury office	7.4	22.6	87	41	87(PM <sub>10</sub> )	Satisfactory

NB:- BDL Value for SO<sub>2</sub> ≤4 µg/m<sup>3</sup>, NO<sub>2</sub> ≤9 µg/m<sup>3</sup> NM-Not monitored

Prescribed NAAQS 2009 Standard (24 hrly. Avg. in Microgram per cubic meter)	PM <sub>10</sub> ~100	PM <sub>2.5</sub> - 60	SO <sub>2</sub> - 80	NO <sub>2</sub> -80~		
AQI Standard range (with category)	0-50 (Good)	51-100 (Satisfactory)	101-200 (Moderate)	201-300 (Poor)	301-400 (Very Poor)	(>401) Severe

