

# AAQ Data of different district head Quarters of Odisha for the month of June-2023 Under 5T governance

## 1. RO, SPCB Board, Angul

### (i) Angul

Sl. No	Cities	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, Building	9.5	19.7	121	61	114(PM <sub>10</sub> )	Moderate

### (ii) Dhenkanal

Sl. No	Cities	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Sub-Collector office	9.1	16.4	86	42	86(PM <sub>10</sub> )	Satisfactory

## 2. RO, SPCB Board, Balasore

### (iii) Balasore

Sl. No	Cities	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Ori-plast OT Road, Balasore	BDL	10.9	109	74	147(PM <sub>2.5</sub> )	Moderate

### (iv) Bhadrak

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DIC Office	BDL	10.7	87	63	110 (PM <sub>2.5</sub> )	Moderate

### (V) Mayurbhanj

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DIC Office, Baripada	BDL	10.5	83	58	97(PM <sub>2.5</sub> )	Satisfactory

## 3. RO, SPCB Board, Berhampur

### (vi) Berhampur

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	NAC Office, Chatrapur	5.6	14.7	63	32	63(PM <sub>10</sub> )	Satisfactory

**(vii)Kandhamal**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Near Municipal ity office, phulbani	5.2	15.6	56	14	56(PM <sub>10</sub> )	Satisfactory

**4. Central Laboratory, SPCB Board, Bhubaneswar****(viii)Khurda**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RPF office	BDL	13.4	62	24	62(PM <sub>10</sub> )	Satisfactory

**(ix)Nayagarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Town police station	BDL	16.1	49	18	49(PM <sub>10</sub> )	Good

**(x)Puri**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Kumutisahi ,Puri	BDL	13.8	96	23	96(PM <sub>10</sub> )	Satisfactory

**5. RO, SPCB Board, Bolangir****(xi). Bolangir**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Office Building	4.8	20.4	66	25	66(PM <sub>10</sub> )	Satisfactory

**(xii)Boudh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	District Headquarter Hospital	4.8	20.2	63	22	63(PM <sub>10</sub> )	Satisfactory

**(xiii)Nuapada**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	NAC Office	4.2	18.6	58	21	58(PM <sub>10</sub> )	Satisfactory

**(xiv)Subarnapur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DFO, Office	5.4	19.8	71	27	71 (PM <sub>10</sub> )	Satisfactory

**6.RO, SPCB Board,Cuttack****(xv) Cuttack**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,Surya nagar	6.1	21.6	106	26	104(PM <sub>10</sub> )	Moderate

**7.RO, SPCB Board,Kalinganagar****(xvi)Jajpur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Sanskriti vawan	5.1	12.8	64	24	64 (PM <sub>10</sub> )	Satisfactory

**8.RO, SPCB Board,Jharsuguda****(xvii)Jharsuguda**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,Office	8.4	13.5	107	51	105(PM <sub>10</sub> )	Moderate

**9.RO, Keonjhar****(xviii)Keonjhar**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,Office	BDL	13.9	84	39	84 (PM <sub>10</sub> )	Satisfactory

**10. RO, SPCB Board,Paradeeep****(xix)Jagatsingpur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Hatabazar	4.1	11.5	59	32	59(PM <sub>10</sub> )	Satisfactory

**(xx)Kendrapada**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Thakurpatna	5.1	14.0	68	39	68(PM <sub>10</sub> )	Satisfactory

**11.RO, SPCB Board,Rayagada****(xxi)Rayagada**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, Office	4.1	13.1	86	27	86(PM <sub>10</sub> )	Satisfactory

**(xxii)Kalahandi**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Bhawanipatna	5.3	15.3	88	26	88(PM <sub>10</sub> )	Satisfactory

**(xxiii)Gajapati**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Parelakhemundi	4.4	14.2	86	28	86(PM <sub>10</sub> )	Satisfactory

**12.RO, SPCB Board,Koraput****(xxiv)Koraput**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,SPCB, Koraput	BDL	12.4	71	34	71(PM <sub>10</sub> )	Satisfactory

**(xxv)Malkangiri**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Malkangiri	BDL	11.5	57	22	<b>57(PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**(xxvi)Nawarangapur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Nawarangapur	BDL	11.7	70	30	<b>70(PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**13. RO, SPCB Board,Rourkela****(xxvii)Sundargarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Bikasvawan	10.6	10.8	88	43	<b>88(PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**(xxviii)Deogarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Collector office	8.9	10.5	57	31	<b>57(PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**14.RO, SPCB Board,Sambalpur****(xxix)Sambalpur**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	PHD Office, Modipada	5.1	21.0	74	25	<b>74(PM<sub>10</sub>)</b>	<b>Satisfactory</b>

**(xxx)Baragarh**

Sl. No	Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Treasury office	5.4	18.6	68	28	<b>68(PM<sub>10</sub>)</b>	<b>Satisfactory</b>

NB:- BDL Value for SO<sub>2</sub> ≤4 µg/m<sup>3</sup>, NO<sub>2</sub> ≤9 µg/m<sup>3</sup> NM-Not monitored

Prescribed NAAQS 2009 Standard (24 hrly. Avg. in Microgram per cubic meter)	PM <sub>10</sub> -100	PM <sub>2.5</sub> - 60	SO <sub>2</sub> - 80	NO <sub>2</sub> -80		
AQI Standard range (with category)	0-50 (Good)	51-100 (Satisfactory)	101-200 (Moderate)	201-300 (Poor)	301-400 (Very Poor)	(>401) Severe

