

**AAQ Data of different district head Quarters of Odisha for the month of October-2023  
Under 5T governance**

**1. RO, SPCB Board, Angul**

**(i) Angul**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, S.P.C Building	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	95(PM <sub>10</sub> )	Satisfactory
		14.1	25.5	95	45		

**(ii) Dhenkanal**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Sub-Collector office	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	76(PM <sub>10</sub> )	Satisfactory
		12.3	21.4	76	32		

**2. RO, SPCB Board, Balasore**

**(iii) Balasore**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Ori-plast OT Road Balasore	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	70(PM <sub>10</sub> )	Satisfactory
		BDL	10.7	70	30		

**(iv) Bhadrak**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DIC Office, Kuansh	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	61 (PM <sub>10</sub> )	Satisfactory
		BDL	10.2	61	25		

**(V) Mayurbhanj**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DIC Office, Baripada	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	67(PM <sub>10</sub> )	Satisfactory
		BDL	10.4	67	27		

**3. RO, SPCB Board, Berhampur**

**(vi) Berhampur**

Sl. No	Location of Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	NAC Office, Chatrapur	SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	83(PM <sub>10</sub> )	Satisfactory
		6.6	18.7	83	46		

**(vii) Kandhamal**

Sl. No	Location of Cities/ Town	Values express in Microgram per cubic meter				AQI w. r. t Prominent Pollutant	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Collectorate office building, phulbani	4.6	16.2	62	27	62(PM <sub>10</sub> )	Satisfactory

**4. Central Laboratory, SPCB Board, Bhubaneswar****(viii) Khurda**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RPF office	BDL	14.5	130	53	120 (PM <sub>10</sub> )	Moderate

**(ix) Nayagarh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Town police station	BDL	14.8	98	34	98 (PM <sub>10</sub> )	Satisfactory

**(x) Puri**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Kumutisahi, Puri	BDL	11.3	91	24	91 (PM <sub>10</sub> )	Satisfactory

**5. RO, SPCB Board, Bolangir****(xi). Bolangir**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Office Building	6.4	22.4	81	37	81(PM <sub>10</sub> )	Satisfactory

**(xii) Boudh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	District Headquarter Hospital	6.2	20.8	75	32	75(PM <sub>10</sub> )	Satisfactory

**(xiii) Location of Nuapada**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	NAC Office	5.4	18.6	67	29	67(PM <sub>10</sub> )	Satisfactory

**(xiv) Subarnapur**

Sl. No	Location of Cities/ Town	Values are express in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	DFO, Office	6.8	21.6	86	38	86(PM <sub>10</sub> )	Satisfactory

**6. RO, SPCB Board, Cuttack****(xv) Cuttack**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, Surya nagar	5.4	20.5	106	38	104(PM <sub>10</sub> )	Moderate

**7. RO, SPCB Board, Kalinganagar****(xvi) Jajpur**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	<b>Sanskriti Vawan</b>	8.3	13.4	96	53	96(PM <sub>10</sub> )	Satisfactory

**8. RO, SPCB Board, Jharsuguda****(xvii) Jharsuguda**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, S.P.C Board Office	8.6	13.0	101	47	101(PM <sub>10</sub> )	Moderate

**9. RO, Keonjhar****(xviii) Keonjhar**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, S.P.C Board Office	BDL	10.9	93	44	93 (PM <sub>10</sub> )	Satisfactory

**10. RO, SPCB Board, Paradeep****(xix) Jagatsingpur**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Hata bazar	4.9	10.5	72	34	72(PM <sub>10</sub> )	Satisfactory

**(xx) Kendrapada**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Thakurpatna	5.9	12.4	84	41	84(PM <sub>10</sub> )	Satisfactory

**11. RO, SPCB Board, Rayagada****(xxi) Rayagada**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO,S.P.C Board Office	6.2	20.3	68	37	68(PM <sub>10</sub> )	Satisfactory

**(xxii) Kalahandi**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Bhawanipatna	6.2	19.6	72	35	72(PM <sub>10</sub> )	Satisfactory

**(xxiii) Gajapati**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Parelakhemundi	6.8	20.1	70	38	70(PM <sub>10</sub> )	Satisfactory

**12. RO, SPCB Board, Koraput****(xxiv) Koraput**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	RO, SPCB, Koraput	BDL	10.4	66	22	66(PM <sub>10</sub> )	Satisfactory

**(xxv) Malkangiri**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Malkangiri	BDL	9.1	50	18	50(PM <sub>10</sub> )	Good

**(xxvi) Nawarangapur**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Nawarangapur	BDL	9.1	67	26	67(PM <sub>10</sub> )	Satisfactory

**13. RO, SPCB Board, Rourkela****(xxvii) Sundargarh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Bikas Vawan	9.6	12.5	82	39	82(PM <sub>10</sub> )	Satisfactory

**(xxviii) Deogarh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Collector office	10.2	11.4	59	31	59(PM <sub>10</sub> )	Satisfactory

**14. RO, SPCB Board, Sambalpur****(xxix) Sambalpur**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	PHD Office, Modipada	7.3	25.4	109	41	106(PM <sub>10</sub> )	Satisfactory

**(xxx) Baragarh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Treasury office	6.2	22.8	88	37	88(PM <sub>10</sub> )	Satisfactory

NB:-AQI- Air Quality Index, BDL Value for SO<sub>2</sub> ≤ 4 µg/m<sup>3</sup>

Prescribed NAAQS 2009 Standard (24 hrly. Avg. in Microgram per cubic meter)	PM <sub>10</sub> -100	PM <sub>2.5</sub> - 60	SO <sub>2</sub> - 80	NO <sub>2</sub> -80		
AQI Standard range (with category)	0-50 (Good)	51-100 (Satisfactory)	101-200 (Moderate)	201-300 (Poor)	301-400 (Very Poor)	(>401) Severe

**(xxv) Malkangiri**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Malkangiri	BDL	9.1	50	18	50(PM <sub>10</sub> )	Good

**(xxvi) Nawarangapur**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Municipality office Nawarangapur	BDL	9.1	67	26	67(PM <sub>10</sub> )	Satisfactory

**13. RO, SPCB Board, Rourkela****(xxvii) Sundargarh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Bikas Vawan	9.6	12.5	82	39	82(PM <sub>10</sub> )	Satisfactory

**(xxviii) Deogarh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	Category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Collector office	10.2	11.4	59	31	59(PM <sub>10</sub> )	Satisfactory

**14. RO, SPCB Board, Sambalpur****(xxix) Sambalpur**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	PHD Office, Modipada	7.3	25.4	109	41	106(PM <sub>10</sub> )	Satisfactory

**(xxx) Baragarh**

Sl. No	Location of Cities/ Town	Values are expressed in Microgram per cubic meter				AQI w. r. t (Prominent Pollutant)	category
		SO <sub>2</sub>	NO <sub>2</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>		
1.	Treasury office	6.2	22.8	88	37	88(PM <sub>10</sub> )	Satisfactory

NB:-AQI- Air Quality Index, BDL Value for SO<sub>2</sub> ≤ 4 µg/m<sup>3</sup>

Prescribed NAAQS 2009 Standard (24 hrly. Avg. in Microgram per cubic meter)	PM <sub>10</sub> ~100	PM <sub>2.5</sub> - 60	SO <sub>2</sub> - 80	NO <sub>2</sub> -80		
AQI Standard range (with category)	0-50 (Good)	51-100 (Satisfactory)	101-200 (Moderate)	201-300 (Poor)	301-400 (Very Poor)	(>401) Severe

