

Ambient Air Quality (AAQ) status with Air Quality Index(AQI) values at NAMP/SAMP stations and categorization of different cities & towns of Odisha during October, 2023

1. ANGUL(3)

I. Angul Industrial Estate (Office Building of RO,SPCB,Angul),NAMP STATION CODE-70

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	11.9	22.8	25.0	28.3	90	44	90(PM ₁₀)	Satisfactory

II.NALCO Nagar(NAMP STATION CODE-231)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	10.2	26.9	35.9	BDL	98	40	98(PM ₁₀)	Satisfactory

III.Sikhyakapada(NAMP STATION CODE-1118)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	12.5	17.6	BDL	24.3	70	34	70(PM ₁₀)	Satisfactory

2. TALCHER(3)

IV. Talcher Thermal Power Station(TTPS)(NAMP STATION CODE-68)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	10.6	27.6	36.6	BDL	95	46	95(PM ₁₀)	Satisfactory

V.Mahanadi Coal Field Ltd.(MCL)(NAMP STATION CODE-471)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	8.3	26.5	23.2	21.0	82	28	82(PM ₁₀)	Satisfactory

VI. Champapas i(NAMP STATION CODE-1120)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	15.6	16.8	33.7	33.0	87	49	87(PM ₁₀)	Satisfactory

3. BALASORE(3)

VII. Ganeswarpur(Office Building of RO, SPCB, Balasore)(NAMP STATION CODE-428)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	10.7	23.6	24.8	67	26	67(PM ₁₀)	Satisfactory

VIII.OT Road, (inside premises of Oriplast) (NAMP STATION CODE-689)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	10.6	23.4	24.5	62	24	62(PM ₁₀)	Satisfactory

IX. Balgopalpur Industrial Estate, Rasalpur (NAMP STATION CODE-690)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	8.1	11.5	24.4	26.8	73	29	73(PM ₁₀)	Satisfactory

4. BERHAMPUR (1)

X. Brahm anagar (Office Building of RO,SPCB,Berham pur)(NAMP STATION CODE-429)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	5.1	15.7	29.7	24.5	77	30	77(PM ₁₀)	Satisfactory

5. BHUBANESWAR(6)

XI. SPCB Office Building, Unit-VIII, Nayapalli(NAMP STATION CODE-322)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	15.5	41.8	25.6	119	34	113(PM ₁₀)	Moderate

XII. IRC Village(NAMP STATION CODE-423)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	13.3	37.8	25.2	94	34	94(PM ₁₀)	Satisfactory

XIII. Capital Police Station,(NAMP STATION CODE-424)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	16.2	45.8	26.3	98	40	98(PM ₁₀)	Satisfactory

XIV.Khandagiri Police Station(NAMPSTATION CODE-686)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	18.9	40.7	25.6	144	51	129(PM ₁₀)	Moderate

XV.CentralLaboratory,SPCB,Patia (NAMP STATION CODE-688)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	15.9	47.4	28.7	125	48	117(PM ₁₀)	Moderate

XVI. Palasuni Waterworks(NAMP STATION CODE-687)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	17.0	42.8	25.2	122	46	115(PM ₁₀)	Moderate

6. BONAIGARH(1)

XVII. Bonaigarh Govt. Hos pital(NAMP STATION CODE-879)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	11.7	13.2	22.9	24.0	67	46	77(PM _{2.5})	Satisfactory

7.CUTTACK(3)

XVIII. Hotel Bishalin, Near Traffic Tower, Badam badi(NAMP STATION CODE-426)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	4.8	15.5	40.7	31.1	93	36	93(PM ₁₀)	Satisfactory

XIX. Surya Vihar(Office Building of RO,SPCB,Cuttack)(NAMP STATION CODE-425)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	5.4	21.3	49.2	42.9	113	40	109(PM ₁₀)	Moderate

XX. PHD Office,Barabati(NAMP STATION CODE-697)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	4.1	20.0	39.7	35.4	95	35	95(PM ₁₀)	Satisfactory

8.JHARSUGUDA(3)

XXI. Cox Colony, Babubagicha, (Office Building of RO,SPCB,Jharsuguda)(NAMP STATION CODE-821)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	8.1	13.4	22.7	21.2	98	50	98(PM ₁₀)	Satisfactory

XXII. TRL Colony Premises , Belpahar(NAMP STATION CODE-880)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	8.2	14.7	25.2	22.6	107	52	105(PM ₁₀)	Moderate

XXIII. Maa Samaleiswari Nagar , Brundamal(NAMP STATION CODE-881)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	8.4	13.7	25.9	24.7	95	37	95(PM ₁₀)	Satisfactory

9. KALINGANAGAR(3)

XXIV. BRPL Guest House, Duburi(NAMP STATION CODE-695)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	NOT MONITORED						-	-

XXV. Dhabalagiri(Office Building of RO, SPCB, Kalinganagar)(NAMP STATION CODE-819)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	6.5	12.1	29.7	22.4	90	52	90(PM ₁₀)	Satisfactory

XXVI. DET Hostel, TATA Steel(NAMP STATION CODE-694)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	77	17.7	30.0	21.7	102	52	101(PM ₁₀)	Moderate

10. Kandhama(2)

XXVII. Collectorate Office, Phulbani(NAMP STATION CODE-1109)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	4.6	15.8	-	-	61	25	61(PM ₁₀)	Satisfactory

XXVIII. NAC Office, G.Udayagiri(NAMP STATION CODE-1110)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	4.5	15.8	-	-	58	25	58(PM ₁₀)	Satisfactory

11. KEONJHAR(1)

XXIX. Baniapat(Office Building of RO, SPCB, Keonjhar)(SAMP STATION CODE-552)

Month	Parameters					AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter						
October	BDL	11.3	29.9	90	52	90(PM ₁₀)	Satisfactory

12. KONARK(1)

XXX. Konark Police Station(NAMP STATION CODE-816)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	11.4	36.4	25.5	63	26	63(PM ₁₀)	Satisfactory

13. PARADEEP(3)**XXXI. Guest house of Paradeep Phosphate Ltd.(NAMP STATION CODE-692)**

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	13.5	9.4	108	BDL	91	40	91(PM ₁₀)	Satisfactory

XXXII. STP Building, IFFCO (NAMP STATION CODE-691)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	14.6	10.9	125	20.3	95	42	95(PM ₁₀)	Satisfactory

XXXIII. Paradeep Port Trust Staff Quarter(NAMP STATION CODE-693)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	11.6	11.6	111	BDL	92	40	92(PM ₁₀)	Satisfactory

14. PURI(2)**XXXIV. Sadar Police Station(NAMP STATION CODE-817)**

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	11.3	40.6	20.4	89	24	89(PM ₁₀)	Satisfactory

XXXV. Town Police Station(NAMP STATION CODE-818)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	BDL	11.3	40.8	20.3	89	NM	89(PM ₁₀)	Satisfactory

15. RAYAGADA(2)**XXXVI. Indiranagar (Office Building of RO, SPCB, Rayagada)(NAMP STATION CODE-228)**

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	7.2	20.5	33.0	25.6	73	34	73(PM ₁₀)	Satisfactory

XXXVII. LPS High School, Jaykaypur(NAMP STATION CODE-229)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	18.5	25.9	43.0	28.0	84	43	84(PM ₁₀)	Satisfactory

16. RAJGANGPUR(1)**XXXVIII. DISIR,Rajgangpur(NAMP STATION CODE-696)**

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	11.5	14.9	23.3	32.0	96	42	96(PM ₁₀)	Satisfactory

17. ROURKELA(4)**XXXIX. Town Ergg.Office Premises ,Sector-5(Rourkela Steel Township)(NAMP STATION CODE-370)**

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	11.0	12.5	22.2	25.5	87	30	87(PM ₁₀)	Satisfactory

XL. IDL Police Out Post,Sonaparbat(NAMP STATION CODE-227)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	8.5	11.7	26.6	23.5	113	54	109(PM ₁₀)	Mbderate

XLI. IDCO Watertank, IDC Kalunga Industrial Estate(NAMP STATION CODE-820)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	10.2	12.4	22.6	24.5	98	34	98(PM ₁₀)	Satisfactory

XLII. Govt. Hospital, Kuanrunda(NAMP STATION CODE-878)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	10.1	12.1	23.0	24.5	109	41	106(PM ₁₀)	Mbderate

18.SAMBALPUR (1)**XLIII. PHD Office, Modipara(NAMP STATION CODE-427)**

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
October	7.2	24.8	22.2	23.5	112	43	108(PM ₁₀)	Mbderate

NB:-NAMP-National Ambient Air Monitoring Programme, SAMP- State Ambient Air Monitoring Programme
 BDL Value for SO₂ ≤ 4 µg/m³, NH₃ ≤ 20 µg/m³ & O₃ ≤ 20 µg/m³