

Ambient Air Quality (AAQ) status with Air Quality Index(AQI) values at NAMP/SAMP stations and categorization of different cities & towns of Odisha during December , 2023

1. ANGUL(3)

I. Angul Industrial Estate (Office Building of RO,SPCB,Angul),NAMP STATION CODE-70

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	15.2	25.3	33.4	35.4	132	72	140(PM _{2.5})	Moderate

II.NALCO Nagar(NAMP STATION CODE-231)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	10.7	28.7	36.8	BDL	129	52	119(PM ₁₀)	Moderate

III.Sikhyakapada(NAMP STATION CODE-1118)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	16.7	22.1	25.8	35.6	108	58	105(PM ₁₀)	Moderate

2. TALCHER(3)

IV. Talcher Thermal Power Station(TTPS)(NAMP STATION CODE-68)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	11.3	28.2	37.3	BDL	142	62	128(PM ₁₀)	Moderate

V.Mahanadi Coal Field Ltd.(MCL)(NAMP STATION CODE-471)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	9.0	28.7	26.5	BDL	125	30	117(PM ₁₀)	Moderate

VI. Champapasi(NAMP STATION CODE-1120)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	12.5	20.3	35.1	24.2	135	64	123(PM ₁₀)	Moderate

3. BALASORE(3)

VII. Ganeswarpur(Office Building of RO, SPCB, Balasore)(NAMP STATION CODE-428)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	6.8	11.6	23.8	24.6	140	73	143(PM _{2.5})	Moderate

VIII.OT Road, (inside premises of Oriplast) (NAMP STATION CODE-689)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	11.3	23.8	24.4	123	64	115(PM ₁₀)	Moderate

IX. Balgopalpur Industrial Estate, Rasalpur(NAMP STATION CODE-690)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	8.3	12.4	24.5	25.5	138	75	150(PM _{2.5})	Moderate

4. BERHAMPUR (1)

X. Brahmanagar(Office Building of RO,SPCB, Berhampur)(NAMP STATION CODE-429)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	5.5	16.3	30.1	23.0	125	76	153(PM _{2.5})	Moderate

5. BHUBANESWAR(6)

XI. SPCB Office Building, Unit-VIII, Nayapalli(NAMP STATION CODE-322)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	17.7	36.2	27.8	191	52	161(PM ₁₀)	Moderate

XII. IRC Village(NAMP STATION CODE-423)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	14.1	34.8	25.8	141	63	127(PM ₁₀)	Moderate

XIII. Capital Police Station,(NAMP STATION CODE-424)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	16.5	48.1	26.8	153	73	143(PM _{2.5})	Moderate

XIV.Khandagiri Police Station(NAMP STATION CODE-686)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	20.9	42.6	24.6	192	75	161(PM ₁₀)	Moderate

XV.Central Laboratory,SPCB,Patia (NAMP STATION CODE-688)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	15.7	44.0	25.0	193	100	233(PM _{2.5})	Poor

XVI. Palasuni Waterworks(NAMP STATION CODE-687)

Month	Parameters						AQI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	bdl	16.6	35.2	26.3	183	71	155(PM ₁₀)	Moderate

6. BONAIGARH(1)

XVII. Bonaigarh Govt. Hospital(NAMP STATION CODE-879)

Month	Parameters						A QI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	12.0	12.9	22.8	23.9	122	43	115 (PM ₁₀)	Moderate

7.CUTTACK(3)

XVIII. Hotel Bis halin, Near Traffic Tower, Badam badi(NAMP STATION CODE-426)

Month	Parameters						A QI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	6.5	16.6	40.5	36.6	124	50	116(PM ₁₀)	Moderate

XIX. Surya Vihar(Office Building of RO,SPCB,Cuttack)(NAMP STATION CODE-425)

Month	Parameters						A QI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	5.2	21.0	46.3	42.8	131	54	121(PM ₁₀)	Moderate

XX. PHD Office ,Barabati(NAMP STATION CODE-697)

Month	Parameters						A QI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	4.7	21.1	41.6	38.2	137	58	125(PM ₁₀)	Moderate

8.JHARSUGUDA(3)

XXI. Cox Colony, Babubagicha, (Office Building of RO,SPCB,Jharsuguda)(NAMP STATION CODE-821)

Month	Parameters						A QI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	8.4	13.6	22.2	BDL	119	55	113(PM ₁₀)	Moderate

XXII. TRL Colony Premises , Belpahar(NAMP STATION CODE-880)

Month	Parameters						A QI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	8.5	14.9	24.9	23.4	136	67	124(PM ₁₀)	Moderate

XXIII. Maa Sam ale is wari Nagar, Brundam al(NAMP STATION CODE-881)

Month	Parameters						A QI w . r . t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	8.2	13.0	22.4	BDL	111	60	107(PM ₁₀)	Moderate

9.KALINGANAGAR(3)

XXIV. BRPL Guest House, Duburi(NAMP STATION CODE-695)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	7.7	12.5	30.1	25.3	93	53	93(PM ₁₀)	Satisfactory

XXV. Dhabalagiri(Office Building of RO, SPCB, Kalinganagar)(NAMP STATION CODE-819)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	7.8	13.1	30.0	25.4	98	53	98(PM ₁₀)	Satisfactory

XXVI. DET Hostel,TATA Steel(NAMP STATION CODE-694)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	8.3	16.0	33.1	22.9	105	63	110(PM _{2.5})	Moderate

10. Kandhamal(2)

XXVII. Collectorate Office,Phulbani(NAMP STATION CODE-1109)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	5.2	15.6	-	-	78	36	78(PM ₁₀)	Satisfactory

XXVIII. NAC Office, G.Udayagiri(NAMP STATION CODE-1110)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	5.2	15.6	-	-	78	34	78(PM ₁₀)	Satisfactory

11.KEONJHAR(1)

XXIX. Baniapat(Office Building of RO,SPCB,Keonjhar)(SAMP STATION CODE-552)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	PM ₁₀	PM _{2.5}			
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	14.9	49.3	126	82		173(PM _{2.5})	Moderate

12. KONARK(1)

XXX.Konark Police Station(NAMP STATION CODE-816)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	12.1	25.0	26.8	69	28	69(PM ₁₀)	Moderate

13. PARADEEP(3)

XXXI. Guest house of Paradeep Phosphate Ltd.(NAMP STATION CODE-692)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	18.9	13.9	108	20.5	140	68	127 Both (PM ₁₀ & PM _{2.5})	Moderate

XXXII. STP Building, IFFCO (NAMP STATION CODE-691)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	19.7	12.8	113	22.2	117	64	113(PM _{2.5})	Moderate

XXXIII. Paradeep Port Trust Staff Quarter(NAMP STATION CODE-693)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	19.4	13.5	103	20.4	126	65	117 Both (PM ₁₀ & PM _{2.5})	Moderate

14. PURI(2)

XXXIV. Sadar Police Station(NAMP STATION CODE-817)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	12.4	43.6	20.4	102	26	101(PM ₁₀)	Moderate

XXXV. Town Police Station(NAMP STATION CODE-818)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	BDL	12.2	43.2	20.3	98	25	98(PM ₁₀)	Satisfactory

15. RAYAGADA(2)

XXXVI. Indiranagar (Office Building of RO, SPCB, Rayagada)(NAMP STATION CODE-228)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	5.3	18.6	35.0	32.3	69	32	69(PM ₁₀)	Satisfactory

XXXVII. LPS High School, Jaykaypur(NAMP STATION CODE-229)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	16.6	24.2	43.0	28.5	80	37	80(PM ₁₀)	Satisfactory

16. RAJGANGPUR(1)

XXXVIII. DISIR, Rajgangpur(NAMP STATION CODE-696)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	14.7	19.9	23.4	25.8	125	49	117 (PM ₁₀)	Moderate

17. ROURKELA(4)

XXXIX. Town Engg. Office Premises, Sector-5(Rourkela Steel Township)(NAMP STATION CODE-370)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	11.7	13.0	22.3	24.7	106	43	104 (PM ₁₀)	Moderate

XL. IDL Police Out Post, Sonaparbat(NAMP STATION CODE-227)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	9.9	12.9	22.6	22.6	126	59	117 (PM ₁₀)	Moderate

XLI. IDCO Water tank, IDC Kalunga Industrial Estate(NAMP STATION CODE-820)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	10.4	12.4	23.4	24.8	155	44	137 (PM ₁₀)	Moderate

XLII. Govt. Hospital, Kuanrmunda(NAMP STATION CODE-878)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	10.4	12.5	22.7	24.5	145	42	130 (PM ₁₀)	Moderate

18. SAMBALPUR (1)

XLIII. PHD Office, Modipara(NAMP STATION CODE-427)

Month	Parameters						AQI w . r.t Prominent Pollutant	Categorization
	SO ₂	NO ₂	NH ₃	O ₃	PM ₁₀	PM _{2.5}		
	Monthly Average Values express in Microgram per cubic meter							
December	10.6	32.6	27.9	25.8	164	67	143PM ₁₀)	Moderate

NB:-NAMP-National Ambient Air Monitoring Programme, SAMP-State Ambient Air Monitoring Programme
 BDL Value for SO₂≤4 µg/m³, NH₃≤20 µg/m³&O₃≤20 µg/m³