

River system : Rushikulya														
April, 2024														
Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Russekunda Reservoir	3944	03.04.2024	12:18 PM	28	6.9	8.5	2.0	12.0	1700	790	NA	Satisfactory	
2	Badanadi, Aska	3946	03.04.2024	10:30 AM	26	7.1	6.9	1.5	12.0	4900	1100	NA	Satisfactory	
3	Rushikulya , Aska	3945	03.04.2024	10:15 AM	26	8.2	7.2	1.4	7.9	4700	1700	NA	Satisfactory	
4	Rushikulya at Nalabanta	3947	03.04.2024	9:48 AM	26	8.3	9.4	1.2	7.9	2200	790	NA	Satisfactory	
5	Madhopur	1455	04.04.2024	10:40 AM	25	8.1	11.3	1.7	12.0	1100	330	13	Satisfactory	
6	Potagarh	1456	04.04.2024	12:10 PM	28	8.3	7.9	1.8	12.0	490	330	11	Satisfactory	
NA : Not analysed														
River system : Baitarani														
April, 2024														
Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	18.04.2024	6:13 PM	29	7.4	6.0	1.1	7.4	460	170	NA	Satisfactory	
2	Kusei at Deogaon	2421	19.04.2024	11:17 AM	31	8.2	7.0	1.6	11.0	2800	1300	NA	Satisfactory	
3	Baitarani at Naigarh	3935	18.04.2024	10:23 AM	28	7.1	6.6	1.3	7.4	790	230	NA	Satisfactory	
4	Baitarani at Unchabali	3936	18.04.2024	11:07 AM	28	7.3	6.9	1.5	7.4	330	130	NA	Satisfactory	
5	Baitarani at Chamua	3937	19.04.2024	4:46 PM	30	7.4	7.2	1.9	11.0	4900	1700	NA	Satisfactory	
6	Baitarani at Tribindha	3938	19.04.2024	5:58 PM	30	7.6	6.9	1.3	7.4	790	330	NA	Satisfactory	
7	Baitarani at Joda	1081	19.04.2024	3:59 PM	30	7.7	6.4	1.4	7.4	1300	330	NA	Satisfactory	
8	Anandpur	1082	19.04.2024	11:51 AM	30	7.6	6.8	1.2	7.4	1100	330	NA	Satisfactory	
9	Jajpur	1083	08.04.2024	10:50 AM	24	7.4	7.1	1.5	7.7	2400	790	NA	Satisfactory	
10	Chandbali U/s	1084	19.04.2024	4:25 PM	30	7.8	7.2	1.6	11	2400	490	NA	Satisfactory	
11	Chandbali D/s	10018	19.04.2024	5:10 PM	30	7.6	6.8	2.1	15	2800	1100	NA	Satisfactory	
12	Dhamra	1085	22.04.2024	3:30 PM	33	7.8	7.2	1.8	30	1100	700	NA	Satisfactory	
13	Bhadrak U/s	3940	19.04.2024	12:40 PM	32	7.9	7.6	1.2	7.4	3300	1300	NA	Satisfactory	
14	Bhadrak D/s	3941	19.04.2024	1:05 PM	32	7.9	8.4	1.5	7.4	4900	1700	NA	Satisfactory	
NA : Not analysed														
River system : Brahmani														
April, 2024														
Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Panposh U/s	1037	03.04.2024	3:30 PM	28	7.4	7.2	1.9	12.0	3500	1700	NA	Satisfactory	
2	Panposh D/S	1038	03.04.2024	4:59 PM	28	7.5	4.1	4.2	24.0	54000	22000	79	Unsatisfactory	BOD,TC,FC
3	Jajda (Rourkela D/S)	1302	03.04.2024	1:30 PM	27	7.6	5.1	3.6	20.0	35000	13000	49	Unsatisfactory	BOD,TC,FC
4	Attaghat	3916	03.04.2024	12:50 PM	29	7.7	7.3	2.7	16.0	4900	2300	5	Satisfactory	
5	Biritola	2414	03.04.2024	12:05 PM	27	7.7	7.0	2.2	12.0	2200	790	5	Satisfactory	
6	Bonaigarh	1039	03.04.2024	11:45 AM	28	7.6	6.9	1.8	12.0	1700	330	NA	Satisfactory	
7	Rengali	1040	05.04.2024	5:10 PM	25	6.8	7.0	1.5	7.8	790	130	NA	Satisfactory	
8	Samal	1041	05.04.2024	1:30 PM	25	6.8	8.2	1.1	7.8	1700	330	NA	Satisfactory	
9	Talcher FU/s	2415	05.04.2024	11:40 AM	25	6.8	7.6	1.3	7.8	700	220	NA	Satisfactory	
10	Talcher U/s	1303	05.04.2024	9:10 AM	26	6.7	7.4	1.2	7.8	1700	790	NA	Satisfactory	
11	Mandapal	3917	05.04.2024	10:40 AM	26	6.7	9.4	1.2	7.8	4900	2200	13	Satisfactory	
12	Talcher D/S	1042	04.04.2024	9:30 AM	25	6.8	8.0	1.7	12.0	3500	1300	NA	Satisfactory	
13	Talcher FD/S	2416	04.04.2024	12:00 PM	25	6.9	7.4	1.6	12.0	1300	490	NA	Satisfactory	
14	Nandira U/s	3919	05.04.2024	7:50 AM	24	6.9	7.2	1.1	7.8	2800	790	NA	Satisfactory	
15	Nandira D/s	3920	05.04.2024	8:50 AM	25	7.2	5.0	2.2	16.0	3500	1100	22	Satisfactory	
16	Kisindajhor	3921	04.04.2024	11:00 AM	24	6.9	8.0	1.6	12.0	2400	490	NA	Satisfactory	
17	Dhenkanal U/s	3918	04.04.2024	1:10 PM	26	6.7	8.4	1.4	7.8	1100	330	NA	Satisfactory	
18	Dhenkanal D/s	2417	04.04.2024	4:00 PM	25	6.8	7.8	1.6	12.0	1300	490	NA	Satisfactory	
19	Bhuban	1043	04.04.2024	3:00 PM	25	6.6	7.8	1.3	7.8	2400	330	NA	Satisfactory	
20	Kabatabandha	2418	09.04.2024	3:27 PM	23	7.8	7.0	1.2	7.7	1700	490	NA	Satisfactory	
21	Dharmasala U/s	1044	08.04.2024	1:25 PM	24	7.6	7.2	2.1	15.0	4000	1700	NA	Satisfactory	
22	Dharmasala D/s	10019	08.04.2024	1:15 PM	24	7.5	7.0	1.4	7.7	4900	2300	NA	Satisfactory	
23	Pottamundai	1045	10.04.2024	1:20 PM	30.5	8.0	6.1	1.7	12.0	3500	1700	NA	Satisfactory	
24	Khanditara	2419	08.04.2024	2:20 PM	23	7.5	7.2	1.7	12.0	1700	490	NA	Satisfactory	
25	Binjharpur	3922	08.04.2024	11:50 AM	23	7.5	7.4	1.3	7.7	1100	330	NA	Satisfactory	
26	Ali	2420	10.04.2024	12:45 PM	30.5	8.2	6.5	1.3	7.7	2800	1300	NA	Satisfactory	
27	Sankh U/s	2412	03.04.2024	5:00 PM	28	7.5	7.8	1.3	7.9	1100	330	NA	Satisfactory	
28	Koel U/s	2413	03.04.2024	10:30 AM	26	7.4	7.1	1.2	7.9	2400	790	NA	Satisfactory	
29	Guradi nallah	3923	03.04.2024	5:30 PM	28	7.5	3.0	5.0	32.0	35000	11000	70	Unsatisfactory	DO, BOD,TC,FC
30	Badajhor	3924	04.04.2024	4:30 PM	24	7.1	7.8	1.3	7.8	1100	330	NA	Satisfactory	

31	Damsala at Dayanabil	3933	09.04.2024	1:28 PM	22	7.6	5.2	1.5	7.7	460	140	NA	Satisfactory	
32	Gondanallah at Marthapur	3934	09.04.2024	4:20 PM	25	7.3	5.8	2.3	15.0	940	330	NA	Satisfactory	
33	Karo at Barbil	3915	18.04.2024	4:53 PM	30	8.2	7.1	1.4	7.4	1700	790	NA	Satisfactory	
34	Lingira U/s	3925	06.04.2024	8:40 AM	25	7.3	6.0	1.8	12.0	460	130	NA	Satisfactory	
35	Lingira D/s	3926	06.04.2024	8:20 AM	26	7.3	6.4	2.0	12.0	1700	790	NA	Satisfactory	
36	Ramiala near Kamakhyanager	3932	04.04.2024	1:45 PM	25	6.9	7.4	1.4	7.8	490	230	NA	Satisfactory	
37	Bangurunallah	3930	05.04.2024	1:00 PM	24	6.8	6.6	1.9	12.0	3500	1100	17	Satisfactory	
38	Singadajhor	3929	05.04.2024	3:10 PM	26	7.1	5.8	1.5	7.8	1300	330	NA	Satisfactory	
39	Tikira U/s	3927	05.04.2024	4:30 PM	25	7.3	6.4	1.2	7.8	490	130	NA	Satisfactory	
40	Tikira D/s	3928	05.04.2024	3:40 PM	25	7.4	5.2	1.1	7.8	1100	330	NA	Satisfactory	
41	Bangurusingada jhor	3931	04.04.2024	12:15 PM	24	7.1	5.4	1.2	7.8	1100	330	NA	Satisfactory	

River system : Bahuda														April, 2024	
Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)	
1	Bahuda at Damodarpally	3949	03.04.2024	8:10 AM	24	7.9	6.1	1.4	7.9	4000	1700	NA	Satisfactory		
NA : Not analysed															
Bhitarkanika Ramsar Site														April, 2024	
Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)	
1	River Gobari at Jambo	5532	10.04.2024	9:30 AM	29.3	7.7	7.5	1.6	12	330	170	NA	Satisfactory		
2	River Patsala at Gupti	5534	10.04.2024	10:50 AM	27	8.1	6.6	1.8	12	1700	490	NA	Satisfactory		
3	River Hansua at Barunei	5533	10.04.2024	11:20 AM	30.2	7.7	6.8	1.3	7.7	1300	490	NA	Satisfactory		
4	River Dhamara at Kalibhanjadia	5535	10.04.2024	2:13 PM	26	7.6	7	1.6	12	2800	1100	NA	Satisfactory		
5	River Bhitarkanika at Dangamala	5536	10.04.2024	12:42 PM	25	7.6	5.3	2.1	15	700	170	NA	Satisfactory		
Coastal Water														April, 2024	
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)		
SEA															
Gopalpur sea	2441	04.04.2024	1:45 PM	27	7.8	6.4	1.7	24	<1.8	<1.8					
Swargadwara (Puri)	2439	09.04.2024	9:45 AM	23	8.4	6.8	1.6	31	<1.8	<1.8					
Pardeep sea	2440	11.04.2024	4:30 PM	26	8.1	7.3	1.4	31	110	49					
LAKES														April, 2024	
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)	
Anshupa	Kadalibari	2438	03.04.2024	2:26 PM	33	7.7	7.7	1.5	7.8	1300	330				
	Bishnupur	3956	03.04.2024	1:51 PM	33	7.5	7.1	1.3	7.8	1700	790				
	Subarnapur	3955	03.04.2024	1:28 PM	33	7.6	7.3	2.3	16	1100	490				
	Sarandagarh	3957	03.04.2024	1:10 PM	35	7.5	6.7	1.2	7.8	1400	490				
Chilka	Rambha	3953	05.04.2024	10:20 AM	25	8.4	9.3	1.2	24	330	130				
	Satapada	2437	08.04.2024	11:50 AM	24	7.5	8.3	2.1	16	490	130				
Tampara	Tampara lake	3954	04.04.2024	1:05 PM	27	8.5	6.6	3.6	32	790	220				
CREEK														April, 2024	
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)		
Atharabanki creek	Atharabanki creek	3961	11.04.2024	3:00 PM	27	7.8	7.2	2.5	23	460	130				
CANALS														April, 2024	
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)		
Taladan da canal	Jobra	2428	05.04.2024	10:24 AM	30	7.5	7.7	2	12	3300	1300				
	Ranihat	3950	05.04.2024	11:00 AM	32	7.6	7.7	2.5	16	24000	4900				
	Chhatrabazar	3951	05.04.2024	11:08 AM	31	7.8	7.9	2.7	20	13000	3300				
	Nuabazar	2429	Not monitored due to no flow in canal												
	Biribati	3952	Not monitored due to no flow in canal												
	Atharabanki	2430	11.04.2024	2:35 PM	28	8.5	6.4	1.8	15	16000	16000				
Puri canal	Hansapal	3958	08.04.2024	4:10 PM	30	8.5	7.9	1.6	12	2200	790				
	Jagannathpur	3959	08.04.2024	11:25 AM	26	8	7.5	1.8	12	17000	7900				
	Chandanpur	3960	Not monitored due to no flow in canal												
PONDS														April, 2024	
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)		
Binduasagar pond (Bhubaneswar)															
Lingaraj temple side	2431	05.04.2024	11:40 AM	30	7.4	7.6	1.3	7.8	4900	1700					
Ananta Vasudeva temple side		05.04.2024	11:25 AM	30	7.5	8.6	1.9	16	790	220					
Gyananagar side		05.04.2024	10:15 AM	30	7.5	7.5	1.6	12	4700	1700					
Kedarnath Research Centre side		05.04.2024	11:10 AM	30	7.4	7.9	2.1	16	490	130					
Ponds in Puri															
Narendra	2432	08.04.2024	3:55 PM	24	8.5	8.2	4.3	39	1300	330					
Markanda	2433	08.04.2024	4:25 PM	24	8.5	9.5	5.5	47	1700	330					

GW, Mausima Mandir	1657	08.04.2024	3:35 PM	23	7.1	2	<1.0	7.8	0.842	220	79	
GW, Baliapanda	1658	08.04.2024	4:55 PM	23	7.5	1.5	<1.0	7.8	5.555	<1.8	<1.8	
GW, Chakratirtha Road		08.04.2024	5:55 PM	23	7.9	2.2	<1.0	7.8	1.381	<1.8	<1.8	
Sampling Station name	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD mg/L	NO₃⁻-N, mg/L	TC, MPN/ 100 ml	FC, MPN/ 100 ml	
Angul												
GW, Angul Township	3971	06.04.2024	10:20 AM	23	6.8	-	<1.0	7.8	9.378	<1.8	<1.8	
GW, NALCO Township	3972	06.04.2024	11:00 AM	23	7.2	-	<1.0	7.8	0.666	<1.8	<1.8	
GW, Kulad	3979	06.04.2024	9:45 AM	22	6.9	-	1.1	7.8	3.836	<1.8	<1.8	
GW, Banarpal	3978	04.04.2024	9:00 AM	22	6.6	-	<1.0	7.8	4.469	<1.8	<1.8	
GW, Meramunduli	3976	04.04.2024	11:20 AM	23	7.1	-	<1.0	7.8	2.778	<1.8	<1.8	
GW, MCL Area	3973	05.04.2024	12:30 PM	23	6.2	-	<1.0	7.8	7.948	<1.8	<1.8	
GW, Talcher Thermal	3977	05.04.2024	8:20 AM	22	7.1	-	<1.0	7.8	0.608	<1.8	<1.8	
GW, Talcher Town	3975	05.04.2024	12:00 PM	24	5.8	-	<1.0	7.8	2.654	<1.8	<1.8	
GW, Near Kaniha Market Gandhi Statue	3974	05.04.2024	4:10 PM	23	7.2	-	<1.0	7.8	0.462	<1.8	<1.8	
Dhenkanal												
GW, Dhenkanal Daily Market	4864	04.04.2024	5:30 PM	22	6.3	-	<1.0	7.8	0.410	350	79	
GW, Gajaman UP School	4863	04.04.2024	5:55 PM	22	5.7	-	<1.0	7.8	0.316	<1.8	<1.8	
Sampling Station name	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD mg/L	NO₃⁻-N, mg/L	TC, MPN/ 100 ml	FC, MPN/ 100 ml	
Cuttack												
GW, Jagatpur Industrial Estate	1644	05.04.2024	11:28 AM	28	6.9	0.7	<1.0	7.8	3.094	<1.8	<1.8	
GW, Madhupatna-Kalyan nagar	1645	05.04.2024	11:46 AM	28	6.9	0.5	<1.0	7.8	1.114	<1.8	<1.8	
GW, Badambadi	1647	05.04.2024	12:30 PM	30	7.1	0.6	<1.0	7.8	0.536	<1.8	<1.8	
GW, Bidanasi-Tulasipur	1646	05.04.2024	12:22 PM	28	7.1	0.7	<1.0	7.8	0.743	<1.8	<1.8	
GW, Mangalabag	1648	05.04.2024	12:59 PM	28	6.9	0.8	<1.0	7.8	0.630	<1.8	<1.8	
Balasure												
GW, Chakulia, Remuna	3994	20.04.2024	9:55 AM	24	7.3	-	<1.0	7.4	4.139	<1.8	<1.8	
GW, Kuanrpur, Remuna	3995	20.04.2024	9:35 AM	24	8.3	-	<1.0	7.4	0.701	<1.8	<1.8	
GW, Naigoapalpur, Remuna	3996	20.04.2024	10:20 PM	25	7.4	-	<1.0	7.4	0.619	<1.8	<1.8	
Bhadrak												
GW, District Head Quarter Hospital Premises, Bhadrak	4865	19.04.2024	1:30 PM	25	7.7	-	<1.0	7.4	1.381	<1.8	<1.8	
GW, Salandi Hospital Premises, Bhadrak	4866	19.04.2024	9:20 AM	25	7.8	-	<1.0	7.4	0.583	<1.8	<1.8	
Mayurbhanj												
GW, Dhangidimula Village, Kusumi Block Office	4867	18.04.2024	11:10 AM	25	7.3	-	<1.0	7.4	0.487	<1.8	<1.8	
GW, Dhangidimula Village, Sukribating Basti	4868	18.04.2024	11:40 AM	25	7.1	-	<1.0	7.4	3.974	<1.8	<1.8	
Sampling Station name	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD mg/L	NO₃⁻-N, mg/L	TC, MPN/ 100 ml	FC, MPN/ 100 ml	
Jajpur (Sukinda)												
GW, Kamarda	3993	09.04.2024	11:55 AM	22	6.8	-	<1.0	7.7	0.336	<1.8	<1.8	
GW, Saruabil	3991	09.04.2024	12:20 PM	23	6.6	-	<1.0	7.7	3.039	<1.8	<1.8	
GW, Kaliapani	3992	09.04.2024	12:25 PM	23	6.6	-	<1.0	7.7	0.424	<1.8	<1.8	
GW, Sukinda chromite Mines area (TISCO)	3990		Not Monitored due to non-functioning of tube well									
Keonjhar												
GW, Joda East Iron Ore Mines		18.04.2024	6:51 PM	25	7.7	3.9	<1.0	7.4	1.106	920	170	
GW, Joda West Mn Mines of M/s Tata Steel Ltd.	4869	18.04.2024	3:06 PM	26	7.1	3.7	<1.0	7.4	1.881	<1.8	<1.8	
GW, Balda Block Iron ore mines of M/s Sirajuddin	4870	18.04.2024	12:15 PM	26	6.3	3.6	<1.0	7.4	0.444	<1.8	<1.8	
GW, Roida-II Iron ore mines of M/s K.N. Ram and Co	4871	18.04.2024	5:37 PM	26	6.3	3.4	<1.0	7.4	0.649	<1.8	<1.8	
GW, Thakurani Iron ore mines of M/s Kaypee Enterprises	4872	18.04.2024	4:18 PM	25	6.1	3.2	<1.0	7.4	1.326	<1.8	<1.8	
Sampling Station name	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD mg/L	NO₃⁻-N, mg/L	TC, MPN/ 100 ml	FC, MPN/ 100 ml	
Kalahandi												

Goshalpada Colony, Ward No. 7, Bhawanipatna	4899	08.04.2024	10:15 AM	22	7.6		<1.0	7.8	0.679	<1.8	<1.8	
Sitabudipara Irrigation Colony Ward No. 17, Bhawanipatna	4900	08.04.2024	10:52 AM	22	7.6		<1.0	7.8	6.463	<1.8	<1.8	
Samling Station name	Code	Samling date	Samling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD mg/L	NO₃⁻-N, mg/L	TC, MPN/ 100 ml	FC, MPN/ 100 ml	
Rayagada												
Kasturinagar, Rayagada	4894	09.04.2024	7:10 AM	23	7.5	-	<1.0	7.8	5.418	<1.8	<1.8	
Within the premises of Badelapulama Temple, Rayagada	4893	09.04.2024	7:35 AM	23	7.7	-	<1.0	7.8	6.820	<1.8	<1.8	
Koraput												
Jagannath Temple, Koraput	4896	09.04.2024	5:55 PM	19	6.9	-	<1.0	7.8	0.349	<1.8	<1.8	
Bada Chindri, Koraput	4895	09.04.2024	5:40 PM	25	6.6	-	<1.0	7.8	16.638	<1.8	<1.8	
Nawarangpur												
Tota guda, Nawarangpur	4897	08.04.2024	5:33 PM	25	7.1	-	<1.0	7.8	0.454	<1.8	<1.8	
Gabraliguda, Nawarangpur	4898	08.04.2024	5:43 PM	24	7.1	-	<1.0	7.8	15.744	<1.8	<1.8	
Malkanigiri												
MV 43, Malkanigiri	4901	08.04.2024	12:02 PM	20	6.7	-	<1.0	7.8	0.380	<1.8	<1.8	
Tekbadi of Netaji nagar, Malkanigiri	4902	08.04.2024	11:27 AM	22	6.9	-	<1.0	7.8	2.104	<1.8	<1.8	
Sambalpur												
GW, near VSS medical collage, Burla	3968	04.04.2024	1:40 PM	26	7.2	-	<1.0	7.8	0.476	<1.8	<1.8	
GW, near railway station, Sambalpur	3969	05.04.2024	4:00 PM	25	7.3	-	<1.0	7.8	8.360	540	220	
GW, Panthanivas, Sambalpur	3970	05.04.2024	3:30 PM	26	7.2	-	<1.0	7.8	3.933	<1.8	<1.8	
Bargarh												
GW, near govt. hospital, Bargarh	4883	04.04.2024	4:20 PM	26	7.1	-	<1.0	7.8	5.858	<1.8	<1.8	
GW, near Ganapati hotel, Bargarh	4884	04.04.2024	3:30 PM	25	7.1	-	<1.0	7.8	8.883	<1.8	<1.8	
Balangir												
GW, Bolangir Medical Collage	4887	05.04.2024	9:13 AM	26	7.5	5	<1.0	7.8	8.855	<1.8	<1.8	
GW, Sudapada post office, Bolangir	4888	05.04.2024	9:32 AM	26	7.5	5.1	<1.0	7.8	4.551	<1.8	<1.8	
Subarnapur												
GW, DHQ Hospital, Sonapur	4891	05.04.2024	11:56 AM	26	7.8	4.8	<1.0	7.8	2.489	240	79	
GW, Gundicha temple, Tentulighat	4892	05.04.2024	12:19 PM	27	8.1	4.9	<1.0	7.8	4.689	<1.8	<1.8	
Nuapada												
GW, Nuapada Govt. Hospital	4885	05.04.2024	12:38 PM	28	7.3	4.8	<1.0	7.8	1.601	350	49	
GW, Nilasailanagar, Bolangir	4886	05.04.2024	12:29 PM	27	7.6	4.7	<1.0	7.8	0.476	350	130	
Boudh												
GW, Town Girls Primary School, Boudh	4889	05.04.2024	3:00 PM	27	7.3	4.5	<1.0	7.8	4.689	<1.8	<1.8	
GW, Butupali chhaka	4890	05.04.2024	3:19 PM	28	7.4	5.2	<1.0	7.8	2.365	<1.8	<1.8	
Sundargarh												
GW, DDM office, Koira premises	4873	03.04.2024	11:19 AM	26	7.1	-	<1.0	7.9	0.459	<1.8	<1.8	
GW, Tensa Residential Area, Koira	4874	03.04.2024	10:38 AM	26	7.2	-	<1.0	7.9	0.726	<1.8	<1.8	
Deogarh												
GW, Collector office premises, Deogarh	4876	03.04.2024	2:17 PM	29	7.3	-	<1.0	7.9	0.347	130	33	
GW, Govt. Medical premises, Deogarh	4875	03.04.2024	2:37 PM	29	6.6	-	<1.0	7.9	0.397	<1.8	<1.8	