

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WC

DO >4.0 mg/L

BOD < 3 mg/L

TC < 5000 MPN/100 mL

FC < 2500 MPN/ 100 mL

River system : Mahanadi

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	15.4.2020	8:00	29	8.34	6.9	0.2	1.5	790	170	Satisfactory	
2	Jharsuguda	1268	15.4.2020	2:10	25	7.63	7.6	0.4	3	490	68	Satisfactory	
3	Brajrajnagar-U/S	1300	15.4.2020	1:25	27	7.67	8.4	0.4	3	1100	330	Satisfactory	
4	Brajrajnagar-D/S	1269	15.4.2020	12:50	28	7.65	8.2	0.5	5.97	1700	490	Satisfactory	
5	Bheden	2403	15.4.2020	3:10	24	7.45	7.8	0.4	5.97	33	7.8	Satisfactory	
6	Hirakud	1281	15.4.2020	4:35	27	8.11	8.6	0.3	5.97	350	130	Satisfactory	
7	Sambalpur U/S	1270	15.4.2020	4:00	28	7.12	8.4	0.5	5.97	240	79	Satisfactory	
8	Sambalpur D/S	1271	15.4.2020	3:20	28	7.31	8.2	1.4	8.96	540	130	Satisfactory	
9	Sambalpur FD/S at Shankarmath	3887	15.4.2020	10:10	26	7.22	8.2	0.8	8.96	1700	170	Satisfactory	
10	Sambalpur FD/S at Huma	2405	15.4.2020	10:45	27	7.48	8.4	0.5	5.97	1700	130	Satisfactory	
11	Power Channel U/S	3888	15.4.2020	4:25	27	8.05	8.2	0.2	1.5	130	49	Satisfactory	
12	Power Channel D/S	2404	15.4.2020	4:15	27	7.32	7.6	0.4	5.97	240	49	Satisfactory	
13	Sonepur U/S	1272	15.4.2020	12:10	27	7.61	8.4	0.4	1.5	20	1.8	Satisfactory	
14	Sonepur D/S	1274	15.4.2020	12:45	28	7.59	8.8	0.6	5.97	170	20	Satisfactory	
15	Tikarpada	1275	13.4.2020	11:30	26	7.88	6.6	0.2	2.96	78	20	Satisfactory	
16	Narasinghpur	1276	16.4.2020	3:30	32	7.9	8.6	0.2	2.98	170	45	Satisfactory	
17	Munduli	2406	16.4.2020	11:40	31	8.14	8.5	0.2	2.98	490	20	Satisfactory	
18	Cuttack U/s	1277	16.4.2020	11:00	30	8.22	8.7	0.2	2.98	330	130	Satisfactory	
19	Cuttack D/s	1278	16.4.2020	9:30	29	7.39	7.2	0.5	5.97	790	220	Satisfactory	
20	Cuttack FD/s	3890	16.4.2020	9:55	29	7.54	7.6	0.3	5.97	490	170	Satisfactory	
21	Paradeep U/S	2407	16.4.2020	4:00	31.5	7.98	8.6	0.2	2.98	<1.8	<1.8	Satisfactory	
22	Paradeep D/S	1639	16.4.2020	5:00	30.8	8.02	8.4	0.5	11.94	<1.8	<1.8	Satisfactory	
23	Ong river, Dharuakhaman	3889	15.4.2020	1:10	28	7.85	8.2	0.3	2.98	220	45	Satisfactory	
24	Tel	2408	15.4.2020	12:25	27	8.22	8.4	0.2	2.98	170	20	Satisfactory	
25	Kathajodi U/s	3891	17.4.2020	10:30	29	7.55	8.2	0.2	2.98	1300	490	Satisfactory	
26	Kathajodi D/s	1301	17.4.2020	5:15	26	7.53	8	0.4	5.97	3500	2400	Satisfactory	
27	Kathajodi FD/s (Mattagajpur)	3892	17.4.2020	3:00	33	7.75	9	0.6	8.96	4900	1300	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	17.4.2020	3:45	34	7.8	9	0.2	2.98	230	45	Satisfactory	
29	Sankhatrasa	2409	17.4.2020	4:30	28	7.28	8.8	0.7	11.94	490	130	Satisfactory	
30	Kuakhai FU/s	2410	18.4.2020	1:25	30	7.84	7.9	0.2	4.48	1100	220	Satisfactory	
31	Kuakhai U/s	1279	18.4.2020	12:50	30	7.55	7.2	0.2	4.48	2400	1300	Satisfactory	
32	Daya at Gelapur	3894	18.4.2020	11:25	29	7.24	7.8	0.3	5.97	1400	1100	Satisfactory	
33	Kuakhai D/s	1280	18.4.2020	9:50	27	7.43	6.8	2.2	11.94	35000	17000	Unsatisfactory	TC, FC
Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
34	Kuakhai FD/s	2411	18.04.2020	10:15	28	8.14	7.4	1.7	8.96	17000	4900	Unsatisfactory	TC, FC
35	Daya at Kanas	3895	16.4.2020	3:15	31	7.86	8.5	0.6	5.97	1400	490	Satisfactory	
36	Birupa	1640	17.4.2020	1:40	33	7.5	8	0.5	4.48	230	45	Satisfactory	
37	Gangua at Rajdhani College	3896	18.4.2020	2:00	31	7.87	0.7	3.3	14.9	160000	54000	Unsatisfactory	DO, BOD, TC, FC
38	Gangua at Palasuni	3897	18.4.2020	11:45	28	7.81	1.4	3.8	22.39	54000	35000	Unsatisfactory	DO, BOD, TC, FC
39	Gangua at Samantarapur	3898	18.4.2020	11:10	29	7.78	1.6	6.4	35.82	160000	160000	Unsatisfactory	DO, BOD, TC, FC
40	Gangua at vadimula	3899	18.4.2020	9:25	27	7.81	3	3.4	11.94	22000	4900	Unsatisfactory	DO, BOD, TC, FC
41	Kushabhadra at Bhingarpur	3903	16.4.2020	10:00	29	7.4	8.5	0.4	5.97	2400	330	Satisfactory	
42	Kushabhadra at Nimapara	3904	16.4.2020	1:05	31	7.44	8.2	0.3	4.48	1100	110	Satisfactory	
43	Kushabhadra at Gop	3905	16.4.2020	1:30	30	7.24	8.6	0.3	4.48	1700	790	Satisfactory	
44	Kendrapada U/s	3900	15.4.2020	11:30	31.7	7.34	6.9	0.3	5.97	1400	330	Satisfactory	
45	Kendrapada D/s	3901	15.4.2020	12:00	31.6	7.18	7.2	0.4	8.96	3500	490	Satisfactory	
46	Mangala at Malatipatpur	3906	16.4.2020	11:05	23	7.88	6.5	0.9	4.48	130	45	Satisfactory	
47	Mangala D/s	3907	16.4.2020	4:00	26	8.01	8.7	1.6	17.9	790	490	Satisfactory	
48	Bhargavi at Chandanpur	3908	16.4.2020	10:40	22	7.38	7.8	0.3	6	1700	790	Satisfactory	
49	Devi at Machhagaon	3902	16.4.2020	2:00	31.4	8.01	7.2	0.4	10.2	220	68	Satisfactory	
50	Luna at Bijipur	3912	16.4.2020	2:45	30	7.9	6.5	0.2	5.97	1700	110	Satisfactory	
51	River Sabulia	3914	15.4.2020	11:00	27	8.06	8.2	0.3	8.9	2200	330	Satisfactory	
52	Kusumi	3913	20.4.2020	12:10	30	7.97	6.9	0.2	4.48	3400	400	Satisfactory	
53	River Kansari	3909	20.4.2020	1:20	30	8.26	7.6	1.5	11.9	2200	490	Satisfactory	
54	River Badasankha	3910	15.4.2020	10:00	27	7.53	8	0.5	5.97	2400	1300	Satisfactory	
55	Ratnachira	3911	16.4.2020	10:15	24	7.75	7.6	0.5	5.97	2200	790	Satisfactory	

River system : Rushikulya

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Russelkunda Reservoir	3944	12.4.2020	3:00	28	7.63	8.6	0.4	5.9	2200	1300	Satisfactory	
2	Badanadi, Aska	3946	12.4.2020	4:00	27	7.75	8.8	0.2	5.9	4300	2800	Satisfactory	
3	Rushikulya , Aska	3945	12.4.2020	4:30	27	8.05	8.5	0.2	11.8	2400	490	Satisfactory	
4	Rushikulya at Nalabanta	3947	12.4.2020	5:00	27	8.08	8.6	0.1	14.8	4000	1700	Satisfactory	
5	Madhopur	1455	14.4.2020	9:00	27	8.21	7.9	0.2	14.8	1400	130	Satisfactory	
6	Potagarh	1456	12.4.2020	8:00	28	7.5	8	0.1	5.9	2200	1100	Satisfactory	

River system : Baitarani

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	15.4.2020	1:45	24	7.85	8.2	0.6	2.98	4700	3300	Satisfactory	
2	Kusei at Deogaon	2421	16.4.2020	8:40	23	8.02	7.8	0.4	2.98	3900	1400	Satisfactory	
3	Baitarani at Naigarh	3935	15.4.2020	7:50	23	7.46	6.9	0.6	2.98	330	45	Satisfactory	
4	Baitarani at Unchabali	3936	15.4.2020	8:40	23	7.74	6.9	0.1	2.98	1700	790	Satisfactory	
5	Baitarani at Chamua	3937	15.4.2020	4:20	26	7.48	7.6	0.3	2.98	1700	330	Satisfactory	
6	Baitarani at Tribindha	3938	15.4.2020	5:10	26	7.84	7.2	0.1	2.98	1100	330	Satisfactory	
7	Baitarani at Joda	1081	15.4.2020	3:05	25	7.33	7.4	0.4	5.97	490	130	Satisfactory	
8	Anandpur	1082	16.4.2020	7:20	22	7.83	7.8	0.3	5.97	2200	1400	Satisfactory	
9	Jajpur	1083	16.4.2020	6:30	24	7.61	7.6	0.3	5.97	130	20	Satisfactory	
10	Chandbali U/s	1084	16.4.2020	12:30	30	7.34	6.8	0.3	5.97	2400	490	Satisfactory	
11	Chandbali D/s	10018	16.4.2020	1:00	30	7.46	7.2	0.8	8.96	3500	1300	Satisfactory	
12	Dhamra	1085	16.4.2020	9:15	28	7	8.8	0.7	17.91	790	45	Satisfactory	
13	Bhadrak U/s	3940	16.4.2020	3:30	29	7.65	8	0.3	2.98	1700	330	Satisfactory	
14	Bhadrak D/s	3941	16.4.2020	4:00	29	6.97	7.8	0.5	7.5	2200	1300	Satisfactory	

River system : Brahmani

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Panposh U/S	1037	15.4.2020	11:30	29	7	7.6	0.4	4.48	2400	490	Satisfactory	
2	Panposh D/S	1038	15.4.2020	12:00	31	6.68	5.4	2.8	11.94	5400	2200	Unsatisfactory	TC
3	Jalda (Rourkela D/S)	1302	16.4.2020	8:50	30	6.48	6.1	2.1	10.4	3500	1700	Satisfactory	
4	Attaghat	3916	15.4.2020	1:15	32	7.5	7.8	1.5	8.96	170	78	Satisfactory	
5	Biritola	2414	15.4.2020	2:30	31	7.32	8.3	0.6	4.48	220	78	Satisfactory	
6	Bonaigarh	1039	15.4.2020	3:10	31	7.24	6.8	0.2	4.5	230	78	Satisfactory	
7	Rengali	1040	14.4.2020	5:30	26	7.13	8	0.4	5.9	20	<1.8	Satisfactory	
8	Samal	1041	14.4.2020	4:40	27	7.23	8.4	0.4	5.9	1100	220	Satisfactory	
9	Talcher FU/S	2415	14.4.2020	1:10	25	7.27	7.4	0.3	2.98	46	7.8	Satisfactory	
10	Talcher U/s	1303	14.4.2020	10:30	26	6.96	7.9	0.5	5.92	140	33	Satisfactory	
11	Mandapal	3917	14.4.2020	11:00	27	7.23	7.8	0.2	2.98	1700	790	Satisfactory	
12	Talcher D/S	1042	14.4.2020	8:30	26	7.21	8.2	0.9	11.8	170	46	Satisfactory	
13	Talcher FD/S	2416	14.4.2020	10:10	26	7.85	8	0.6	8.9	130	23	Satisfactory	
14	Nandira U/s	3919	14.4.2020	8:30	24	7.47	8	0.5	5.9	170	70	Satisfactory	
15	Nandira D/s	3920	14.4.2020	9:10	24	7.8	7.8	0.9	8.9	2400	1300	Satisfactory	
16	Kisindajhor	3921	14.4.2020	9:20	27	8.14	7.4	0.9	8.9	79	23	Satisfactory	
17	Dhenkanal U/s	3918	14.4.2020	11:55	27	7.58	7.4	0.2	8.9	350	130	Satisfactory	
18	Dhenkanal D/s	2417	14.4.2020	3:45	28	7.89	7.8	0.6	11.8	700	220	Satisfactory	
19	Bhuban	1043	14.4.2020	3:10	27	7.69	7.8	0.4	5.9	1400	210	Satisfactory	
20	Kabatabandha	2418	15.4.2020	2:20	20	7.49	7.8	0.3	6	490	130	Satisfactory	
21	Dharmasala U/s	1044	16.4.2020	8:20	23	7.3	7.6	0.2	6	1700	330	Satisfactory	
22	Dharmasala D/s	10019	16.4.2020	8:10	23	7.25	7.8	0.3	8.88	2200	490	Satisfactory	
23	Pottamundai	1045	15.4.2020	2:00	31.5	8.04	8.3	0.3	4.5	1100	330	Satisfactory	
24	Khanditara	2419	16.4.2020	1:00	23	7.04	8.1	0.3	6	130	17	Satisfactory	
25	Binjharpur	3922	16.4.2020	7:15	22	7.33	8.6	0.3	6	220	110	Satisfactory	
26	Ali	2420	15.4.2020	2:30	31.1	8.2	8.5	0.3	6	1700	490	Satisfactory	
27	Sankh U/s	2412	15.4.2020	10:00	30	7.2	8.2	0.3	4.5	1700	110	Satisfactory	
28	Koel U/s	2413	15.4.2020	10:45	30	7.4	8.7	0.5	4.5	3500	1100	Satisfactory	
29	Guradi nallah	3923	15.4.2020	10:20	30	6.82	5.8	2.9	14.92	7900	4900	Drain	
30	Badajhor	3924	14.4.2020	4:25	27	7.85	8.4	0.3	8.9	3500	790	Satisfactory	

31	Damsala at Dayanabil	3933	15.4.2020	11:30	25	7.43	8.2	0.3	2.98	140	45	Satisfactory	
32	Gondanallah at marthapur	3934	15.4.2020	1:00	25	7.37	7.6	0.6	5.97	49	22	Satisfactory	
33	Karo at Barbil	3915	15.4.2020	2:10	27	7.8	7.9	0.2	2.98	2200	1100	Satisfactory	
34	Lingira U/s	3925	13.4.2020	10:00	26	8.28	7.2	0.3	5.9	1100	220	Satisfactory	
35	Lingira D/s	3926	13.4.2020	2:30	27	7.9	8.4	0.4	5.9	1700	490	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	14.4.2020	12:35	27	7.36	7.4	0.2	2.98	1400	330	Satisfactory	
37	Bangurunallah	3930	14.4.2020	1:55	28	8.16	6.4	0.8	20.7	790	170	Satisfactory	
38	Singdajhor	3929	14.4.2020	1:00	27	7.51	7.2	0.4	11.8	1100	490	Satisfactory	
39	Tikira U/s	3927	14.4.2020	12:25	27	8.11	8.4	0.5	5.9	1400	490	Satisfactory	
40	Tikira D/s	3928	14.4.2020	12:45	27	7.41	8	0.4	3	2800	790	Satisfactory	
41	Bangurusingada jhor	3931	14.4.2020	10:45	27	8.02	7.2	0.7	8.9	2400	490	Satisfactory	

River system : Budhabalanga

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	17.04.2020	2:30	30	7.2	7.6	1.1	8.96	2800	1400	Satisfactory	
2	Balasore U/s	3943	17.04.2020	11:00	28	7.32	7.2	0.7	5.97	490	130	Satisfactory	
3	Balasore D/s	2424	17.04.2020	3:30	30	7.22	6.8	0.8	8.96	2400	790	Satisfactory	
4	Hatiagond (Sona)	3942	17.04.2020	10:20	25	7.29	6.4	0.5	6	2400	1300	Satisfactory	

River system : Vansadhara

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Muniguda	2426	17.04.2020	12:50	30	7.44	7.8	0.4	3	490	45	Satisfactory	
2	Gunupur	2427	17.04.2020	3:50	31	7.86	7.6	0.6	6	2800	1300	Satisfactory	

River system : Subarnarekha

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Rajghat	1641	17.04.2020	12:10	30	7.43	8	1	9	1400	220	Satisfactory	

River system : Nagavali

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	16.04.2020	8:55	27	8.02	8.4	0.3	4.5	2200	490	Satisfactory	
2	Jaykaypur D/s	1642	16.04.2020	8:25	25	7.62	7.3	0.9	9	1700	330	Satisfactory	
3	Rayagada D/s	1643	16.04.2020	7:40	25	7.45	7.8	0.5	6	490	130	Satisfactory	

River system : Kolab

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	River Kerandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	17.04.2020	12:40	31	7.28	6.9	0.3	2.98	1700	490	Satisfactory	

River system : Indravati

April, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	17.04.2020	10:12	28	7.3	6.8	0.6	3	1700	330	Satisfactory	

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarapally	3949	12.4.2020	11:00	28	7.64	8	0.5	8.9	1300	170	Satisfactory	

										April, 2020			
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL		
	SEA												
	Gopalpur sea	2441	12.4.2020	9:00	27	7.82	7.2	0.3	14.8	<1.8	<1.8		
	Swargadwara (Puri)	2439	16.4.2020	1:00	25	7.84	8.3	0.8	23.88	<1.8	<1.8		
	Pardeep sea	2440	16.4.2020	5:30	30.7	7.92	7.4	0.5	22.4	<1.8	<1.8		
										April, 2020			
	LAKES												
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL		
Anshupa	Kadalibari	2438	16.4.2020	1:45	32	7.9	6.8	0.6	8.96	1700	330		
	Bishnupur	3956	16.4.2020	12:30	32	7.92	7.8	0.5	5.97	110	20		
	Subarnapur	3955	16.4.2020	1:00	32	7.88	8	0.6	10.4	220	110		
	Sarandagarh	3957	16.4.2020	1:20	32	8.3	6.4	1	8.96	170	45		
Chilka	Rambha	3953	15.4.2020	9:00	26	8.41	8.5	0.9	20.72	20	<1.8		
	Satapada	2437	17.04.2020	10:30	25	7.7	6.7	0.5	20.89	45	1.8		
Tampara	Tampara lake	3954	12.4.2020	8:30	28	8	9.7	2.1	14.8	3900	1400		
										April, 2020			
	CREEK												
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL		
Atharab anki creek	Atharabanki creek	3961	16.4.2020	11:00	31.3	7.56	5.6	1.5	17.9	4900	1700		
										April, 2020			
	CANALS												
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL		
Taldanda canal	Jobra	2428	18.4.2020	1:30	31	8.15	8.2	0.6	5.97	2400	790		
	Ranihat	3950	18.4.2020	1:55	29	7.45	7.2	1.3	10.4	24000	24000		
	Chhatrabazar	3951	18.4.2020	2:20	30	7.33	7.2	0.7	8.96	3300	1300		
	Nuabazar	2429	18.4.2020	2:45	30	7.47	7.8	1	9.9	11000	4900		
	Biribati	3952	18.4.2020	3:15	29	7.49	7.9	1.2	10.4	490	130		
	Atharabanki	2430	16.4.2020	11:30	30.8	7.79	7.2	0.6	11.94	2400	790		
Puri canal	Hansapal	3958	16.4.2020	9:15	28	7.85	7.9	0.2	2.98	2200	1400		
	Jagannathpur	3959	16.4.2020	2:15	30	7.24	7.2	0.6	7.5	2800	790		
	Chandanpur	3960	16.4.2020	10:05	24	7.47	7.8	0.9	11.9	2800	1300		
										April, 2020			
	PONDS												
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL		
	Binduasagar pond(Bhubaneswar)												
	Lingaraj temple side	2431	20.04.2020	11:00	25	7.95	8.8	1.3	9	3500	1700		
	Ananta Vasudeva temple side		20.04.2020	10:45	25	7.6	8.9	2.1	11.94	2400	490		
	Gyananagar side		20.04.2020	11:30	25	7.88	8.2	1.3	9	5400	3500		
	Kedarnath Research Centre side		20.04.2020	11:10	25	7.79	7	1.3	9	4300	2800		
	Ponds in Puri												
	Narendra	2432	16.4.2020	5:40	25	8.7	10.5	2.3	13.4	130	<1.8		
	Markanda	2433	16.4.2020	4:30	24	8.19	13.9	3.66	26.9	78	<1.8		
	Indradyumna	2434	16.4.2020	11:40	23	8.37	7.5	3.6	19.4	78	<1.8		
	Swetaganga	2435	16.4.2020	5:10	24	8.18	14.1	4	29.9	1100	490		
	Parbatisagar	2436	16.4.2020	3:15	25	7.99	5	3.33	18.7	45	1.8		
	Pond in Angul												
	Raniguda pond	3963	13.4.2020	3:30	27	7.31	9.4	2	11.8	1300	490		
	Pond in Jeypore												
	Jagannathsagar Pond	3962	17.04.2020	11:50	30	7.41	6.5	2.3	17.9	4600	1300		