

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WQI

DO >4.0 mg/L
BOD < 3 mg/L
TC < 5000 MPN/100 mL
FC < 2500 MPN/ 100 mL

River system : Mahanadi

July, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	07.7.2020	3:45 PM	29	7.8	8.0	0.8	7.6	1100	460	n.a.	Satisfactory	
2	Jharsuguda	1268	03.7.2020	10:30 AM	28	7.6	7.4	0.8	7.7	330	130	n.a.	Satisfactory	
3	Brajrajnagar-U/S	1300	03.7.2020	11:15 AM	29	7.7	8.0	1.1	11.6	1300	330	n.a.	Satisfactory	
4	Brajrajnagar-D/S	1269	03.7.2020	11:50 AM	29	7.8	8.2	1.6	11.6	3500	790	n.a.	Satisfactory	
5	Bheden	2403	03.7.2020	12:45 PM	28	7.8	7.6	1.1	7.7	170	78	n.a.	Satisfactory	
6	Hirakud	1281	03.7.2020	11:00 AM	28	7.6	8.0	1	7.7	130	20	n.a.	Satisfactory	
7	Sambalpur U/S	1270	03.7.2020	1:35 PM	29	7.3	6.6	0.9	7.7	3500	1400	n.a.	Satisfactory	
8	Sambalpur D/S	1271	03.7.2020	2:30 PM	29	7.6	7.0	1.4	11.6	7000	2200	13	Unsatisfactory	TC
9	Sambalpur FD/S at Shankarmath	3887	02.7.2020	9:45 AM	28	7.3	6.8	1.2	11.6	4900	1700	11	Satisfactory	
10	Sambalpur FD/S at Huma	2405	02.7.2020	11:10 AM	28	8.1	7.4	0.9	7.7	3500	1700	11	Satisfactory	
11	Power Channel U/S	3888	03.7.2020	11:35 AM	28	7.6	6.8	0.9	7.7	78	<1.8	n.a.	Satisfactory	
12	Power Channel D/S	2404	03.7.2020	12:10 PM	29	7.5	7.2	1.2	11.6	1300	330	n.a.	Satisfactory	
13	Sonepur U/S	1272	02.7.2020	12:45 PM	29	7.6	6.8	0.8	7.7	170	78	2	Satisfactory	
14	Sonepur D/S	1274	02.7.2020	1:20 PM	29	7.6	6.2	0.9	7.7	490	110	4.5	Satisfactory	
15	Tikarpada	1275	07.7.2020	11:30 AM	28	7.6	5.8	1.4	11.6	1100	220	7.8	Satisfactory	
16	Narasinghpur	1276	01.7.2020	2:00 PM	35	7.2	7.8	1.2	11.6	490	230	17	Satisfactory	
17	Munduli	2406	01.7.2020	11:05 AM	32	7.3	7.4	1.4	15.5	790	220	4.5	Satisfactory	
18	Cuttack U/s	1277	01.7.2020	10:40 AM	31	7.3	7.7	1.1	11.6	330	170	<1.8	Satisfactory	
19	Cuttack D/s	1278	01.7.2020	10:10 AM	29	7.5	8.1	1.3	15.5	2200	1700	<1.8	Satisfactory	
20	Cuttack FD/s	3890	01.7.2020	9:45 AM	29	7.1	8.0	1.1	7.8	1100	700	<1.8	Satisfactory	
21	Paradeep U/S	2407	07.7.2020	1:00 PM	31.8	7.9	7.0	1.1	7.6	220	78	2	Satisfactory	
22	Paradeep D/S	1639	07.7.2020	3:30 PM	31.3	7.8	6.8	1.8	15.2	490	170	4.5	Satisfactory	
23	Ong river, Dharuakhaman	3889	02.7.2020	4:20 PM	28	7.7	6.4	1.3	11.6	330	78	n.a.	Satisfactory	
24	Tel	2408	02.7.2020	3:15 PM	29	7.7	6.8	1.4	11.6	140	45	n.a.	Satisfactory	
25	Kathajodi U/s	3891	02.7.2020	2:00 PM	31	7.7	7.6	1.1	11.6	790	220	<1.8	Satisfactory	
26	Kathajodi D/s	1301	02.7.2020	5:30 PM	29	7.8	7.2	3.4	19.4	7900	4900	4.5	Unsatisfactory	BOD, TC, FC
27	Kathajodi FD/s (Mattagajpur)	3892	02.7.2020	11:25 AM	30	7.2	8.4	2.5	15.5	13000	4900	n.a.	Unsatisfactory	TC, FC
28	Kathajodi FFD/s at Kamasasan	3893	02.7.2020	3:45 AM	30	7.7	7.8	0.7	7.8	3500	940	n.a.	Satisfactory	
29	Sankhatrasa	2409	02.7.2020	5:10 PM	30	7.7	7.8	3.8	23.3	5400	1700	n.a.	Unsatisfactory	BOD, TC
30	Kuakhai FU/s	2410	09.7.2020	9:00 AM	23	7.9	6.3	0.9	11.4	3500	1300	7.8	Satisfactory	
31	Kuakhai U/s	1279	09.7.2020	9:30 AM	24	8	6.1	1.1	15.2	4600	1700	14	Satisfactory	
32	Daya at Gelapur	3894	09.7.2020	10:15 AM	24	7.4	6.4	1.2	19.1	3500	2400	17	Satisfactory	
33	Kuakhai D/s	1280	09.7.2020	12:45 PM	23	7.8	4.3	4.7	30.5	92000	54000	49	Unsatisfactory	BOD, TC, FC
Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
34	Kuakhai FD/s	2411	09.7.2020	1:30 PM	25	7.3	4.1	3.3	22.9	24000	13000	33	Unsatisfactory	BOD, TC, FC
35	Daya at Kanas	3895	06.7.2020	4:50 PM	28	7.0	5.8	1.6	11.6	11000	490	n.a.	Unsatisfactory	TC
36	Birupa	1640	02.7.2020	2:30 PM	29	7.2	6.4	1.1	11.6	2800	790	n.a.	Satisfactory	
37	Gangua at Rajdhani College	3896	09.7.2020	8:20 AM	24	7.0	1.5	5.7	49.5	160000	160000	280	Unsatisfactory	DO, BOD, TC, FC
38	Gangua at Palasuni	3897	09.7.2020	9:50 AM	24	6.8	2	8.8	61	160000	160000	220	Unsatisfactory	DO, BOD, TC, FC
39	Gangua at Samantarapur	3898	09.7.2020	10:40 AM	24	6.9	1.2	9.8	68.6	160000	92000	130	Unsatisfactory	DO, BOD, TC, FC
40	Gangua at vadimula	3899	09.7.2020	12:30 PM	25	6.9	3.4	5.3	49.5	92000	54000	n.a.	Unsatisfactory	DO, BOD, TC, FC
41	Kushabhadr at Bhingarpur	3903	06.7.2020	11:25 AM	28	7.4	6.2	1.5	7.7	3500	1100	n.a.	Satisfactory	
42	Kushabhadr at Nimapara	3904	06.7.2020	1:45 PM	28	7.3	7.4	1.7	7.7	4900	3300	n.a.	Satisfactory	
43	Kushabhadr at Gop	3905	06.7.2020	2:25 PM	28	8.0	7.8	1.4	7.7	3500	1300	n.a.	Satisfactory	
44	Kendrapada U/s	3900	06.7.2020	3:00 PM	31.4	8.0	6.4	1.6	11.4	1700	790	n.a.	Satisfactory	
45	Kendrapada D/s	3901	06.7.2020	3:30 PM	31.3	7.3	5.8	2.2	11.4	3500	790	n.a.	Satisfactory	
46	Mangala at Malatipatpur	3906	08.7.2020	11:25 AM	27	8.3	6.5	1.5	7.6	3500	2400	n.a.	Satisfactory	
47	Mangala D/s	3907	08.7.2020	2:45 PM	32	7.5	6.2	2.4	15.2	1300	330	4.5	Satisfactory	
48	Bhargavi at Chandanpur	3908	08.7.2020	11:00 AM	27	7.9	6.1	1.1	11.4	230	78	n.a.	Satisfactory	
49	Devi at Machhagaon	3902	07.7.2020	10:45 AM	31.5	8.0	7.0	1.2	11.4	45	<1.8	n.a.	Satisfactory	
50	Luna at Bijipur	3912	06.7.2020	5:25 PM	28	7.0	6.3	1	15.4	3500	1700	n.a.	Satisfactory	
51	River Sabulia	3914	06.7.2020	2:35 PM	29	7.6	6.2	1.5	23.1	3500	790	17	Satisfactory	
52	Kusumi	3913	06.7.2020	11:25 AM	27	6.9	6.3	1.6	19.3	2200	1100	34	Satisfactory	
53	River Kansari	3909	06.7.2020	12:30 PM	28	7.3	5.9	1.8	15.4	2800	700	n.a.	Satisfactory	
54	River Badasankha	3910	06.7.2020	1:27 AM	28	7.6	6.6	1.2	15.4	4300	2100	n.a.	Satisfactory	
55	Ratnachira	3911	09.7.2020	10:50 AM	27	7.4	6.9	1.7	15.2	790	220	4	Satisfactory	

n.a. : Not analysed

River system : Rushikulya

July, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Russelkunda Reservoir	3944	08.7.2020	8:00 AM	30	7.4	8.2	1.2	11.4	3500	1300	n.a.	Satisfactory	
2	Badanadi, Aska	3946	08.7.2020	10:00 AM	30	7.3	6.2	1.7	15.2	3500	2400	n.a.	Satisfactory	
3	Rushikulya, Aska	3945	08.7.2020	12:00 Noon	29	8.3	5.5	1.5	11.4	2400	790	n.a.	Satisfactory	
4	Rushikulya at Nalabanta	3947	08.7.2020	12:20 PM	30	7.6	6.7	1.5	11.4	3500	1300	n.a.	Satisfactory	
5	Madhopur	1455	07.7.2020	10:20 AM	29	7.9	8.2	1.1	7.6	2200	790	13	Satisfactory	
6	Potagarh	1456	07.7.2020	11:00 AM	30	7.3	6.2	2.1	11.4	2400	490	7.8	Satisfactory	

River system : Baitarani

July, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	29.7.2020	4:35 PM	20	6.8	6.7	1.2	7.5	490	110	n.a.	Satisfactory	
2	Kusei at Deogaon	2421	31.7.2020	9:35 AM	20	7.3	5.9	1.6	11.2	700	230	n.a.	Satisfactory	
3	Baitarani at Naigarh	3935	29.7.2020	9:50 AM	22	6.9	6.8	0.9	7.5	490	130	n.a.	Satisfactory	
4	Baitarani at Unchabali	3936	29.7.2020	10:40 AM	22	6.7	6.5	1.4	11.2	220	68	n.a.	Satisfactory	
5	Baitarani at Chamua	3937	30.7.2020	10:10 AM	22	7	6.8	1.1	7.5	140	20	n.a.	Satisfactory	
6	Baitarani at Tribindha	3938	30.7.2020	11:35 AM	23	7.3	6.9	1.1	7.5	78	<1.8	n.a.	Satisfactory	
7	Baitarani at Joda	1081	29.7.2020	5:45 PM	20	7.2	6.6	1.1	7.5	490	130	n.a.	Satisfactory	
8	Anandpur	1082	31.7.2020	9:10 AM	20	7.3	6.1	1.8	11.2	790	170	n.a.	Satisfactory	
9	Jajpur	1083	06.7.2020	9:20 AM	22	8.3	7.6	1.3	11.6	1300	330	n.a.	Satisfactory	
10	Chandbali U/s	1084	07.7.2020	12:45 PM	30	7.5	6.8	1.1	7.6	2400	490	n.a.	Satisfactory	
11	Chandbali D/s	10018	07.7.2020	12:15 PM	29	7.4	7.2	1.3	11.4	3500	1300	n.a.	Satisfactory	
12	Dhamra	1085	07.7.2020	3:15 PM	30	7.6	7.6	1.7	30.5	1700	330	n.a.	Satisfactory	
13	Bhadrak U/s	3940	07.7.2020	9:30 AM	28	7.2	7.2	0.9	7.6	2200	1100	n.a.	Satisfactory	
14	Bhadrak D/s	3941	07.7.2020	10:00 AM	28	7.3	7.4	1.5	11.4	4600	1700	n.a.	Satisfactory	

n.a. : Not analysed

River system : Brahmani

July, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Panposh U/S	1037	08.7.2020	6:18 PM	30	7.3	8	0.9	7.6	2200	330	n.a.	Satisfactory	
2	Panposh D/S	1038	08.7.2020	12:15 PM	30	7	3.4	4.9	38.1	24000	13000	33	Unsatisfactory	DO, BOD, TC, FC
3	Jajda (Rourkela D/S)	1302	08.7.2020	12:53 PM	30	7.2	4.4	3.8	22.9	11000	3300	17	Unsatisfactory	BOD, TC, FC
4	Attaghat	3916	08.7.2020	3:49 PM	31	7.2	7.6	2.8	11.4	3500	790	14	Satisfactory	
5	Biritola	2414	08.7.2020	4:20 PM	30	7.3	8	2.6	11.4	2400	330	17	Satisfactory	
6	Bonaigarh	1039	08.7.2020	3:51 PM	30	7.3	7.4	1.1	7.6	1100	230	n.a.	Satisfactory	
7	Rengali	1040	04.7.2020	4:15 PM	28	7.3	6.6	0.9	7.7	220	78	n.a.	Satisfactory	
8	Samal	1041	04.7.2020	12:00 Noon	29	7.5	5	1.3	11.6	790	220	n.a.	Satisfactory	
9	Talcher FU/S	2415	04.7.2020	10:50 AM	28	7.5	6.8	1.1	7.7	1300	330	<1.8	Satisfactory	
10	Talcher U/s	1303	04.7.2020	9:40 AM	29	7.5	7	1.1	7.7	2400	790	4.5	Satisfactory	
11	Mandapal	3917	04.7.2020	10:00 AM	28	7.6	7	1.2	15.4	3500	330	n.a.	Satisfactory	
12	Talcher D/S	1042	06.7.2020	9:00 AM	27	7.6	6.8	1.6	19.3	3500	1300	4.5	Satisfactory	
13	Talcher FD/S	2416	06.7.2020	11:10 AM	28	7.2	6.8	0.9	11.6	1700	230	4.5	Satisfactory	
14	Nandira U/s	3919	04.7.2020	8:30 AM	27	8.3	7.2	1.7	15.4	1400	460	2	Satisfactory	
15	Nandira D/s	3920	04.7.2020	9:10 AM	28	8.2	7.4	1.9	19.3	2400	790	2	Satisfactory	
16	Kisindajhor	3921	06.7.2020	10:00 AM	26	7.9	7.2	1.4	15.4	330	45	<1.8	Satisfactory	
17	Dhenkanal U/s	3918	06.7.2020	11:45 AM	23	7.5	6.8	0.9	11.6	490	170	n.a.	Satisfactory	
18	Dhenkanal D/s	2417	06.7.2020	3:00 PM	27	8	7.2	1.1	15.4	1300	490	n.a.	Satisfactory	
19	Bhuban	1043	06.7.2020	1:45 PM	23	7.9	7	0.8	15.4	2200	490	n.a.	Satisfactory	
20	Kabatabandha	2418	06.7.2020	12:10 PM	23	7.9	7.2	1.1	7.7	2200	1100	n.a.	Satisfactory	
21	Dharmasala U/s	1044	07.7.2020	10:30 AM	23	8	7.6	1.1	7.7	3500	790	n.a.	Satisfactory	
22	Dharmasala D/s	10019	07.7.2020	10:55 AM	23	7.9	7.5	1.2	7.7	3500	1100	n.a.	Satisfactory	
23	Pottamundai	1045	06.7.2020	1:30 PM	31.8	7.9	6.4	1.5	7.6	1700	790	n.a.	Satisfactory	
24	Khanditara	2419	06.7.2020	11:30 AM	22	7.9	7.8	0.9	7.7	1300	790	n.a.	Satisfactory	
25	Binjarpur	3922	06.7.2020	9:50 AM	22	7.9	7.5	1.1	7.7	2800	1300	n.a.	Satisfactory	
26	Ali	2420	06.7.2020	12:30 PM	32	8.1	6.8	1.6	7.6	2800	1100	n.a.	Satisfactory	
27	Sankh U/s	2412	07.7.2020	5:00 PM	28	7.8	7.5	0.8	7.6	3500	790	n.a.	Satisfactory	
28	Koel U/s	2413	07.7.2020	5:30 PM	30	7.4	8.2	1.1	7.6	3500	330	n.a.	Satisfactory	
29	Guradi nallah	3923	08.7.2020	11:00 AM	32	7.9	2.3	7.6	49.5	54000	24000	n.a.	Drain	
30	Badajhor	3924	06.7.2020	3:15 PM	28	7.9	8.2	1.2	19.3	2200	490	n.a.	Satisfactory	

31	Damsala at Dayanabil	3933	06.7.2020	9:10 AM	22	7.7	7.3	0.9	7.7	490	170	n.a.	Satisfactory	
32	Gondanallah at marthapur	3934	06.7.2020	1:15 PM	23	7.6	7.1	1.1	11.6	1100	330	n.a.	Satisfactory	
33	Karo at Barbil	3915	29.7.2020	3:40 PM	21	6.8	7.1	0.8	7.5	330	78	n.a.	Satisfactory	
34	Lingira U/s	3925	07.7.2020	9:00 AM	26	8.3	6.6	1.5	15.4	1700	330	n.a.	Satisfactory	
35	Lingira D/s	3926	07.7.2020	3:00 PM	28	8.5	6.4	1.7	19.3	3500	1700	n.a.	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	06.7.2020	12:20 PM	28	8	6.6	1.4	11.4	3500	1300	n.a.	Satisfactory	
37	Bangurunallah	3930	04.7.2020	11:30 AM	28	7.8	7.8	1.6	19.3	790	170	4.5	Satisfactory	
38	Singdajhor	3929	04.7.2020	12:30 PM	28	7.8	5.8	1.3	15.4	1100	220	n.a.	Satisfactory	
39	Tikira U/s	3927	04.7.2020	3:30 PM	28	7.4	6.6	1.1	11.4	1700	490	n.a.	Satisfactory	
40	Tikira D/s	3928	04.7.2020	12:50 PM	28	7.4	5.6	1.5	19.3	3500	790	n.a.	Satisfactory	
41	Bangurusingada jhor	3931	06.7.2020	11:00 AM	28	7.5	7.4	0.8	15.2	1700	490	n.a.	Satisfactory	

Non-conforming parameter (s)
FC
FC

Non-conforming parameter (s)

Non-conforming parameter (s)	
------------------------------	--

Non-conforming parameter (s)

Non-conforming parameter (s)

Non-conforming parameter (s)

River system : Bahuda

July, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarpally	3949	07.7.2020	9:00 AM	26	7.6	5.2	1.2	7.6	3500	790	n.a.	Satisfactory	

n.a. : Not analysed

July, 2020

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
SEA											
Gopalpur sea	2441	07.7.2020	1:30 PM	30	7.9	7.7	1.9	38.1	20	<1.8	
Swargadwara (Puri)	2439	08.7.2020	4:25 PM	29	7.7	6.4	1.6	38.1	<1.8	<1.8	
Pardeep sea	2440	07.7.2020	3:20 PM	30.9	8.1	4.2	1.5	38.1	<1.8	<1.8	
July, 2020											
LAKES											
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL
Anshupa	Kadalibari	2438	01.7.2020	1:00 PM	35	8.4	7.6	2.5	19.4	2200	790
	Bishnupur	3956	01.7.2020	12:10 PM	34	7.3	6	2.3	11.6	3500	940
	Subarnapur	3955	01.7.2020	12:30 PM	34	6.8	7.1	2.1	11.6	3500	1100
	Sarandagarh	3957	01.7.2020	12:45 PM	34	6.9	6.8	1.2	7.8	2800	790
Chilka	Rambha	3953	08.7.2020	1:30 PM	28	8.4	6.5	2.6	19.1	790	170
	Satapada	2437	08.7.2020	1:20 PM	30	7.7	6.2	1.8	19.1	2400	1300
Tampara											
	Tampara lake	3954	07.7.2020	12:00 Noon	30	8.2	3	3.8	22.9	3500	1300
July, 2020											
CREEK											
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL
Atharabanki creek	Atharabanki creek	3961	07.7.2020	8:35 AM	30.5	7.1	6.4	3.2	22.9	3500	1300
July, 2020											
CANALS											
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL
Talandanda canal	Jobra	2428									
	Ranihat	3950									
	Chhatrabazar	3951									
	Nuabazar	2429									
	Biribati	3952									
	Atharabanki	2430	07.7.2020	8:45 AM	31.5	7	4.6	1.6	11.4	2200	790
Puri canal	Hansapal	3958	06.7.2020	10:50 AM	28	7.6	7.8	1.7	11.6	14000	4600
	Jagannathpur	3959	06.7.2020	3:35 PM	28.5	7.2	7	2.2	15.4	11000	330
	Chandanpur	3960	08.7.2020	10:30 AM	29	7.3	6.4	1.4	11.4	4300	2200
July, 2020											
PONDS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Binduasagar pond(Bhubaneswar)											
Lingaraj temple side	2431	09.7.2020	9:50 AM	24	8.4	6.4	1.7	19.1	5400	1100	
Ananta Vasudeva temple side		09.7.2020	11:00 AM	25	8.3	5.5	1.5	15.2	1400	220	
Gyananagar side		09.7.2020	11:40 AM	25	8.1	6.6	1.8	19.1	13000	2200	

Kedarnath Research Centre side		09.7.2020	11:10 AM	25	8.1	5.8	1.8	19.1	2800	490
---	--	-----------	----------	----	-----	-----	-----	------	------	-----

Ponds in Puri

Narendra	2432	09.7.2020	8:20 AM	24	8.7	12.4	4.9	49.5	1100	700
Markanda	2433	09.7.2020	8:45 AM	25	8.8	12.4	5.3	61	330	130
Indradyumna	2434	09.7.2020	8:00 AM	24	7.9	9	4.5	45.7	3500	1300
Swetagan	2435	09.7.2020	9:15 AM	23	8	16.9	5.5	41.9	4300	2200
Parbatigar	2436	08.7.2020	3:15 PM	32	8	12.3	4.7	15.2	940	330

Pond in Angul

Raniguda pond	3963	07.7.2020	4:30 PM	27	7.8	5.4	5.7	34.3	3500	2400
------------------	------	-----------	---------	----	-----	-----	-----	------	------	------

Pond in Jeypore

Jagannathsagar	3962		No sampling							
----------------	------	--	-------------	--	--	--	--	--	--	--

n.a. : Not analysed