

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WQ

DO >4.0 mg/l

BOD < 3 mg/l

TC < 5000 MPN/100 ml

FC < 2500 MPN/ 100 ml

River system : Mahanadi

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	05.11.2019	8:00	26	6.8	6.4	0.5	7.6	1400	940	Satisfactory	
2	Jharsuguda	1268	20.11.2019	11:00	18	7.4	8.6	1.6	8.8	1100	790	Satisfactory	
3	Brajrajnagar-U/S	1300	20.11.2019	11:35	17	7.5	8.8	1.4	8.8	1300	330	Satisfactory	
4	Brajrajnagar-D/S	1269	20.11.2019	12:20	19	7.6	7.6	0.5	5.3	1400	460	Satisfactory	
5	Bheden	2403	20.11.2019	1:05	19	7.5	8.4	1.4	8.8	790	170	Satisfactory	
6	Hirakud	1281	05.11.2019	12:15	28	8.4	8.4	0.7	7.6	700	460	Satisfactory	
7	Sambalpur U/S	1270	05.11.2019	9:30	28	7.6	7.4	0.9	9.5	4900	400	Satisfactory	
8	Sambalpur D/S	1271	05.11.2019	8:40	28	7.7	7.2	1.4	11.4	700	460	Satisfactory	
9	Sambalpur FD/S at Shankarmath	3887	04.11.2019	9:30	28	7.6	7.2	1.2	5.7	2600	450	Satisfactory	
10	Sambalpur FD/S at Huma	2405	04.11.2019	10:40	29	7.7	7.4	0.8	7.6	1100	170	Satisfactory	
11	Power Channel U/S	3888	05.11.2019	11:10	28	8	6.6	0.4	5.7	1100	700	Satisfactory	
12	Power Channel D/S	2404	05.11.2019	10:10	28	7.9	6.8	0.4	7.6	1100	700	Satisfactory	
13	Sonepur U/S	1272	04.11.2019	12:15	30	7.9	7.6	0.9	9.5	2200	460	Satisfactory	
14	Sonepur D/S	1274	04.11.2019	12:45	30	7.9	6.8	2.3	17.1	2600	1700	Satisfactory	
15	Tikarpada	1275	04.11.2019	11:30	26	6.8	7.2	0.6	5.4	220	20	Satisfactory	
16	Narasinghpur	1276	05.11.2019	4:55	25	7.1	8.8	0.5	9.1	2400	1300	Satisfactory	
17	Munduli	2406	05.11.2019	1:05	29	7.1	8.2	1	7.2	330	45	Satisfactory	
18	Cuttack U/s	1277	05.11.2019	12:15	28	7.2	8.6	1	7.2	2400	790	Satisfactory	
19	Cuttack D/s	1278	05.11.2019	11:20	29	6.9	8.2	1.2	9.1	4900	2200	Satisfactory	
20	Cuttack FD/s	3890	05.11.2019	11:00	29	7.5	8.2	1.5	10.9	790	330	Satisfactory	
21	Paradeep U/S	2407	06.11.2019	12:23	29.1	7.3	6.8	0.3	5.4	110	46	Satisfactory	
22	Paradeep D/S	1639	06.11.2019	1:10	29.6	7.3	7.8	0.8	5.4	110	7.8	Satisfactory	
23	Ong river, Dharuakhaman	3889	04.11.2019	3:40	30	8	7.2	0.5	7.6	490	45	Satisfactory	
24	Tel	2408	04.11.2019	1:20	30	8.1	6.8	0.6	7.6	2200	790	Satisfactory	
25	Kathajodi U/s	3891	04.11.2019	12:15	28	7.2	8.4	1.1	9.1	1100	270	Satisfactory	
26	Kathajodi D/s	1301	04.11.2019	4:55	26	7.2	8.4	0.8	7.2	2200	940	Satisfactory	
27	Kathajodi FD/s (Mattagaipur)	3892	04.11.2019	2:55	30	6.9	5.6	3	16.3	4600	1100	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	04.11.2019	3:40	28	7.5	8.8	1	7.2	3500	700	Satisfactory	
29	Sankhatrasa	2409	04.11.2019	4:25	28	7.2	8.6	1.2	9.1	1700	490	Satisfactory	
30	Kuakhai FU/s	2410	04.11.2019	10:25	27	6.6	6.9	0.9	11.4	330	170	Satisfactory	
31	Kuakhai U/s	1279	04.11.2019	10:50	28	6.9	7	1.1	13.3	2400	1300	Satisfactory	
32	Daya at Gelapur	3894	04.11.2019	12:10	28	6.7	8.5	1.4	11.4	2200	1300	Satisfactory	
33	Kuakhai D/s	1280	04.11.2019	3:20	28	6.9	4.9	2.8	22.7	92000	14000	Unsatisfactory	TC, FC
Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
34	Kuakhai FD/s	2411	04.11.2019	3:40	29	6.7	4.9	2.2	19	7900	4900	Unsatisfactory	TC, FC
35	Daya at Kanas	3895	06.11.2019	3:45	28	7.2	4.4	2.3	18.1	3500	2200	Satisfactory	
36	Birupa	1640	04.11.2019	2:00	30	8.5	7.8	0.5	7.2	2400	1300	Satisfactory	
37	Gangua at Rajdhani College	3896	04.11.2019	10:00	26	6.5	1.8	6.1	30.3	24000	24000	Unsatisfactory	DO, BOD, TC, FC
38	Gangua at Palasuni	3897	04.11.2019	11:25	28	6.6	1.9	3.4	22.7	160000	160000	Unsatisfactory	DO, BOD, TC, FC
39	Gangua at Samantarapur	3898	04.11.2019	12:30	29	6.5	1.5	3.3	24.6	160000	54000	Unsatisfactory	DO, BOD, TC, FC
40	Gangua at vadimula	3899	04.11.2019	3:05	30	6.7	5.5	3.2	24.6	160000	92000	Unsatisfactory	BOD, TC, FC
41	Kushabhadra at Bhingarpur	3903	06.11.2019	11:40	28	7.3	7.3	1.2	14.5	2200	790	Satisfactory	
42	Kushabhadra at Nimapara	3904	06.11.2019	1:20	29	7.3	6.6	1.2	14.5	2100	780	Satisfactory	
43	Kushabhadra at Gop	3905	06.11.2019	12:45	29	7.3	6.9	1.2	12.7	1100	700	Satisfactory	
44	Kendrapada U/s	3900	05.11.2019	11:30	29.1	7.3	7.2	0.5	9.1	490	130	Satisfactory	
45	Kendrapada D/s	3901	05.11.2019	12:00	29.3	7.1	6	0.9	12.7	2400	1300	Satisfactory	
46	Mangala at Malatipatpur	3906	06.11.2019	1:30	25	7.3	6.1	0.7	9	170	78	Satisfactory	
47	Mangala D/s	3907	06.11.2019	4:30	25	7.1	6	2.8	21.5	4900	1100	Satisfactory	
48	Bhargavi at Chandanpur	3908	06.11.2019	1:15	27	6.6	6.4	1.4	14.4	1300	330	Satisfactory	
49	Devi at Machhagaon	3902	06.11.2019	10:15	29.8	7.1	6.4	0.4	5.4	460	45	Satisfactory	
50	Luna at Bilipur	3912	06.11.2019	4:50	28	7.2	4.8	2.5	21.7	3500	2200	Satisfactory	
51	River Sabulia	3914	04.11.2019	1:40	26	7.5	7	0.6	11.4	2400	790	Satisfactory	
52	Kusumi	3913	04.11.2019	11:45	27	7.5	7.2	0.7	7.6	3500	2200	Satisfactory	
53	River Kansari	3909	04.11.2019	12:40	27	7.4	6.7	0.5	7.6	4600	1700	Satisfactory	
54	River Badasankha	3910	04.11.2019	2:30	27	7.4	4.5	0.9	13.3	4900	1100	Satisfactory	
55	Ratnachira	3911	06.11.2019	12:50	29	6.6	6.4	0.4	7.2	1300	130	Satisfactory	

River system : Rushikulya

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Russelkunda Reservoir	3944	04.11.2019	9:00	18	6.9	8.2	1.7	17.1	1800	940	Satisfactory	
2	Badanadi, Aska	3946	04.11.2019	11:00	18	7.5	8.5	0.8	9.5	1700	490	Satisfactory	
3	Rushikulya, Aska	3945	04.11.2019	2:00	20	7.5	7.8	0.6	5.7	4900	2200	Satisfactory	
4	Rushikulya at Nalabanta	3947	04.11.2019	2:30	20	7.6	8.1	1.4	11.4	3500	1300	Satisfactory	
5	Madhopur	1455	04.11.2019	3:00	20	7.6	8	1.2	9.5	16000	3500	Unsatisfactory	TC, FC
6	Potagarh	1456	04.11.2019	3:30	20	8.2	8	0.8	13.3	2800	1400	Satisfactory	

River system : Baitarani

November, 2019


Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	05.11.2019	4:50	23	7.2	6.7	0.7	5.4	230	78	Satisfactory	
2	Kusei at Deogaon	2421	07.11.2019	9:55	23	7.7	8.5	1.5	9.5	9400	7000	Unsatisfactory	TC, FC
3	Baitarani at Naigarh	3935	05.11.2019	9:20	21	7	7.2	1.2	7.2	170	130	Satisfactory	
4	Baitarani at Unchabali	3936	05.11.2019	10:10	23	6.9	6.8	0.4	3.6	400	93	Satisfactory	
5	Baitarani at Champua	3937	06.11.2019	9:20	22	7	7	0.8	7.2	92	20	Satisfactory	
6	Baitarani at Tribindha	3938	06.11.2019	11:15	24	7.2	7.2	0.7	7.2	790	220	Satisfactory	
7	Baitarani at Joda	1081	05.11.2019	3:20	25	7.1	6.3	1.3	10.9	490	130	Satisfactory	
8	Anandpur	1082	07.11.2019	9:10	21	7.9	8.6	1.6	14.5	4700	3300	Unsatisfactory	FC
9	Jaipur	1083	05.11.2019	11:00	24	7.4	7.9	0.6	5.4	3500	1300	Satisfactory	
10	Chandbali U/s	1084	06.11.2019	11:55	24	8.2	7.6	0.9	5.4	2200	310	Satisfactory	
11	Chandbali D/s	10018	06.11.2019	11:15	24	7.8	7.6	1.4	10.8	2200	790	Satisfactory	
12	Dhamra	1085	06.11.2019	5:00	24	7.1	7.6	0.7	28.7	790	330	Satisfactory	
13	Bhadrak U/s	3940	06.11.2019	9:30	23	7.6	7.6	0.8	5.4	790	45	Satisfactory	
14	Bhadrak D/s	3941	06.11.2019	9:00	23	7.5	7.2	1.2	10.8	2200	78	Satisfactory	

River system : Brahmani

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Panposh U/s	1037	04.11.2019	9:38	26	7.3	7	0.5	7.6	2200	790	Satisfactory	
2	Panposh D/s	1038	05.11.2019	10:30	28	7.5	4.2	5.3	30.3	5400	3500	Unsatisfactory	BOD, TC, FC
3	Jalda (Rourkela D/S)	1302	04.11.2019	1:40	29	7.4	5.1	3.6	20.9	2400	1300	Unsatisfactory	BOD
4	Attaghat	3916	04.11.2019	2:30	30	7.6	7	2	13.3	1100	700	Satisfactory	
5	Biritola	2414	04.11.2019	3:06	28	7.6	7.2	0.9	9.5	3500	1300	Satisfactory	
6	Bonaigarh	1039	04.11.2019	9:27	28	7.5	6.8	1	5.7	11000	4900	Unsatisfactory	TC, FC
7	Rengali	1040	04.11.2019	4:15	28	6.9	6.2	0.6	5.4	170	14	Satisfactory	
8	Samal	1041	04.11.2019	12:40	28	6.9	6.4	0.8	5.4	490	110	Satisfactory	
9	Talcher FU/S	2415	04.11.2019	11:50	29	7	7.6	0.7	5.4	330	68	Satisfactory	
10	Talcher U/s	1303	04.11.2019	10:40	28	7.1	7	1.4	9.1	1700	340	Satisfactory	
11	Mandapal	3917	04.11.2019	11:00	28	7.2	7.6	1.6	12.7	2800	790	Satisfactory	
12	Talcher D/S	1042	04.11.2019	8:00	27	7.1	7.6	1.9	18.1	1700	400	Satisfactory	
13	Talcher FD/S	2416	04.11.2019	9:15	27	7.2	7	1	9.1	790	78	Satisfactory	
14	Nandira U/s	3919	04.11.2019	9:25	26	7.6	8.8	0.7	7.2	790	490	Satisfactory	
15	Nandira D/s	3920	04.11.2019	10:10	26	7.9	8	1	9.1	1100	700	Satisfactory	
16	Kisindajhor	3921	04.11.2019	8:40	28	8	7.6	1.6	14.5	4600	2100	Satisfactory	
17	Dhenkanal U/s	3918	04.11.2019	3:30	28	7.1	7.6	1.2	10.9	940	20	Satisfactory	
18	Dhenkanal D/s	2417	04.11.2019	12:00	28	7	7.2	0.6	5.4	1100	78	Satisfactory	
19	Bhuban	1043	04.11.2019	1:15	28	7.1	7.6	0.8	10.9	1300	230	Satisfactory	
20	Kabatabandha	2418	06.11.2019	11:10	22	7.6	7.4	0.4	7.2	170	45	Satisfactory	
21	Dharmasala U/s	1044	05.11.2019	2:00	25	7.3	7.8	0.6	9	790	130	Satisfactory	
22	Dharmasala D/s	10019	05.11.2019	1:40	25	7.3	7.9	0.8	10.8	790	170	Satisfactory	
23	Pottamundai	1045	05.11.2019	1:30	29.2	7.1	7.4	1.1	9.1	490	330	Satisfactory	
24	Khanditara	2419	05.11.2019	2:50	26	7.2	7.2	0.7	5.4	3500	460	Satisfactory	
25	Binjharapur	3922	05.11.2019	11:40	24	7.1	7.5	1	7.2	4600	2100	Satisfactory	
26	Ali	2420	05.11.2019	3:30	29.1	7.2	7.4	0.6	5.4	1100	220	Satisfactory	
27	Sankh U/s	2412	04.11.2019	9:27	27	7.2	7.2	1.5	5.7	4900	3300	Satisfactory	
28	Koel U/s	2413	05.11.2019	11:08	27	7.3	7.6	0.8	5.7	3500	1300	Satisfactory	
29	Guradi nallah	3923	04.11.2019	10:05	28	7.7	3.2	7.1	30.3	54000	22000	Drain	
30	Badajhor	3924	04.11.2019	11:45	27	7.8	6.6	0.9	5.4	3500	1300	Satisfactory	

31	Damsala at Dayanabil	3933	06.11.2019	12:50	24	7	6.9	0.8	7.2	3500	1300	Satisfactory	
32	Gondanallah at marthapur	3934	06.11.2019	10:20	22	6.9	7.2	1.2	10.8	4600	1300	Satisfactory	
33	Karo at Barbil	3915	05.11.2019	1:30	26	7.2	6.5	1.1	7.2	330	230	Satisfactory	
34	Lingira U/s	3925	04.11.2019	1:30	24	8.2	9	1	9.1	790	490	Satisfactory	
35	Lingira D/s	3926	04.11.2019	2:30	29	8.2	8.2	1.3	10.9	3500	1100	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	05.11.2019	2:35	28	7.4	8	0.4	5.4	790	490	Satisfactory	
37	Bangurunallah	3930	04.11.2019	12:15	27	7	7.8	0.5	7.2	460	460	Satisfactory	
38	Singadajhor	3929	04.11.2019	12:50	28	7.8	4.8	1.2	7.2	230	20	Satisfactory	
39	Tikira U/s	3927	04.11.2019	3:30	29	8.2	5.2	0.9	9.1	330	78	Satisfactory	
40	Tikira D/s	3928	04.11.2019	1:30	28	8	7.2	1.3	10.9	790	130	Satisfactory	
41	Bangurusingada jhor	3931	05.11.2019	10:00	28	7.2	7.4	1.6	10.9	490	130	Satisfactory	



River system : Budhabalanga

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	07.11.2019	2:30	25	7.6	7.2	0.5	7.2	2400	790	Satisfactory	
2	Balasure U/s	3943	07.11.2019	1:00	25	7.5	7.6	0.6	9	3500	1100	Satisfactory	
3	Balasure D/s	2424	07.11.2019	11:30	23	7.4	7.6	1.8	9	4900	450	Satisfactory	
4	Hatiagond (Sona)	3942	07.11.2019	10:00	23	7.3	8	0.8	7.2	3300	200	Satisfactory	

River system : Vansadhara

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Muniguda	2427	05.11.2019	1:30	27	7.2	7.3	1.2	12.6	4900	1700	Satisfactory	
2	Gunupur	2426	05.11.2019	4:15	27	7.3	7.1	0.7	7.2	4900	2200	Satisfactory	

River system : Subarnarekha

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Rajghat	1641	07.11.2019	4:30	24	7.6	7.2	1.2	10.8	790	170	Satisfactory	

River system : Nagavali

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	05.11.2019	10:59	25	6.9	7.4	0.4	7.2	1100	490	Satisfactory	
2	Jaykaypur D/s	1642	05.11.2019	9:27	21	7	6.9	1.6	12.6	3500	1700	Satisfactory	
3	Rayagada D/s	1643	05.11.2019	7:25	21	7.1	7.3	1.2	10.8	2400	490	Satisfactory	

River system : Kolab

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	River Kerandi (Intake well of NALCO Refinery, HAL, Sunabeda	2425	05.11.2019	11:39	21	7.5	6.3	0.5	5.4	1400	1100	Satisfactory	

River system : Indravati

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	05.11.2019	4:36	20	7.4	6.9	0.7	7.2	230	130	Satisfactory	

River system : Bahuda

November, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarpally	3949	04.11.2019	11:42	20	8.1	7.9	0.8	9.5	2800	940	Satisfactory	

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
SEA						
Gopalpur sea	2441	05.11.2019	9:00	20	8	6.7
Swargadwara (Puri)	2439	06.11.2019	5:10	25	7.4	7.4
Pardeep sea	2440	06.11.2019	1:40	29.4	7.5	7

LAKES							
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
Anshupa	Kadalibari	2438	05.11.2019	3:25	26	6.7	7.4
	Bishnupur	3956	05.11.2019	3:05	26	6.5	7.4
	Subarnapur	3955	05.11.2019	3:15	27	6.8	6.2
	Sarandagarh	3957	05.11.2019	3:25	26	6.9	5.8
Chilka	Rambha	3953	05.11.2019	12:30	20	7.8	7.5
	Satapada	2437	06.11.2019	3:00	26	6.6	7.2
Tampara	Tampara lake	3954	05.11.2019	8:00	18	7.9	5.5

CREEK							
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
Atharabanki creek	Atharabanki creek	3961	06.11.2019	7:05	20.6	7.6	6.1

CANALS							
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
Taladanda canal	Jobra	2428	06.11.2019	11:05	27	7.3	7.4
	Ranihat	3950	06.11.2019	11:20	26	7.5	7.6
	Chhatrabazar	3951	06.11.2019	11:50	27	6.8	7.8
	Nuabazar	2429	06.11.2019	12:05	25	6.7	7.4

Puri canal

Biribati	3952	06.11.2019	12:10	24	7.8	7.6
Atharabanki	2430	06.11.2019	7:15	26.6	7	7.2
Hansapal	3958	06.11.2019	11:05	28.5	7.4	8.2
Jagannathpur	3959	06.11.2019	2:45	28.5	7.3	7.7
Chandanpur	3960	06.11.2019	12:20	29	6.5	7

PONDS

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
-----------------	------	---------------	---------------	------------------------	----	----------

Binduasagar pond(Bhubaneswar)

Lingaraj temple side	2431	04.11.2019	2:00	28	6.7	6.6
Ananta Vasudeva temple side		04.11.2019	1:15	29	8	11.4
Gyananagar side		04.11.2019	4:45	29	7.5	6.9
Kedarnath Research Centre side		04.11.2019	1:35	29	7.3	6.6

Ponds in Puri

Narendra	2432	07.11.2019	10:10	25	7.2	3.2
Markanda	2433	07.11.2019	10:20	25	7.2	3.9
Indradyumna	2434	07.11.2019	9:45	25	7.2	4.3
Swetaganga	2435	07.11.2019	9:30	25	7	2.1
Parbatisagar	2436	06.11.2019	4:45	26	7	3.1

Pond in Angul

Raniguda pond	3963	06.11.2019	1:00	25	7	3.2

Pond in Jeypore

Jagannathsagar Pond	3962	05.11.2019	2:27	22	7.2	6
---------------------	------	------------	------	----	-----	---

November, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
0.3	37.9	18	18
0.3	35.9	79	17
0.6	45.2	1.8	1.8

November, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
1.5	9	460	130
1.4	10.8	7000	4600
0.8	9	2200	1100
1.9	12.6	1700	460

1.3	18.6	530	170
1.1	5.4	3500	790
2.1	17.1	490	78

November, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
2.8	39.5	9200	5400

November, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
1.2	9.1	25000	4900
1.5	12.6	7900	1700
1.8	16.3	92000	35000
0.6	10.9	160000	92000

1.5	7.2	35000	13000
1.1	9.1	790	330
0.9	10.9	2400	1300
1.9	14.5	460	170
0.6	5.4	3500	1300

November, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
------------------	------------------	-------------------------------	-------------------------------

1.5	9.5	7900	7900
1.8	15.2	13000	3300
2.2	17.1	160000	92000
2.8	24.6	35000	3300

6.1	39.5	170	20
7.3	35.9	5400	130
3.6	19.7	4900	1100
10.2	49.3	2200	20
9	39.5	4900	130

5.6	45.2	3500	700

1.8	18	4900	1100
-----	----	------	------